



Status Report

PHENOM 100

S/N 5000317 F-HPBM

OWNER: JAV AVIATION
ADDRESS: PARC CE LA VERDIERE
VELAUX 13880
OFFICE:
FAX:

OPERATOR: NAV-CORP
ADDRESS: 47, BD. JEAN BRUNHES
TOULOUSE 31300
OFFICE:
FAX:

CAMO: NAV-CORP
ADDRESS: 47, BD. JEAN BRUNHES
TOULOUSE 31300
OFFICE:
FAX:

ANALYST: EMBRAER ANALYST
EMAIL: COLLIN.GUYON@CAMPSYSTEMS.EU

+33.1.55.93.47.76 (DIRECT)
+33-1.55.93.45.80 (MAIN)
WWW.CAMPSYSTEMS.COM

PLEASE REACH OUT TO YOUR ANALYST TO
RECORD CHANGES TO ADDRESS, LAST ACTUALS
(IF ANY).

FILTER CRITERIA : Spl. Reqs:INCLUDE;Task Type:PACKAGE, COMPONENT, SERVICE;PN/SN-UNKNOWN Components:INCLUDE

AIRCRAFT SERIAL/REGNO: 5000317/F-HPBM MODEL: PHENOM 100 MANUFACTURER: EMBRAER

CERTIFICATION DATE: 28-JUN-2013

LAST ACTUALS:
1987:43 A/C HRS as of 19-MAY-2024
1914 AFL as of 19-MAY-2024

ENGINE NO. 1 SERIAL/PART: PCE-LC0602/35C3100-01 MODEL: PW617F-E MANUFACTURER: PRATT & WHITNEY CANADA CORP.

INSTALLED ON: 01-MAR-2013
0 ENG. HRS 0 A/C HRS
0 ENC

LAST ACTUALS:
1987:43 ENG. HRS as of 19-MAY-2024
1914 ENC as of 19-MAY-2024

ENGINE NO. 2 SERIAL/PART: PCE-LC0603/35C3100-01 MODEL: PW617F-E MANUFACTURER: PRATT & WHITNEY CANADA CORP.

INSTALLED ON: 01-MAR-2013
0 ENG. HRS 0 A/C HRS
0 ENC

LAST ACTUALS:
1987:43 ENG. HRS as of 19-MAY-2024
1914 ENC as of 19-MAY-2024



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA GENERAL									
ICA-003 ^U	PERIODIC MAINTENANCE PROCEDURE LINKED TO ADF-462 MODIFICATION							Service	ATA:--
	MOS	25-Jul-17	84		24-Jul-24 (M)		61 d		
	HRS								
	AFL	809	12000		12809		10895		
ATA 00 - INFORMATION									
00-ARC-00 ^U	AIRWORTHINESS REVIEW CERTIFICATE VALIDITY							Service	ATA:00
	MOS/MSC	11-Sep-23	12 / -		25-Sep-24 (M)		124 d	AIRWORTHINESS	
	HRS	1948:10							
	AFL	1873							
00-INS-00 ^U	RENEW INSURANCE CERTIFICATE							Service	ATA:00
	MOS	16-Dec-23	12		16-Dec-24		206 d	CUSTOMER OPERATIONS REQUIREMENT	
	HRS	1962:06							
	AFL	1892							
E617-240318	NO. 1 ENGINE - REVIEW PW617F-E LMM REV 30.0							Service	ATA:00
	MOS/MSC	EBT	-				NEW REQMT	REQUIREMENT CHANGE FORMS	
	HRS								
	ENC								
	PROC. REF: RCF E617								
E617-240318	NO. 2 ENGINE - REVIEW PW617F-E LMM REV 30.0							Service	ATA:00
	MOS/MSC	EBT	-				NEW REQMT	REQUIREMENT CHANGE FORMS	
	HRS								
	ENC								
	PROC. REF: RCF E617								
EM50-240111-AWL	REVIEW CHANGE FORM FOR EMBRAER EMB-500 - PHENOM 100 AMM PART IV - AIRWORTHINESS LIMITATIONS (AWL) REV 02, DATED 11 -JAN-2024							Service	ATA:00
	MOS/MSC	27-Mar-24	-					REQUIREMENT CHANGE FORMS	
	HRS	1971:12							
	AFL	1900							
	PROC. REF: RCF --								
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-30-01	800 FH MAINTENANCE PACKAGE							Package	ATA:05
	MOS	20-Mar-23							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
	HRS	1920:40	800 (+30/-30)	Adj -24:40	2696	2726	708:17 (+30)		
	AFL	1845							
PROC. REF: SMR 05-30-01								PKG:1	
05-30-10	1600 FH MAINTENANCE PACKAGE							Package	ATA:05
	MOS	20-Aug-18							
	HRS	1096	1600 (+30/-30)		2696	2726	708:17 (+30)		
	AFL								
PROC. REF: SMR 05-30-10								PKG:10	
05-30-20	2400 FH MAINTENANCE PACKAGE							Package	ATA:05
	MOS	28-Jun-13							
	HRS	0	2400 (+30/-30)		2400	2430	412:17 (+30)		
	AFL	0							
PROC. REF: SMR 05-30-20								PKG:20	
05-30-40	3200 FH MAINTENANCE PACKAGE							Package	ATA:05
	MOS	28-Jun-13							
	HRS	0	3200 (+30/-30)		3200	3230	1212:17 (+30)		
	AFL	0							
PROC. REF: SMR 05-30-40								PKG:40	
05-30-42	3200 FH/60 MO MAINTENANCE PACKAGE							Package	ATA:05
	MOS	20-Mar-23	60 (+1m/-1m)		20-Mar-28	20-Apr-28	1396 d (+31)		
	HRS	1920:40	3200 (+30/-30)		5120:40	5150:40	3132:57 (+30)		
	AFL	1845							
PROC. REF: SMR 05-30-42								PKG:42	
05-30-50	5600 FH MAINTENANCE PACKAGE							Package	ATA:05
	MOS	28-Jun-13							
	HRS	0	5600 (+30/-30)		5600	5630	3612:17 (+30)		
	AFL	0							
PROC. REF: SMR 05-30-50								PKG:50	
05-30-60	6400 FH MAINTENANCE PACKAGE							Package	ATA:05
	MOS	EFF							
	HRS	EFF	6400 (+30/-30)		6400 *	6430	4412:17 (+30)		
	AFL								
PROC. REF: SMR 05-30-60								PKG:60	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-30-66	12000 FH/120 MOS MAINTENANCE PACKAGE							Package	ATA:05
	MOS/MSC	28-Jun-13	N/R						
	HRS	0							
	AFL	0							
				PROC. REF: GENERIC NO REF				PKG:66	
05-30-80	12 MO MAINTENANCE PACKAGE							Package	ATA:05
	MOS	20-Mar-24	12 (+1m/-1m)	Adj -23d	25-Feb-25	25-Mar-25	277 d (+28)		
	HRS	1971:12							
	AFL	1900							
				PROC. REF: SMR 05-30-80				PKG:80	
05-30-81	24 MO MAINTENANCE PACKAGE							Package	ATA:05
	MOS	20-Mar-23	24 (+1m/-1m)	Adj -15d	05-Mar-25	05-Apr-25	285 d (+31)		
	HRS	1920:40							
	AFL	1845							
				PROC. REF: SMR 05-30-81				PKG:81	
05-30-82	36 MO MAINTENANCE PACKAGE							Package	ATA:05
	MOS	25-Feb-22	36 (+1m/-1m)		25-Feb-25	25-Mar-25	277 d (+28)		
	HRS	1605:35							
	AFL	1535							
				PROC. REF: SMR 05-30-82				PKG:82	
05-30-83	48 MO MAINTENANCE PACKAGE							Package	ATA:05
	MOS	05-Mar-21	48 (+1m/-1m)		05-Mar-25	05-Apr-25	285 d (+31)		
	HRS	1385:39							
	AFL	1293							
				PROC. REF: SMR 05-30-83				PKG:83	
05-30-84	60 MO MAINTENANCE PACKAGE							Package	ATA:05
	MOS	20-Mar-23	60 (+1m/-1m)		20-Mar-28	20-Apr-28	1396 d (+31)		
	HRS	1920:40							
	AFL	1845							
				PROC. REF: SMR 05-30-84				PKG:84	
05-30-87	120 MO MAINTENANCE PACKAGE							Package	ATA:05
	MOS	20-Mar-23	120 (+1m/-1m)		20-Mar-33	20-Apr-33	3222 d (+31)		
	HRS	1920:40							
	AFL	1845							
				PROC. REF: SMR 05-30-87				PKG:87	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-30-90	120 MO THRESHOLD/ 60 MO MAINTENANCE PACKAGE							Package	ATA:05
	MOS	20-Mar-23	60 (+1m/-1m)		20-Mar-28	20-Apr-28	1396 d (+31)		
	HRS	1920:40							
	AFL	1845							
				PROC. REF: SMR 05-30-90				PKG:90	
05-50-00-210-805	NO. 1 ENGINE - TROUBLESHOOT - FOREIGN OBJECT DAMAGE							Service	ATA:05
	MOS/MSC	17-Jan-13	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
				PROC. REF: MM 05-50-00					
05-50-00-210-805	NO. 2 ENGINE - TROUBLESHOOT - FOREIGN OBJECT DAMAGE							Service	ATA:05
	MOS/MSC	23-Jan-13	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
				PROC. REF: MM 05-50-00					
05-50-01/600	LIGHTNING STRIKE - INSPECTION/CHECK							Service	ATA:05
	MOS/MSC	28-Jun-13	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
				PROC. REF: AMM 05-50-01, AMM 05-50-01, AMM 05-50-01, AMM 05-50-01, AMM 05-50-01, AMM 05-50-01, AMM 05-50-01					
05-50-02/600	HARD LANDING OR OFF-TEMPERATURE LANDING - INSPECTION/CHECK							Service	ATA:05
	MOS/MSC	28-Jun-13	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
				PROC. REF: AMM 05-50-02					
05-50-06/600	LANDING GEAR DOWN OVERSPEED - INSPECTION/CHECK							Service	ATA:05
	MOS/MSC	28-Jun-13	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
				PROC. REF: AMM 05-50-06					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-50-07/600	FLAP EXTENDED OVERSPEED - INSPECTION/CHECK							Service	ATA:05
	MOS/MSC	28-Jun-13	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
	PROC. REF: AMM 05-50-07								
05-50-08/600	CABIN DEPRESSURIZATION - INSPECTION/CHECK							Service	ATA:05
	MOS/MSC	28-Jun-13	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
	PROC. REF: AMM 05-50-08								
05-50-09/600	ICE OR SNOW CONDITION - INSPECTION/CHECK							Service	ATA:05
	MOS/MSC	28-Jun-13	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
	PROC. REF: AMM 05-50-09								
05-50-10/600	HIGH-ENERGY STOP CONDITION - INSPECTION/CHECK							Service	ATA:05
	MOS/MSC	28-Jun-13	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
	PROC. REF: AMM 05-50-10								
05-50-11/600	LANDING GEAR FREE-FALL CONDITION - INSPECTION/CHECK							Service	ATA:05
	MOS/MSC	28-Jun-13	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
	PROC. REF: AMM 05-50-11								
05-50-12/600	OVERHEATED WHEELS - INSPECTION/CHECK							Service	ATA:05
	MOS/MSC	28-Jun-13	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
	PROC. REF: AMM 05-50-12								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50-13/600	WHEEL OVERSPEED - INSPECTION/CHECK							Service ATA:05
	MOS/MSC	28-Jun-13	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	AFL	0						
					PROC. REF: AMM 05-50-13			
05-50-14/600	TIRE TREAD FAILURE - INSPECTION/CHECK							Service ATA:05
	MOS/MSC	28-Jun-13	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	AFL	0						
					PROC. REF: AMM 05-50-14			
05-50-15/600	TIRE BURST WITH LANDING GEAR FULLY RETRACTED - INSPECTION/CHECK							Service ATA:05
	MOS/MSC	28-Jun-13	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	AFL	0						
					PROC. REF: AMM 05-50-15			
05-50-16/600	ON-GROUND GALE-FORCE WINDS - INSPECTION/CHECK							Service ATA:05
	MOS/MSC	28-Jun-13	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	AFL	0						
					PROC. REF: AMM 05-50-16			
05-50-17/600	VOLCANIC ASH - INSPECTION/CHECK							Service ATA:05
	MOS/MSC	28-Jun-13	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	AFL	0						
					PROC. REF: AMM 05-50-17			
05-50-19/600	TOILET OVERSERVICING - INSPECTION/CHECK							Service ATA:05
	MOS/MSC	28-Jun-13	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	AFL	0						
					PROC. REF: AMM 05-50-19			

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-50-20/600	SEVERE TURBULENCE - INSPECTION/CHECK							Service	ATA:05
	MOS/MSC	28-Jun-13	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
					PROC. REF: AMM 05-50-20				
05-50-21/600	LANDING OVERWEIGHT - INSPECTION/CHECK							Service	ATA:05
	MOS/MSC	28-Jun-13	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
					PROC. REF: AMM 05-50-21				
05-50-26/600	SANDSTORM - INSPECTION/CHECK							Service	ATA:05
	MOS/MSC	28-Jun-13	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
					PROC. REF: AMM 05-50-26				
05-50-27/600	AIRCRAFT NOISE AND VIBRATION - INSPECTION/CHECK							Service	ATA:05
	MOS/MSC	28-Jun-13	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
					PROC. REF: AMM 05-50-27				
05-50-28/600	NLG INCORRECT TOWING - INSPECTION/CHECK							Service	ATA:05
	MOS/MSC	28-Jun-13	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
					PROC. REF: AMM 05-50-28				
05-50-29/600	FIRE EXTINGUISHING FOAM - INSPECTION/CHECK							Service	ATA:05
	MOS/MSC	28-Jun-13	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	AFL	0							
					PROC. REF: AMM 05-50-29				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
050600	NO. 1 ENGINE - 800 HOURS							Package ATA:05
	MOS	20-Mar-23						
	HRS	1920:40	800 (+10%)		(2720:40) 2720:40	2800:40	732:57 (+80)	
	ENC	1845						
				PROC. REF: LMM 05-20-00				PKG:2
050600	NO. 2 ENGINE - 800 HOURS							Package ATA:05
	MOS	20-Mar-23						
	HRS	1920:40	800 (+10%)		(2720:40) 2720:40	2800:40	732:57 (+80)	
	ENC	1845						
				PROC. REF: LMM 05-20-00				PKG:2
051254	NO. 1 ENGINE - 800 HOURS/ 12 MONTHS INSPECTION							Package ATA:05
	MOS	20-Mar-24	12 (+30d)	Adj -23d	25-Feb-25	27-Mar-25	277 d (+30)	
	HRS	1971:12	800 (+10%)		(2771:12) 2771:12	2851:12	783:29 (+80)	
	ENC	1900						
				PROC. REF: LMM 05-20-00				PKG:1
051254	NO. 2 ENGINE - 800 HOURS/ 12 MONTHS INSPECTION							Package ATA:05
	MOS	20-Mar-24	12 (+30d)	Adj -23d	25-Feb-25	27-Mar-25	277 d (+30)	
	HRS	1971:12	800 (+10%)		(2771:12) 2771:12	2851:12	783:29 (+80)	
	ENC	1900						
				PROC. REF: LMM 05-20-00				PKG:1
055030	NO. 1 ENGINE - LIGHTNING STRIKE							Service ATA:05
	MOS/MSC	17-Jan-13	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
				PROC. REF: LMM 05-50-00				
055030	NO. 2 ENGINE - LIGHTNING STRIKE							Service ATA:05
	MOS/MSC	23-Jan-13	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
				PROC. REF: LMM 05-50-00				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
055035	NO. 1 ENGINE - DROPPED ENGINE							Service	ATA:05
	MOS/MSC	17-Jan-13	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
	PROC. REF: LMM 05-50-00								
055035	NO. 2 ENGINE - DROPPED ENGINE							Service	ATA:05
	MOS/MSC	23-Jan-13	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
	PROC. REF: LMM 05-50-00								
055040	NO. 1 ENGINE - HEAVY LANDING							Service	ATA:05
	MOS/MSC	17-Jan-13	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
	PROC. REF: LMM 05-50-00								
055040	NO. 2 ENGINE - HEAVY LANDING							Service	ATA:05
	MOS/MSC	23-Jan-13	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
	PROC. REF: LMM 05-50-00								
055045	NO. 1 ENGINE - ENGINE WINDMILLING IN FLIGHT							Service	ATA:05
	MOS/MSC	17-Jan-13	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
	PROC. REF: LMM 05-50-00								
055045	NO. 2 ENGINE - ENGINE WINDMILLING IN FLIGHT							Service	ATA:05
	MOS/MSC	23-Jan-13	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
	PROC. REF: LMM 05-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
055050	NO. 1 ENGINE - ENGINE IMMERSION IN WATER							Service ATA:05
	MOS/MSC	17-Jan-13	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
	PROC. REF: LMM 05-50-00							
055050	NO. 2 ENGINE - ENGINE IMMERSION IN WATER							Service ATA:05
	MOS/MSC	23-Jan-13	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
	PROC. REF: LMM 05-50-00							
055055	NO. 1 ENGINE - ENGINE EXPOSED TO FIRE EXTINGUISHING AGENT							Service ATA:05
	MOS/MSC	17-Jan-13	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
	PROC. REF: LMM 05-50-00							
055055	NO. 2 ENGINE - ENGINE EXPOSED TO FIRE EXTINGUISHING AGENT							Service ATA:05
	MOS/MSC	23-Jan-13	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
	PROC. REF: LMM 05-50-00							
055060	NO. 1 ENGINE - AIRCRAFT FLOWN THROUGH A CLOUD OF VOLCANIC ASH							Service ATA:05
	MOS/MSC	17-Jan-13	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
	PROC. REF: LMM 05-50-00							
055060	NO. 2 ENGINE - AIRCRAFT FLOWN THROUGH A CLOUD OF VOLCANIC ASH							Service ATA:05
	MOS/MSC	23-Jan-13	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
	PROC. REF: LMM 05-50-00							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
055065	NO. 1 ENGINE - CHIP DETECTOR CMC STATUS MESSAGE							Service ATA:05
	MOS/MSC	17-Jan-13	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
	PROC. REF: LMM 05-50-00							
055065	NO. 2 ENGINE - CHIP DETECTOR CMC STATUS MESSAGE							Service ATA:05
	MOS/MSC	23-Jan-13	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
	PROC. REF: LMM 05-50-00							
055070	NO. 1 ENGINE - OIL TEMPERATURE EXCEEDS LIMITS							Service ATA:05
	MOS/MSC	17-Jan-13	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
	PROC. REF: LMM 05-50-00							
055070	NO. 2 ENGINE - OIL TEMPERATURE EXCEEDS LIMITS							Service ATA:05
	MOS/MSC	23-Jan-13	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
	PROC. REF: LMM 05-50-00							
055075	NO. 1 ENGINE - USE OF UNAPPROVED ENGINE OIL BRANDS							Service ATA:05
	MOS/MSC	17-Jan-13	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
	PROC. REF: LMM 05-50-00							
055075	NO. 2 ENGINE - USE OF UNAPPROVED ENGINE OIL BRANDS							Service ATA:05
	MOS/MSC	23-Jan-13	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
	PROC. REF: LMM 05-50-00							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
055080	NO. 1 ENGINE - OIL PRESSURE EXCEEDS LIMITS							Service ATA:05
	MOS/MSC	17-Jan-13	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
	PROC. REF: LMM 05-50-00							
055080	NO. 2 ENGINE - OIL PRESSURE EXCEEDS LIMITS							Service ATA:05
	MOS/MSC	23-Jan-13	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
	PROC. REF: LMM 05-50-00							
055085	NO. 1 ENGINE - FUEL FILTER CONTAMINATION							Service ATA:05
	MOS/MSC	17-Jan-13	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
	PROC. REF: LMM 05-50-00							
055085	NO. 2 ENGINE - FUEL FILTER CONTAMINATION							Service ATA:05
	MOS/MSC	23-Jan-13	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
	PROC. REF: LMM 05-50-00							
055090	NO. 1 ENGINE - HIGH POWER ENGINE SHUTDOWN							Service ATA:05
	MOS/MSC	17-Jan-13	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
	PROC. REF: LMM 05-50-00							
055090	NO. 2 ENGINE - HIGH POWER ENGINE SHUTDOWN							Service ATA:05
	MOS/MSC	23-Jan-13	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
	PROC. REF: LMM 05-50-00							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
055095	NO. 1 ENGINE - LACK OF ENGINE PRESERVATION							Service	ATA:05
	MOS/MSC	17-Jan-13	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
	PROC. REF: LMM 05-50-00								
055095	NO. 2 ENGINE - LACK OF ENGINE PRESERVATION							Service	ATA:05
	MOS/MSC	23-Jan-13	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
	PROC. REF: LMM 05-50-00								
055100	NO. 1 ENGINE - OIL SYSTEM CONTAMINATION							Service	ATA:05
	MOS/MSC	17-Jan-13	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
	PROC. REF: LMM 05-50-00								
055100	NO. 2 ENGINE - OIL SYSTEM CONTAMINATION							Service	ATA:05
	MOS/MSC	23-Jan-13	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
	PROC. REF: LMM 05-50-00								
055110	NO. 1 ENGINE - TAKEOFF POWER TIME EXCEEDANCE							Service	ATA:05
	MOS/MSC	17-Jan-13	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
	PROC. REF: LMM 05-50-00								
055110	NO. 2 ENGINE - TAKEOFF POWER TIME EXCEEDANCE							Service	ATA:05
	MOS/MSC	23-Jan-13	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
	PROC. REF: LMM 05-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
055115	NO. 1 ENGINE - INGESTION OF DEICING FLUID							Service ATA:05
	MOS/MSC	17-Jan-13	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
	PROC. REF: LMM 05-50-00							
055115	NO. 2 ENGINE - INGESTION OF DEICING FLUID							Service ATA:05
	MOS/MSC	23-Jan-13	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
	PROC. REF: LMM 05-50-00							
055120	NO. 1 ENGINE - UNSCHEDULED REMOVAL OF THE STARTER/GENERATOR							Service ATA:05
	MOS/MSC	17-Jan-13	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
	PROC. REF: MM 05-50-00, LMM 05-50-00							
055120	NO. 2 ENGINE - UNSCHEDULED REMOVAL OF THE STARTER/GENERATOR							Service ATA:05
	MOS/MSC	23-Jan-13	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
	PROC. REF: MM 05-50-00, LMM 05-50-00							
055125	NO. 1 ENGINE - ENGINE FUEL TEMPERATURE EXCEEDANCE							Service ATA:05
	MOS/MSC	17-Jan-13	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
	PROC. REF: MM 05-50-00, LMM 05-50-00							
055125	NO. 2 ENGINE - ENGINE FUEL TEMPERATURE EXCEEDANCE							Service ATA:05
	MOS/MSC	23-Jan-13	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
	PROC. REF: MM 05-50-00, LMM 05-50-00							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
055130	NO. 1 ENGINE - REPORTING REQUIREMENTS FOR FADEC FAULTS							Service ATA:05
	MOS/MSC	17-Jan-13	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
	PROC. REF: LMM 05-50-00							
055130	NO. 2 ENGINE - REPORTING REQUIREMENTS FOR FADEC FAULTS							Service ATA:05
	MOS/MSC	23-Jan-13	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
	PROC. REF: LMM 05-50-00							
055135	NO. 1 ENGINE - ENGINE OVERTEMPERATURE							Service ATA:05
	MOS/MSC	17-Jan-13	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
	PROC. REF: LMM 05-50-00							
055135	NO. 2 ENGINE - ENGINE OVERTEMPERATURE							Service ATA:05
	MOS/MSC	23-Jan-13	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
	PROC. REF: LMM 05-50-00							
055140	NO. 1 ENGINE - ENGINE OVERSPEED							Service ATA:05
	MOS/MSC	17-Jan-13	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
	PROC. REF: LMM 05-50-00							
055140	NO. 2 ENGINE - ENGINE OVERSPEED							Service ATA:05
	MOS/MSC	23-Jan-13	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
	PROC. REF: LMM 05-50-00							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
H242-001 ^S	INTERNAL GENERAL VISUAL INSPECTION OF INTERFACE CONNECTORS IN THE REAR CENTER FUSELAGE							Service	ATA:05
	MOS	20-Mar-23	120 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
				PROC. REF: AMM 05-42-00				PKG:87	
H340-001 ^S	INTERNAL GENERAL VISUAL INSPECTION OF PITCH TRIM ACTUATOR ELECTRICAL BONDING							Service	ATA:05
	MOS	20-Mar-23	120 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
				PROC. REF: AMM 05-44-00				PKG:87	
H430-001 ^S	INTERNAL DETAILED INSPECTION OF ENGINE/PYLON INTERFACE CONNECTORS AND BONDING JUMPERS							Service	ATA:05
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
				PROC. REF: AMM 05-46-00				PKG:84	
H700-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF MAIN LANDING GEAR AND MAIN LANDING GEAR BAY BONDING JUMPERS AND CONNECTORS							Service	ATA:05
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
				PROC. REF: AMM 05-47-00				PKG:84	
H700-002 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF NOSE LANDING GEAR AND NOSE LANDING GEAR BAY BONDING JUMPERS AND CONNECTORS							Service	ATA:05
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
				PROC. REF: AMM 05-47-00				PKG:84	
ATA 08 - LEVELING AND WEIGHING									
08-CUS-01 ^U	PERFORM AIRCRAFT WEIGHT AND BALANCE CHECK							Service	ATA:08
	MOS/MSC	20-Mar-23	A/R					NATIONAL REQUIREMENT	
	HRS	1920:40							
	AFL	1845							
ATA 10 - PARKING, MOORING, STORE AND RET TO SERV									
10-10-00-500-001	PROLONGED PARKING - MAINTENANCE PRACTICES (SHORT OUT-OF-OPERATION TIME - FROM 15 TO 28 DAYS)							Service	ATA:10
	MOS/MSC	28-Jun-13	A/R						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 10 - PARKING, MOORING, STORE AND RET TO SERV									
	HRS	0							
	AFL	0							
PROC. REF: AMM 10-10-00									
10-10-00-500-002	PROLONGED PARKING - MAINTENANCE PRACTICES (LONG OUT-OF-OPERATION TIME - MORE THAN 28 DAYS)							Service	ATA:10
	MOS/MSC	28-Jun-13	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 10-10-00									
10-10-00-500-003	PROLONGED PARKING - MAINTENANCE PRACTICES (LONG OUT-OF-OPERATION TIME - MORE THAN 28 DAYS)							Service	ATA:10
	MOS/MSC	28-Jun-13	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 10-10-00									
10-10-00-500-004	PROLONGED PARKING - MAINTENANCE PRACTICES (LONG OUT-OF-OPERATION TIME - MORE THAN 28 DAYS)							Service	ATA:10
	MOS/MSC	28-Jun-13	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 10-10-00									
10-10-00-500-005	PROLONGED PARKING - MAINTENANCE PRACTICES (LONG OUT-OF-OPERATION TIME - MORE THAN 28 DAYS)							Service	ATA:10
	MOS/MSC	28-Jun-13	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 10-10-00									
10-10-00-500-006	PROLONGED PARKING - MAINTENANCE PRACTICES (LONG OUT-OF-OPERATION TIME - MORE THAN 28 DAYS)							Service	ATA:10
	MOS/MSC	28-Jun-13	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 10-10-00									
10-10-00-500-007	PROLONGED PARKING - MAINTENANCE PRACTICES (LONG OUT-OF-OPERATION TIME - MORE THAN 28 DAYS)							Service	ATA:10
	MOS/MSC	28-Jun-13	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 10-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 10 - PARKING, MOORING, STORE AND RET TO SERV									
10-10-00-500-008C		NORMAL PARKING IN COLD WEATHER CONDITIONS - MAINTENANCE PRACTICES							Service ATA:10
	MOS/MSC	28-Jun-13	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 10-10-00									
10-30-00-500-001		RETURN-TO-SERVICE AFTER NORMAL PARKING - MAINTENANCE PRACTICES							Service ATA:10
	MOS/MSC	28-Jun-13	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 10-30-00									
10-30-00-500-002		RETURN-TO-SERVICE AFTER PROLONGED PARKING - MAINTENANCE PRACTICES							Service ATA:10
	MOS/MSC	28-Jun-13	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 10-30-00									
ATA 21 - AIR CONDITIONING									
21-00-00		ELECTROMECHANICAL LINEAR ACTUATOR							Component ATA:21
PN:100000-77	MOS/MSC	28-Jun-13	O/C		TSN 0				
SN:27025	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 21-23-03, AMM 21-23-03									
21-01-01		PRESSURIZATION AND AIR CONDITIONING CONTROL PANEL							Component ATA:21
PN:441-40931-002	MOS/MSC	28-Jun-13	O/C		TSN 0				
SN:0340	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 21-01-01, AMM 21-01-01									
21-21-01		LEFT REAR FUS FLOW CONTROL SHUT OFF VALVE ASSEMBLY							Component ATA:21
PN:1300230-35	MOS/MSC	20-Mar-24	O/C						
SN:418	HRS	1971:12							
	AFL	1900							
PROC. REF: AMM 21-21-01, AMM 21-21-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
21-21-01		RIGHT REAR FUS FLOW CONTROL SHUT OFF VALVE ASSEMBLY					Component	ATA:21	
PN:1300230-45	MOS/MSC	20-Mar-24	O/C						
SN:128	HRS	1971:12							
	AFL	1900							
PROC. REF: AMM 21-21-01, AMM 21-21-01									
21-21-02		LH AFT INLET AIR CHECK VALVE					Component	ATA:21	
PN:PN	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-21-02, AMM 21-21-02									
21-21-02		RH AFT INLET AIR CHECK VALVE					Component	ATA:21	
PN:PN	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-21-02, AMM 21-21-02									
21-21-02-001 ^S		OPERATIONAL CHECK LH AFT INLET AIR CHECK VALVE					Service	ATA:21	
PN:PN	MOS	28-Jun-13							
SN:UNKNOWN	HRS	0	6400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 21-21-02									
PKG:60									
21-21-02-001 ^S		OPERATIONAL CHECK RH AFT INLET AIR CHECK VALVE					Service	ATA:21	
PN:PN	MOS	28-Jun-13							
SN:UNKNOWN	HRS	0	6400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 21-21-02									
PKG:60									
21-23-03		RAM AIR VALVE					Component	ATA:21	
PN:PN	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-23-03, AMM 21-23-03									
21-23-03-002 ^S		OPERATIONAL CHECK OF RAM AIR VALVE POSITION					Service	ATA:21	
PN:PN	MOS	28-Jun-13							
SN:UNKNOWN	HRS	0	6400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 21-23-03									
PKG:60									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-23-03-003 ^S OPERATIONAL CHECK OF RAM AIR VALVE ACTUATION								Service ATA:21
PN:PN	MOS	20-Mar-23						
SN:UNKNOWN	HRS	1920:40	800 (+30/-30)					
	AFL	1845						
PROC. REF: AMM 21-23-03								PKG:1
21-23-04 LH AFT FUSELAGE RAM AIR CHECK VALVE								Component ATA:21
PN:PN	MOS/MSC	28-Jun-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-23-04, AMM 21-23-04								
21-23-04 LH CENTER FUSELAGE RAM AIR CHECK VALVE								Component ATA:21
PN:PN	MOS/MSC	28-Jun-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-23-04, AMM 21-23-04								
21-23-04 RH AFT FUSELAGE RAM AIR CHECK VALVE								Component ATA:21
PN:PN	MOS/MSC	28-Jun-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-23-04, AMM 21-23-04								
21-23-04-001 ^S OPERATIONAL CHECK LH AFT FUSELAGE RAM AIR CHECK VALVE								Service ATA:21
PN:PN	MOS	28-Jun-13						
SN:UNKNOWN	HRS	0	5600 (+30/-30)					
	AFL	0						
PROC. REF: AMM 21-23-04								PKG:50
21-23-04-001 ^S OPERATIONAL CHECK LH CENTER FUSELAGE RAM AIR CHECK VALVE								Service ATA:21
PN:PN	MOS	28-Jun-13						
SN:UNKNOWN	HRS	0	5600 (+30/-30)					
	AFL	0						
PROC. REF: AMM 21-23-04								PKG:50
21-23-04-001 ^S OPERATIONAL CHECK RH AFT FUSELAGE RAM AIR CHECK VALVE								Service ATA:21
PN:PN	MOS	28-Jun-13						
SN:UNKNOWN	HRS	0	5600 (+30/-30)					
	AFL	0						
PROC. REF: AMM 21-23-04								PKG:50

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
21-23-05		TAIL CONE GROUND BLOWER (COOLING FAN) ASSEMBLY					Component	ATA:21	
PN:1133710-6	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:596	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-23-05, AMM 21-23-05									
21-23-05-001 ^S		GENERAL VISUAL INSPECTION TAIL CONE GROUND BLOWER (COOLING FAN) ASSEMBLY					Service	ATA:21	
PN:1133710-6	MOS	20-Aug-18							
SN:596	HRS	1096	1600 (+30/-30)						
	AFL								
PROC. REF: AMM 21-23-05									
21-31-00-002 ^S		OPERATIONAL CHECK AFT BULKHEAD OUTFLOW (OFV) VALVE MANUAL PRESSURIZATION CONTROL MODE					Service	ATA:21	
PN:103920-1	MOS	20-Mar-23							
SN:103920-00063	HRS	1920:40	800 (+30/-30)						
	AFL	1845							
PROC. REF: AMM 21-31-00									
21-31-00-003 ^S		OPERATIONAL CHECK OF EMERGENCY CABIN DECOMPRESSION (AUTO MODE)					Service	ATA:21	
	MOS	20-Mar-23							
	HRS	1920:40	800 (+30/-30)						
	AFL	1845							
PROC. REF: AMM 21-31-00									
21-31-00-004 ^S		OPERATIONAL CHECK OF ECMU-TO-AVIONICS DIGITAL AND DISCRETE SIGNALS					Service	ATA:21	
	MOS	28-Jun-13							
	HRS	0	5600 (+30/-30)						
	AFL	0							
PROC. REF: AMM 21-31-00									
21-31-00-005 ^S		OPERATIONAL CHECK OF ECMU-TO-AVIONICS ANALOG SIGNAL					Service	ATA:21	
	MOS	28-Jun-13							
	HRS	0	5600 (+30/-30)						
	AFL	0							
PROC. REF: AMM 21-31-00									
21-31-01		ELECTRONIC CONTROL AND MONITORING UNIT					Component	ATA:21	
PN:2119286-5	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:2119286-00790	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-31-01, AMM 21-31-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
21-31-01-001		RESTORATION (REPAIR) OF ELECTRONIC CONTROL AND MONITORING UNIT (ECMU)							Service ATA:21
PN:2119286-5	MOS	EFF							
SN:2119286-00790	HRS	EFF	5600 (+30/-30)		5600 *	5630	3612:17 (+30)		
	AFL								
PROC. REF: AMM 21-31-01									
21-31-02		AFT BULKHEAD OUTFLOW (OFV) VALVE							Component ATA:21
PN:103920-1	MOS/MSC	28-Mar-16	O/C	TSO 2					
SN:103920-00063	HRS	621		TSO 0					
	AFL	552		TSO 0					
PROC. REF: AMM 21-31-02, AMM 21-31-02									
21-31-02-001		RESTORATION (REPAIR) OF AFT BULKHEAD OUTFLOW VALVE							Service ATA:21
PN:103920-1	MOS	08-Mar-16							
SN:103920-00063	HRS	621	7200 (+30/-30)		7821	7851	5833:17 (+30)		
	AFL	552							
PROC. REF: AMM 21-31-02									
21-31-03		NEGATIVE PRESSURE RELIEF VALVE							Component ATA:21
PN:130664-2	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:34163-0454	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-31-03, AMM 21-31-03									
21-31-03-001 ^S		OPERATIONAL CHECK NEGATIVE PRESSURE RELIEF VALVE							Service ATA:21
PN:130664-2	MOS	28-Jun-13							
SN:34163-0454	HRS	0	5600 (+30/-30)						
	AFL	0							
PROC. REF: AMM 21-31-03									
21-31-04		AFT BULKHEAD PRESSURE RELIEF (PRV) VALVE							Component ATA:21
PN:103916-3	MOS/MSC	04-Jun-20	O/C	TSN 0					
SN:103916-00343	HRS	1334:21		TSN 0					
	AFL	1232		TSN 0					
PROC. REF: AMM 21-31-04, AMM 21-31-04									
21-31-04-001 ^S		FUNCTIONAL CHECK AFT BULKHEAD PRESSURE RELIEF (PRV) VALVE							Service ATA:21
PN:103916-3	MOS	04-Jun-20							
SN:103916-00343	HRS	1334:21	5600 (+30/-30)						
	AFL	1232							
PROC. REF: AMM 21-31-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
21-52-01-001		DETAILED VISUAL INSPECTION VCS COMPRESSOR DRIVE MODULE OF VCS COMPRESSOR MOTOR DRIVE						Service	ATA:21
PN:1133630-12	MOS/MSC	20-Mar-23	O/C						
SN:575	HRS	1920:40							
	AFL	1845							
PROC. REF: AMM 21-52-01									
21-52-01-002		DISCARD OF COMPRESSOR DRIVE MODULE BELT						Service	ATA:21
PN:PN	MOS	20-Mar-23							
SN:UNKNOWN	HRS	1920:40	2000 (+30/-30)		3920:40	3950:40	1932:57 (+30)		
	AFL	1845							
PROC. REF: AMM 21-52-01									
21-52-01-003 ^S		FUNCTIONAL CHECK OF COMPRESSOR BELT TENSION						Service	ATA:21
PN:PN	MOS	20-Mar-23							
SN:UNKNOWN	HRS	1920:40	800 (+30/-30)						
	AFL	1845							
PROC. REF: AMM 21-52-01									
PKG:1									
21-52-01-004		RESTORATION (OVERHAUL) VCS COMPRESSOR DRIVE MODULE						Service	ATA:21
PN:1133630-12	MOS	20-Mar-23							
SN:575	HRS	1920:40	2000 (+30/-30)		3920:40	3950:40	1932:57 (+30)		
	AFL	1845							
PROC. REF: AMM 21-52-01									
21-52-02		HEAT EXCHANGER PACK						Component	ATA:21
PN:1133750-3	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:426	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-52-02, AMM 21-52-02									
21-52-02-001 ^S		GENERAL VISUAL INSPECTION HEAT EXCHANGER PACK						Service	ATA:21
PN:1133750-3	MOS	20-Aug-18							
SN:426	HRS	1096	1600 (+30/-30)						
	AFL								
PROC. REF: AMM 21-52-02									
PKG:10									
21-52-03-001 ^S		GENERAL VISUAL INSPECTION OF EVAPORATOR MODULES						Service	ATA:21
	MOS	20-Mar-23							
	HRS	1920:40	800 (+30/-30)						
	AFL	1845							
PROC. REF: AMM 21-52-03									
PKG:1									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-52-04		FWD FUS VCS SYSTEM FWD EVAPORATOR BLOWER					Component	ATA:21
PN:1133850-104	MOS/MSC	28-Jun-13	O/C	TSN 0				
SN:588	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-52-04, AMM 21-52-04								
21-52-06-001 ^S		SERVICING OF VCS REFRIGERANT FLUID					Service	ATA:21
	MOS	20-Mar-24	12 (+1m/-1m)					
	HRS	1971:12						
	AFL	1900						
PROC. REF: AMM 12-17-00								
21-61-00-001 ^S		OPERATIONAL CHECK OF MANUAL TEMPERATURE CONTROL SYSTEM					Service	ATA:21
	MOS	20-Mar-23						
	HRS	1920:40	800 (+30/-30)					
	AFL	1845						
PROC. REF: AMM 21-61-00								
21-61-01		REAR FUS ECS TEMPERATURE CONTROLLER					Component	ATA:21
PN:1300650-12	MOS/MSC	28-Jun-13	O/C	TSN 0				
SN:617	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-61-01, AMM 21-61-01								
21-61-03		COCKPIT DUCT TEMPERATURE SENSOR SWITCH					Component	ATA:21
PN:1300450-10	MOS/MSC	28-Jun-13	O/C	TSN 0				
SN:2022	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-61-03, AMM 21-61-03								
21-61-03		LH REAR DUCT TEMPERATURE SENSOR SWITCH					Component	ATA:21
PN:1300450-10	MOS/MSC	28-Jun-13	O/C	TSN 0				
SN:2011	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-61-03, AMM 21-61-03								
21-61-03		PAX DUCT TEMPERATURE SENSOR SWITCH					Component	ATA:21
PN:1300450-10	MOS/MSC	28-Jun-13	O/C	TSN 0				
SN:2031	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 21-61-03, AMM 21-61-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
21-61-03		RH REAR DUCT TEMPERATURE SENSOR SWITCH						Component	ATA:21
PN:1300450-10	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:2021	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-61-03, AMM 21-61-03									
21-61-06-001 ^S		OPERATIONAL CHECK OF E-BAY OVERTEMPERATURE SENSOR						Service	ATA:21
	MOS	28-Jun-13							
	HRS	0	6400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 21-61-06									
215201-0101		VCS COMPRESSOR DRIVE MODULE						Component	ATA:21
PN:1133630-12	MOS/MSC	20-Mar-23	O/C	TSO 0					
SN:575	HRS	1920:40		TSO 0					
	AFL	1845		TSO 0					
PROC. REF: AMM 21-52-01, AMM 21-52-01									
215201-0102		CDM COMPRESSOR MODULE						Component	ATA:21
PN:PN	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-52-01, AMM 21-52-01									
215201-0201		COMPRESSOR DRIVE MODULE BELT						Component	ATA:21
PN:PN	MOS/MSC	28-Jun-13	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-52-01, AMM 21-52-01									
216102-0101		LH AFT FUSELAGE TEMPERATURE MODULATING VALVE						Component	ATA:21
PN:PN	MOS/MSC		O/C						
SN:UNKNOWN	HRS								
	AFL								
PROC. REF: AMM 21-61-02, AMM 21-61-02									
216102-0102		RH AFT FUSELAGE TEMPERATURE MODULATING VALVE						Component	ATA:21
PN:PN	MOS/MSC		O/C						
SN:UNKNOWN	HRS								
	AFL								
PROC. REF: AMM 21-61-02, AMM 21-61-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 22 - AUTO FLIGHT									
22-11-00-001		FUNCTIONAL CHECK OF AILERON SERVO						Service	ATA:22
PN:011-01904-00	MOS	20-Mar-24	12 (+30d/-30d)	Adj -23d	25-Feb-25	27-Mar-25	277 d (+30)	AIRWORTHINESS	
SN:1GK008017	HRS	1971:12							
	AFL	1900							
PROC. REF: AMM 22-11-00									
22-11-00-001		FUNCTIONAL CHECK OF ELEVATOR SERVO						Service	ATA:22
PN:011-01904-00	MOS	20-Mar-24	12 (+30d/-30d)	Adj -23d	25-Feb-25	27-Mar-25	277 d (+30)	AIRWORTHINESS	
SN:1GK008025	HRS	1971:12							
	AFL	1900							
PROC. REF: AMM 22-11-00									
22-11-00-001		FUNCTIONAL CHECK OF RUDDER SERVO						Service	ATA:22
PN:011-01904-00	MOS	20-Mar-24	12 (+30d/-30d)	Adj -23d	25-Feb-25	27-Mar-25	277 d (+30)	AIRWORTHINESS	
SN:1GK008048	HRS	1971:12							
	AFL	1900							
PROC. REF: AMM 22-11-00									
22-11-00-002 ^S		LUBRICATION OF SERVO ACTUATORS						Service	ATA:22
	MOS	20-Mar-24	12 (+1m/-1m)						
	HRS	1971:12							
	AFL	1900							
PROC. REF: AMM 22-11-00									
PKG:80									
22-11-00-003 ^S		DETAILED VISUAL INSPECTION OF AUTOPILOT SERVO CABLE						Service	ATA:22
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40	3200 (+30/-30)						
	AFL	1845							
PROC. REF: AMM 22-11-00									
PKG:42									
22-11-01		GMC 715 GUIDANCE PANEL						Component	ATA:22
PN:011-01430-00	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:15900681	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 22-11-01, AMM 22-11-01									
22-11-02		AILERON GSA 81 LOW TORQUE AUTOPILOT SERVO ACTUATOR						Component	ATA:22
PN:011-00878-20	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:1A1008218	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 22-11-02, AMM 22-11-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 22 - AUTO FLIGHT								
22-11-03 AILERON GSM 85A MED TORQUE SERVO MOUNT								Component ATA:22
PN:011-01904-00	MOS/MSC	28-Jun-13	O/C	TSN 0				
SN:1GK008017	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 22-11-03, AMM 22-11-03								
22-11-05 ELEVATOR GSA 81 LOW TORQUE AUTOPILOT SERVO ACTUATOR								Component ATA:22
PN:011-00878-20	MOS/MSC	28-Jun-13	O/C	TSN 0				
SN:1A1008236	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 22-11-05, AMM 22-11-05								
22-11-06 ELEVATOR GSM 85A MED TORQUE SERVO MOUNT								Component ATA:22
PN:011-01904-00	MOS/MSC	28-Jun-13	O/C	TSN 0				
SN:1GK008025	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 22-11-06, AMM 22-11-06								
22-11-08 RUDDER GSA 81 LOW TORQUE AUTOPILOT SERVO ACTUATOR								Component ATA:22
PN:011-00878-20	MOS/MSC	28-Jun-13	O/C	TSN 0				
SN:1A1008233	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 22-11-08, AMM 22-11-08								
22-11-09 RUDDER GSM 85A MED TORQUE SERVO MOUNT								Component ATA:22
PN:011-01904-00	MOS/MSC	28-Jun-13	O/C	TSN 0				
SN:1GK008048	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 22-11-09, AMM 22-11-09								
ATA 23 - COMMUNICATIONS								
23-12-02 BOTTOM VHF ANTENNA								Component ATA:23
PN:S65-8280-41	MOS/MSC	28-Jun-13	O/C	TSN 0				
SN:322-3159	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-12-02, AMM 23-12-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
23-12-02		TOP VHF ANTENNA					Component	ATA:23
PN:S65-8280-41	MOS/MSC	28-Jun-13	O/C	TSN 0				
SN:322-3156	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-12-02, AMM 23-12-02								
23-15-03		IRIDIUM ANTENNA					Component	ATA:23
PN:PN	MOS/MSC	28-Jun-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-15-03, AMM 23-15-03								
23-23-03		WIFI - DATALINK ANTENNA					Component	ATA:23
PN:PN	MOS/MSC	28-Jun-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-23-03, AMM 23-23-03								
23-51-00-001 ^S		OPERATIONAL CHECK OF AIRBORNE AUDIO SYSTEM FAIL-SAFE MODE					Service	ATA:23
	MOS	28-Jun-13						
	HRS	0	3200 (+30/-30)					
	AFL	0						
PROC. REF: AMM 23-51-00								
23-51-01		COPILOT GMA 1347D AUDIO PANEL					Component	ATA:23
PN:011-01257-20	MOS/MSC	28-Jun-13	O/C	TSN 0				
SN:17107236	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-51-01, AMM 23-51-01								
23-51-01		PILOT GMA 1347D AUDIO PANEL					Component	ATA:23
PN:011-01257-20	MOS/MSC	28-Jun-13	O/C	TSN 0				
SN:17107212	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-51-01, AMM 23-51-01								
23-51-05		LH AUDIO JACK CONTROL PANEL					Component	ATA:23
PN:441-40943-002	MOS/MSC	28-Jun-13	O/C	TSN 0				
SN:0941	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-51-05, AMM 23-51-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
23-51-05		RH AUDIO JACK CONTROL PANEL						Component	ATA:23
PN:441-40943-002	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:0949	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-51-05, AMM 23-51-05									
23-51-09		LH MODEL HME 25-KA-2 HEADSET						Component	ATA:23
PN:026-55-999-0131	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:00201508	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
23-51-09		RH MODEL HME 25-KA-2 HEADSET						Component	ATA:23
PN:026-55-999-0131	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:00201510	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
23-51-11		COCKPIT ELECTRODYNAMIC MICROPHONE						Component	ATA:23
PN:85-03-12369-04	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:294419	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
23-61-00-001 ^S		FUNCTIONAL CHECK OF STATIC DISCHARGERS						Service	ATA:23
	MOS	05-Mar-21	48 (+1m/-1m)						
	HRS	1385:39							
	AFL	1293							
PROC. REF: AMM 23-61-00									
PKG:83									
ATA 24 - ELECTRICAL POWER									
24-00-07		RELAY ASSEMBLY						Component	ATA:24
PN:PN	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
24-01-01		ELECTRICAL CONTROL PANEL						Component	ATA:24
PN:441-40929-002	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:0470	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-01-01, AMM 24-01-01									
24-31-01		NO.1 ENGINE STARTER-GENERATOR						Component	ATA:24
PN:MG94F-2	MOS/MSC		O/C	TSO 0					
SN:756	HRS	1263		TSO 0					
	AFL			TSO 0					
PROC. REF: AMM 24-31-01, AMM 24-31-01									
24-31-01		NO.2 ENGINE STARTER-GENERATOR						Component	ATA:24
PN:MG94F-2	MOS/MSC	16-Aug-19	O/C	TSO 0					
SN:435	HRS	1256		TSO 0					
	AFL			TSO 0					
PROC. REF: AMM 24-31-01, AMM 24-31-01									
24-31-01-001		NO. 1 ENGINE STARTER/GENERATOR - RESTORATION (OVERHAUL) OF STARTER GENERATOR ON EMBRAER 500 ACFT WITH STARTER GENERATOR PN MG94F-2 OR PN 400SG180Q SERIES OR POST-MOD SB 500-24-0007						Service	ATA:24
PN:MG94F-2	MOS								
SN:756	HRS	1263	800 (+30/-30)		2063	2093	75:17 (+30)		
	AFL								
PROC. REF: AMM 24-31-01									
24-31-01-001		NO. 2 ENGINE STARTER/GENERATOR - RESTORATION (OVERHAUL) OF STARTER GENERATOR ON EMBRAER 500 ACFT WITH STARTER GENERATOR PN MG94F-2 OR PN 400SG180Q SERIES OR POST-MOD SB 500-24-0007						Service	ATA:24
PN:MG94F-2	MOS	16-Aug-19							
SN:435	HRS	1256	800 (+30/-30)		2056	2086	68:17 (+30)		
	AFL								
PROC. REF: AMM 24-31-01									
24-31-02		NO.1 GENERATOR - DC, 28V CONTROL UNIT						Component	ATA:24
PN:CG301A-12	MOS/MSC	06-Feb-15	O/C						
SN:087	HRS	255:06							
	AFL	215							
PROC. REF: AMM 24-31-02, AMM 24-31-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-31-02 NO.2 GENERATOR - DC, 28V CONTROL UNIT Component ATA:24								
PN:CG301A-12	MOS/MSC	06-Feb-15	O/C					
SN:911	HRS	255:06						
	AFL	215						
PROC. REF: AMM 24-31-02, AMM 24-31-02								
24-31-07-001^S RESTORATION (CLEANING) OF LH SHUNT GENERATOR Service ATA:24								
	MOS	20-Mar-23	60 (+1m/-1m)					
	HRS	1920:40						
	AFL	1845						
PROC. REF: AMM 24-31-07								
PKG:84								
24-31-07-001^S RESTORATION (CLEANING) OF RH SHUNT GENERATOR Service ATA:24								
	MOS	20-Mar-23	60 (+1m/-1m)					
	HRS	1920:40						
	AFL	1845						
PROC. REF: AMM 24-31-07								
PKG:84								
24-36-01 NO.1 MAIN BATTERY Component ATA:24								
PN:7639-30LT	MOS/MSC	10-Aug-23	O/C	TSN 0				
SN:G03184102	HRS	1942:25		TSN 0				
	AFL	1866		TSN 0				
PROC. REF: AMM 24-36-01, AMM 24-36-01, AMM 24-36-01								
24-36-01 NO.2 MAIN BATTERY Component ATA:24								
PN:7639-30LT	MOS/MSC	06-Sep-23	O/C	TSN 0				
SN:G03184101	HRS	1947:30		TSN 0				
	AFL	1872		TSN 0				
PROC. REF: AMM 24-36-01, AMM 24-36-01, AMM 24-36-01								
24-36-01-003 DISCARD NO.1 MAIN BATTERY Service ATA:24								
PN:7639-30LT	MOS	10-Aug-23	24 (+1m/-1m)		10-Aug-25	10-Sep-25	443 d (+31)	
SN:G03184102	HRS	1942:25						
	AFL	1866	600 (+30/-30)		2466	2496	552 (+30)	
PROC. REF: AMM 24-36-01								
24-36-01-003 DISCARD NO.2 MAIN BATTERY Service ATA:24								
PN:7639-30LT	MOS	06-Sep-23	24 (+1m/-1m)		06-Sep-25	06-Oct-25	470 d (+30)	
SN:G03184101	HRS	1947:30						
	AFL	1872	600 (+30/-30)		2472	2502	558 (+30)	
PROC. REF: AMM 24-36-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-36-01-005 FUNCTIONAL CHECK OF NO.1 MAIN BATTERY - (POST-MOD SB 500-24-0014)								
PN:7639-30LT	MOS	20-Mar-24	6 (+1m/-1m)		20-Sep-24	20-Oct-24	119 d (+30)	Service ATA:24
SN:G03184102	HRS	1971:12						
	AFL	1900						
PROC. REF: AMM 24-36-01								
24-36-01-005 FUNCTIONAL CHECK OF NO.2 MAIN BATTERY - (POST-MOD SB 500-24-0014)								
PN:7639-30LT	MOS	20-Mar-24	6 (+1m/-1m)		20-Sep-24	20-Oct-24	119 d (+30)	Service ATA:24
SN:G03184101	HRS	1971:12						
	AFL	1900						
PROC. REF: AMM 24-36-01								
24-36-02 BATTERY CURRENT (HB2) SENSOR								
PN:PN	MOS/MSC	28-Jun-13	O/C	TSN 0				Component ATA:24
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-36-02, AMM 24-36-02								
24-36-02-001^S OPERATIONAL CHECK BATTERY CURRENT (HB2) SENSOR								
PN:PN	MOS	28-Jun-13						Service ATA:24
SN:UNKNOWN	HRS	0	6400 (+30/-30)					
	AFL	0						
PROC. REF: AMM 24-36-02								
24-54-05 28 VDC / 115 VAC STATIC INVERTER								
PN:AS-24-0026-001	MOS/MSC	28-Jun-13	O/C	TSN 0				Component ATA:24
SN:0512	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-54-05, AMM 24-54-05								
24-65-00 CABLE W109 LPDU/RPDU FEEDER								
PN:PN	MOS/MSC	28-Jun-13	O/C	TSN 0				Component ATA:24
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-65-01, AMM 24-65-01, AMM 24-65-02, AMM 24-65-02								
24-65-01 LEFT POWER DISTRIBUTION UNIT ASSEMBLY								
PN: SX7EG16-2	MOS/MSC	28-Jun-13	O/C	TSN 0				Component ATA:24
SN:0333	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 24-65-01, AMM 24-65-01								

PKG:60

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
24-65-02	RIGHT POWER DISTRIBUTION UNIT ASSEMBLY							Component	ATA:24
PN: SX7EG17-2	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN: 0368	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-65-02, AMM 24-65-02									
24-65-03	CENTER POWER DISTRIBUTION UNIT ASSEMBLY							Component	ATA:24
PN: SX7EG18-2	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN: 0357	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-65-03, AMM 24-65-03									
ATA 25 - EQUIPMENT/FURNISHINGS									
25-11-01	COPILOT CITRINE FINISH GOODRICH SEAT							Component	ATA:25
PN: PN	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN: UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-11-01, AMM 25-11-01									
25-11-01	PILOT CITRINE FINISH GOODRICH SEAT							Component	ATA:25
PN: PN	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN: UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-11-01, AMM 25-11-01									
25-11-01-001 ^S	DETAILED VISUAL INSPECTION COPILOT CITRINE FINISH GOODRICH SEAT							Service	ATA:25
PN: PN	MOS	28-Jun-13							
SN: UNKNOWN	HRS	0	2400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 25-11-01									
25-11-01-001 ^S	DETAILED VISUAL INSPECTION PILOT CITRINE FINISH GOODRICH SEAT							Service	ATA:25
PN: PN	MOS	28-Jun-13							
SN: UNKNOWN	HRS	0	2400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 25-11-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-11-01-002 ^S		DETAILED VISUAL INSPECTION OF COCKPIT SEAT BELTS						Service	ATA:25
	MOS	28-Jun-13							
	HRS	0	2400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 25-11-01								PKG:20	
25-21-01		#5 SEAT						Component	ATA:25
PN:PN	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-01, AMM 25-21-01, AMM 25-21-00, AMM 25-21-00									
25-21-01		LH AFT PAX SEAT						Component	ATA:25
PN:403176-3ADZ	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:53946	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-01, AMM 25-21-01, AMM 25-21-00, AMM 25-21-00									
25-21-01		LH FWD PAX SEAT						Component	ATA:25
PN:403176-1ADRZ	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:53948	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-01, AMM 25-21-01, AMM 25-21-00, AMM 25-21-00									
25-21-01		RH AFT PAX SEAT						Component	ATA:25
PN:403176-4ADZ	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:53947	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-01, AMM 25-21-01, AMM 25-21-00, AMM 25-21-00									
25-21-01		RH FWD PAX SEAT						Component	ATA:25
PN:403176-2ADRZ	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:53949	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 25-21-01, AMM 25-21-01, AMM 25-21-00, AMM 25-21-00									
25-21-01-001 ^S		DETAILED VISUAL INSPECTION LH AFT PAX SEAT						Service	ATA:25
PN:403176-3ADZ	MOS	28-Jun-13							
SN:53946	HRS	0	2400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 25-21-01								PKG:20	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-21-01-001 ^S		DETAILED VISUAL INSPECTION LH FWD PAX SEAT						Service	ATA:25
PN:403176-1ADRZ	MOS	28-Jun-13							
SN:53948	HRS	0	2400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 25-21-01								PKG:20	
25-21-01-001 ^S		DETAILED VISUAL INSPECTION RH AFT PAX SEAT						Service	ATA:25
PN:403176-4ADZ	MOS	28-Jun-13							
SN:53947	HRS	0	2400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 25-21-01								PKG:20	
25-21-01-001 ^S		DETAILED VISUAL INSPECTION RH FWD PAX SEAT						Service	ATA:25
PN:403176-2ADRZ	MOS	28-Jun-13							
SN:53949	HRS	0	2400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 25-21-01								PKG:20	
25-21-01-002 ^S		DETAILED VISUAL INSPECTION OF PASSENGER SEAT BELTS						Service	ATA:25
	MOS	28-Jun-13							
	HRS	0	2400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 25-21-01								PKG:20	
25-43-01-001 ^S		DETAILED VISUAL INSPECTION OF BELTED TOILET UNIT						Service	ATA:25
	MOS	28-Jun-13							
	HRS	0	3200 (+30/-30)						
	AFL	0							
PROC. REF: AMM 25-43-02								PKG:40	
25-43-01-002 ^S		DETAILED VISUAL INSPECTION OF BELTED TOILET SEAT BELT						Service	ATA:25
	MOS	28-Jun-13							
	HRS	0	3200 (+30/-30)						
	AFL	0							
PROC. REF: AMM 25-43-02								PKG:40	
25-61-00-001		OPERATIONAL CHECK EMERGENCY LOCATOR TRANSMITTER SYSTEM						Service	ATA:25
PN:S1821502-02	MOS	20-Mar-24	12	Adj -23d	25-Feb-25		277 d		
SN:2622117-0021	HRS	1971:12							
	AFL	1900							
PROC. REF: AMM 25-61-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-61-00-002 GENERAL VISUAL INSPECTION OF EMERGENCY LOCATOR TRANSMITTER Service ATA:25								
PN:S1821502-02	MOS	20-Mar-24	12	Adj -23d	25-Feb-25		277 d	
SN:2622117-0021	HRS	1971:12						
	AFL	1900						
PROC. REF: AMM 25-61-00								
25-61-01 EMERGENCY LOCATOR TRANSMITTER Component ATA:25								
PN:S1821502-02	MOS/MSC	28-May-19	O/C	TSN 71				
SN:2622117-0021	HRS							
	AFL							
PROC. REF: AMM 25-61-01, AMM 25-61-01								
25-61-02 EMERGENCY LOCATOR TRANSMITTER BATTERY Component ATA:25								
PN:S1820506-01	MOS/MSC	05-Mar-21	H/T	TSN 0, TSO 0, TSR 0				
SN:19350194	HRS	1385:39		TSN 0, TSO 0, TSR 0				
	AFL	1293		TSN 0, TSO 0, TSR 0				
PROC. REF: AMM 25-61-04								
25-61-03 ELT ANTENNA Component ATA:25								
PN:S65-8282-406	MOS/MSC	28-Jun-13	O/C	TSN 0				
SN:401-2203	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 25-61-03, AMM 25-61-03								
25-61-04-001 DISCARD EMERGENCY LOCATOR TRANSMITTER BATTERY Service ATA:25								
PN:S1820506-01	MOS/MSC	05-Mar-21	DUE		28-Sep-25 (M)		492 d	
SN:19350194	HRS	1385:39						
	AFL	1293						
PROC. REF: AMM 25-61-04								
25-61-05-001 RESTORATION (REPAIR) OF ELT/NAV INTERFACE MODULE Service ATA:25								
PN:S1825502-02	MOS	25-Feb-22	120	TAC 11	25-Mar-31		2496 d	
SN:TM0000207142	HRS	1605:35	16000	TAC 0	17605:35		15617:52	
	AFL	1535		TAC 0				
PROC. REF: AMM 25-61-07								
25-61-05-01 ELT/NAV INTERFACE - CS144-A MODULE Component ATA:25								
PN:S1825502-02	MOS/MSC	25-Feb-22	O/C	TSN 0				
SN:TM0000207142	HRS	1605:35		TSN 0				
	AFL	1535		TSN 0				
PROC. REF: AMM 25-61-05, AMM 25-61-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-62-01		FIRST AID KIT						Component	ATA:25
PN:S6-01-0005-312	MOS/MSC	20-Mar-23	H/T	TSN 0					
SN:005776	HRS	1920:40		TSN 0					
	AFL	1845		TSN 0					
PROC. REF: GENERIC NO REF									
25-62-01-001		VISUAL CHECK FIRST AID KIT						Service	ATA:25
PN:S6-01-0005-312	MOS/MSC	20-Mar-23	DUE		30-Oct-24 (M)		159 d		
SN:005776	HRS	1937:20							
	AFL	1861							
PROC. REF: AMM 25-62-01									
25-62-02		COPILOT CREW LIFE VEST						Component	ATA:25
PN:66601-505	MOS/MSC	13-Aug-22	H/T	TSN 0					
SN:L5277485	HRS	1798:30		TSN 0					
	AFL	1731		TSN 0					
PROC. REF: AMM 25-62-02, AMM 25-62-02									
25-62-02		NO.1 PAX LIFE VEST						Component	ATA:25
PN:66601-105	MOS/MSC	13-Aug-22	H/T	TSN 0					
SN:L5336622	HRS	1798:30		TSN 0					
	AFL	1731		TSN 0					
PROC. REF: AMM 25-62-02, AMM 25-62-02									
25-62-02		NO.2 PAX LIFE VEST						Component	ATA:25
PN:66601-105	MOS/MSC	13-Aug-22	H/T	TSN 0					
SN:L5336623	HRS	1798:30		TSN 0					
	AFL	1731		TSN 0					
PROC. REF: AMM 25-62-02, AMM 25-62-02									
25-62-02		NO.3 PAX LIFE VEST						Component	ATA:25
PN:66601-105	MOS/MSC	13-Aug-22	H/T	TSN 0					
SN:L5336621	HRS	1798:30		TSN 0					
	AFL	1731		TSN 0					
PROC. REF: AMM 25-62-02, AMM 25-62-02									
25-62-02		NO.4 PAX LIFE VEST						Component	ATA:25
PN:66601-105	MOS/MSC	13-Aug-22	H/T	TSN 0					
SN:L5336624	HRS	1798:30		TSN 0					
	AFL	1731		TSN 0					
PROC. REF: AMM 25-62-02, AMM 25-62-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-62-02		NO.5 PAX LIFE VEST						Component	ATA:25
PN:66601-105	MOS/MSC	13-Aug-22	H/T	TSN 0					
SN:L5330248	HRS	1798:30		TSN 0					
	AFL	1731		TSN 0					
PROC. REF: AMM 25-62-02, AMM 25-62-02									
25-62-02		PILOT CREW LIFE VEST						Component	ATA:25
PN:66601-505	MOS/MSC	13-Aug-22	H/T	TSN 0					
SN:L5277484	HRS	1798:30		TSN 0					
	AFL	1731		TSN 0					
PROC. REF: AMM 25-62-02, AMM 25-62-02									
25-62-02		TOILET PAX LIFE VEST						Component	ATA:25
PN:66601-105	MOS/MSC	13-Aug-22	H/T	TSN 0					
SN:L5330249	HRS	1798:30		TSN 0					
	AFL	1731		TSN 0					
PROC. REF: AMM 25-62-02, AMM 25-62-02									
25-62-02-001		RESTORATION (OVERHAUL) OF COPILOT LIFE VEST						Service	ATA:25
PN:66601-505	MOS	31-Aug-21	120		28-Jun-31 (M)		2591 d	OVERHAUL	
SN:L5277485	HRS								
	AFL								
PROC. REF: AMM 25-62-02									
25-62-02-001		RESTORATION (OVERHAUL) OF NO. 1 LIFE VEST						Service	ATA:25
PN:66601-105	MOS	15-Feb-22	120		28-Oct-31 (M)		2713 d	OVERHAUL	
SN:L5336622	HRS								
	AFL								
PROC. REF: AMM 25-62-02									
25-62-02-001		RESTORATION (OVERHAUL) OF NO. 2 LIFE VEST						Service	ATA:25
PN:66601-105	MOS	15-Feb-22	120		28-Oct-31 (M)		2713 d	OVERHAUL	
SN:L5336623	HRS								
	AFL								
PROC. REF: AMM 25-62-02									
25-62-02-001		RESTORATION (OVERHAUL) OF NO. 3 LIFE VEST						Service	ATA:25
PN:66601-105	MOS	15-Feb-22	120		28-Oct-31 (M)		2713 d	OVERHAUL	
SN:L5336621	HRS								
	AFL								
PROC. REF: AMM 25-62-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-62-02-001 RESTORATION (OVERHAUL) OF NO. 4 LIFE VEST								
PN:66601-105	MOS	15-Feb-22	120		28-Oct-31 (M)		2713 d	Service ATA:25 OVERHAUL
SN:L5336624	HRS							
	AFL							
PROC. REF: AMM 25-62-02								
25-62-02-001 RESTORATION (OVERHAUL) OF NO. 5 LIFE VEST								
PN:66601-105	MOS	15-Feb-22	120		28-Oct-31 (M)		2713 d	Service ATA:25 OVERHAUL
SN:L5330248	HRS							
	AFL							
PROC. REF: AMM 25-62-02								
25-62-02-001 RESTORATION (OVERHAUL) OF PILOT LIFE VEST								
PN:66601-505	MOS	31-Aug-21	120		28-Jun-31 (M)		2591 d	Service ATA:25 OVERHAUL
SN:L5277484	HRS							
	AFL							
PROC. REF: AMM 25-62-02								
25-62-02-001 RESTORATION (OVERHAUL) OF TOILET LIFE VEST								
PN:66601-105	MOS	15-Feb-22	120		28-Oct-31 (M)		2713 d	Service ATA:25 OVERHAUL
SN:L5330249	HRS							
	AFL							
PROC. REF: AMM 25-62-02								
25-62-02-001^U RESTORATION INFANT LIFE VEST								
	MOS	21-Jun-19	60		21-Jun-24		28 d	Service ATA:25
	HRS							
	AFL							
25-62-04 LAV WATER BARRIER								
PN:PN	MOS/MSC	28-Jun-13	O/C	TSN 0				Component ATA:25
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
25-62-04-001^S DETAILED DIMENSIONAL INSPECTION LAV WATER BARRIER								
PN:PN	MOS	20-Mar-23	24 (+1m/-1m)					Service ATA:25
SN:UNKNOWN	HRS	1920:40						
	AFL	1845						
PROC. REF: AMM 25-62-04								

PKG:81

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-CUS-00-001 ^U		INFANT LIFE VEST						Component	ATA:25
PN:P0640-101	MOS/MSC	21-Jun-19	O/C						
SN:19061190011	HRS								
	AFL								
25-CUS-00-002 ^U		INFANT LIFE VEST						Component	ATA:25
PN:P0640-101	MOS/MSC	15-Sep-20	O/C	TSN 0	28-Feb-25 (M)		280 d		
SN:19100140002	HRS	1357:55		TSN 0					
	AFL	1258		TSN 0					
ATA 26 - FIRE PROTECTION									
26-11-01		LH ENGINE FIRE DETECTOR						Component	ATA:26
PN:3951-49-565/211C-3.7M	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:47380	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 26-11-01, AMM 26-11-01									
26-11-01		RH ENGINE FIRE DETECTOR						Component	ATA:26
PN:3951-49-565/211C-3.7M	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:47509	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 26-11-01, AMM 26-11-01									
26-11-01-001 ^S		DETAILED VISUAL INSPECTION LH ENGINE FIRE DETECTOR						Service	ATA:26
PN:3951-49-565/211C-3.7M	MOS	20-Aug-18							
SN:47380	HRS	1096	1600 (+30/-30)						
	AFL								
PROC. REF: AMM 26-11-01									
PKG:10									
26-11-01-001 ^S		DETAILED VISUAL INSPECTION RH ENGINE FIRE DETECTOR						Service	ATA:26
PN:3951-49-565/211C-3.7M	MOS	20-Aug-18							
SN:47509	HRS	1096	1600 (+30/-30)						
	AFL								
PROC. REF: AMM 26-11-01									
PKG:10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
26-11-01-002		OPERATIONAL CHECK LH ENGINE FIRE DETECTOR							Service ATA:26
PN:3951-49-565/211C-3.7M	MOS	20-Aug-18							
SN:47380	HRS	1096	1600		2696		708:17		
	AFL								
PROC. REF: AMM 26-11-01									
26-11-01-002		OPERATIONAL CHECK RH ENGINE FIRE DETECTOR							Service ATA:26
PN:3951-49-565/211C-3.7M	MOS	20-Aug-18							
SN:47509	HRS	1096	1600		2696		708:17		
	AFL								
PROC. REF: AMM 26-11-01									
26-21-01		FIRE/ENGINE START STOP/IGNITION/TRIM CONTROL PANEL							Component ATA:26
PN:441-42702-002	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:0494	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 26-21-01, AMM 26-21-01, AMM 26-21-02, AMM 26-21-02									
26-21-01-001		FUNCTIONAL CHECK FIRE/ENGINE START STOP/IGNITION/TRIM CONTROL PANEL FIREX PANEL/SYSTEM							Service ATA:26
PN:441-42702-002	MOS	28-Jun-13						AIRWORTHINESS	
SN:0494	HRS	0	2400 (+30/-30)		2400	2430	412:17 (+30)		
	AFL	0							
PROC. REF: AMM 26-21-00									
26-21-03		ENGINE FIRE EXTINGUISHING BOTTLE							Component ATA:26
PN:33000073-4	MOS/MSC	13-Aug-22	O/C	TSN 0					
SN:97474A1	HRS	1798:30		TSN 0					
	AFL	1731		TSN 0					
PROC. REF: AMM 26-21-03, AMM 26-21-03									
26-21-03-001		HYDROSTATIC TEST ENGINE FIRE EXTINGUISHING BOTTLE							Service ATA:26
PN:33000073-4	MOS	01-Feb-21	120		01-Feb-26 (M)		618 d	AIRWORTHINESS	
SN:97474A1	HRS								
	AFL								
PROC. REF: AMM 26-21-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
26-21-05-001	OPERATIONAL CHECK OF TEMPERATURE COMPENSATED PRESSURE SWITCH (TCPS)							Service	ATA:26
	MOS	28-Jun-13						AIRWORTHINESS	
	HRS	0	2400 (+30/-30)		2400	2430	412:17 (+30)		
	AFL	0							
PROC. REF: AMM 26-21-05									
26-21-07	LEFT ENG FIREX CARTRIDGE							Component	ATA:26
PN:30903962-1	MOS/MSC	13-Aug-22	O/C						
SN:0766AM	HRS	1798:30							
	AFL	1731							
PROC. REF: AMM 26-21-07, AMM 26-21-07									
26-21-07	RIGHT ENG FIREX CARTRIDGE							Component	ATA:26
PN:30903963-1	MOS/MSC	13-Aug-22	O/C						
SN:1310AG	HRS	1798:30							
	AFL	1731							
PROC. REF: AMM 26-21-07, AMM 26-21-07									
26-21-07-001	DISCARD LEFT ENG FIREX CARTRIDGE							Service	ATA:26
PN:30903962-1	MOS	01-Feb-21	120		01-Feb-31		2444 d	LIFE LIMIT	
SN:0766AM	HRS								
	AFL								
PROC. REF: AMM 26-21-07									
26-21-07-001	DISCARD RIGHT ENG FIREX CARTRIDGE							Service	ATA:26
PN:30903963-1	MOS	01-Feb-21	120		31-Dec-30 (M)		2412 d	LIFE LIMIT	
SN:1310AG	HRS								
	AFL								
PROC. REF: AMM 26-21-07									
26-21-09-001 ^S	DETAILED VISUAL INSPECTION OF ENGINE FIRE EXTINGUISHING DISCHARGE PIPING							Service	ATA:26
	MOS	28-Jun-13							
	HRS	0	2400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 26-21-09									
26-24-01	CABIN PORTABLE EXTINGUISHER							Component	ATA:26
PN:P3APP003010D	MOS/MSC	20-Mar-23	H/T	TSN 7					
SN:043960	HRS	1920:40		TSN 122:10					
	AFL	1845		TSN 114					
PROC. REF: AMM 26-24-01, AMM 26-24-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
26-24-01		COCKPIT PORTABLE EXTINGUISHER						Component	ATA:26
PN:P3APP003010D	MOS/MSC	13-Aug-22	A/R	TSN 0					
SN:043943	HRS	1798:30		TSN 0					
	AFL	1731		TSN 0					
PROC. REF: AMM 26-24-01, AMM 26-24-01									
26-24-01-001		WEIGHT CHECK CABIN PORTABLE EXTINGUISHER						Service	ATA:26
PN:P3APP003010D	MOS/MSC		N/A						
SN:043960	HRS								
	AFL								
PROC. REF: AMM 26-24-01									
26-24-01-001		WEIGHT CHECK COCKPIT PORTABLE EXTINGUISHER						Service	ATA:26
PN:P3APP003010D	MOS/MSC		N/A						
SN:043943	HRS								
	AFL								
PROC. REF: AMM 26-24-01									
26-24-01-002		DISCARD CABIN PORTABLE EXTINGUISHER						Service	ATA:26
PN:P3APP003010D	MOS		144		10-Dec-33 (M)		3487 d		
SN:043960	HRS								
	AFL								
PROC. REF: AMM 26-24-01									
26-24-01-002		DISCARD COCKPIT PORTABLE EXTINGUISHER						Service	ATA:26
PN:P3APP003010D	MOS		144		03-Dec-33 (M)		3480 d		
SN:043943	HRS								
	AFL								
PROC. REF: AMM 26-24-01									
26-24-01-003		DISCARD CABIN PORTABLE EXTINGUISHER						Service	ATA:26
PN:P3APP003010D	MOS/MSC		N/A						
SN:043960	HRS								
	AFL								
PROC. REF: AMM 26-24-01									
26-24-01-003		DISCARD COCKPIT PORTABLE EXTINGUISHER						Service	ATA:26
PN:P3APP003010D	MOS/MSC		N/A						
SN:043943	HRS								
	AFL								
PROC. REF: AMM 26-24-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
26-24-01-004		WEIGHT CHECK CABIN PORTABLE EXTINGUISHER						Service	ATA:26
PN:P3APP003010D	MOS	07-Mar-23	24		07-Mar-25		287 d		
SN:043960	HRS								
	AFL								
PROC. REF: AMM 26-24-01									
26-24-01-004		WEIGHT CHECK COCKPIT PORTABLE EXTINGUISHER						Service	ATA:26
PN:P3APP003010D	MOS	07-Mar-23	24		07-Mar-25		287 d		
SN:043943	HRS								
	AFL								
PROC. REF: AMM 26-24-01									
ATA 27 - FLIGHT CONTROLS									
27-001		LEFT FLAP ACTUATOR						Component	ATA:27
PN:6094A0001-05	MOS	28-Jun-13		TSN 0				LIFE LIMIT	
SN:0780	HRS	0	21000	TSN 0	21000		19012:17		
	AFL	0		TSN 0					
PROC. REF: AMM 27-51-01, AMM 27-51-01									
27-001		RIGHT FLAP ACTUATOR						Component	ATA:27
PN:6094A0001-05	MOS	29-Jun-21						LIFE LIMIT	
SN:0473	HRS	1413:48	21000	TSN 282	22131:48		20144:05		
	AFL	1324		TSN 264					
PROC. REF: AMM 27-51-01, AMM 27-51-01									
27-002		ROLL TRIM ACTUATOR						Component	ATA:27
PN:452900-1007	MOS	28-Jun-13		TSN 0				LIFE LIMIT	
SN:0350	HRS	0	35000	TSN 0	35000		33012:17		
	AFL	0		TSN 0					
PROC. REF: AMM 27-14-02, AMM 27-14-02									
27-003		YAW TRIM ACTUATOR						Component	ATA:27
PN:453000-1007	MOS	28-Jun-13		TSN 0				LIFE LIMIT	
SN:0356	HRS	0	35000	TSN 0	35000		33012:17		
	AFL	0		TSN 0					
PROC. REF: AMM 27-24-02, AMM 27-24-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-004		LEFT PITCH TRIM ACTUATOR						Component	ATA:27
PN:453100-1009	MOS	28-Jun-13		TSN 0				LIFE LIMIT	
SN:0788	HRS	0	3200	TSN 0	3200		1212:17		
	AFL	0		TSN 0					
PROC. REF: AMM 27-34-02, AMM 27-34-02									
27-004		RIGHT PITCH TRIM ACTUATOR						Component	ATA:27
PN:453100-1009	MOS	28-Jun-13		TSN 0				LIFE LIMIT	
SN:0790	HRS	0	3200	TSN 0	3200		1212:17		
	AFL	0		TSN 0					
PROC. REF: AMM 27-34-02, AMM 27-34-02									
27-005		LH WING GROUND SPOILER ACTUATOR						Component	ATA:27
PN:PN	MOS/MSC	28-Jun-13	N/A	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-62-01, AMM 27-62-01									
27-01-01		LEFT CONTROL YOKE						Component	ATA:27
PN:83912139	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:00699	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-01-01, AMM 27-01-01									
27-01-01		RIGHT CONTROL YOKE						Component	ATA:27
PN:83912141	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:00615	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-01-01, AMM 27-01-01									
27-01-02		LH PEDAL ASSEMBLY						Component	ATA:27
PN:500-15010-445	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:0000743136	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-01-02, AMM 27-01-02									
27-01-02		RH PEDAL ASSEMBLY						Component	ATA:27
PN:PN	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-01-02, AMM 27-01-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-01-03-001 ^S		LUBRICATION OF ROTARY BALL SPLINE						Service	ATA:27
	MOS	20-Mar-23	24 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
PROC. REF: AMM 12-21-00								PKG:81	
27-04-01		NO.1 TRIM ACTUATOR CONTROLLER						Component	ATA:27
PN:461600-1007	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:0767	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-04-01, AMM 27-04-01									
27-04-01		NO.2 TRIM ACTUATOR CONTROLLER						Component	ATA:27
PN:461600-1007	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:0786	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-04-01, AMM 27-04-01									
27-04-01-001 ^S		FUNCTIONAL CHECK OF TRIM ACTUATION TIME LIMITER						Service	ATA:27
	MOS	28-Jun-13							
	HRS	0	5600 (+30/-30)						
	AFL	0							
PROC. REF: AMM 27-04-01								PKG:50	
27-04-01-002 ^S		FUNCTIONAL CHECK OF TRIM TABS ELECTRICAL STOP						Service	ATA:27
	MOS	28-Jun-13							
	HRS	0	5600 (+30/-30)						
	AFL	0							
PROC. REF: AMM 27-04-01								PKG:50	
27-04-01-003 ^S		OPERATIONAL CHECK OF TRIM TAB JAM MONITORING FUNCTION						Service	ATA:27
	MOS	28-Jun-13							
	HRS	0	5600 (+30/-30)						
	AFL	0							
PROC. REF: AMM 27-04-01								PKG:50	
27-11-00-001 ^S		GENERAL VISUAL INSPECTION OF AILERON ACTUATING SYSTEM MECHANICAL COMPONENTS						Service	ATA:27
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40	3200 (+30/-30)						
	AFL	1845							
PROC. REF: AMM 27-11-00								PKG:42	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-11-01		LH AILERON BALANCED ASSEMBLY					Component		ATA:27
PN:500-14650-417	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:0000746272	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-11-01, AMM 27-11-01									
27-11-01		RH AILERON BALANCED ASSEMBLY					Component		ATA:27
PN:500-14651-405	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:0000747771	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-11-01, AMM 27-11-01									
27-11-02-001		FUNCTION CHECK OF AILERON CONTROL CABLES TENSION					Service		ATA:27
	MOS	20-Mar-24	60 (+1m/-1m)		20-Mar-29	20-Apr-29	1761 d (+31)		
	HRS	1971:12	3200 (+30/-30)		5171:12	5201:12	3183:29 (+30)		
	AFL	1900							
PROC. REF: AMM 27-11-02									
27-11-02-001(INITIAL)		FUNCTION CHECK OF AILERON CONTROL CABLES TENSION - INITIAL 12 MOS CHECK					Service		ATA:27
	MOS/MSC	20-Mar-24	-						
	HRS	1971:12							
	AFL	1900							
PROC. REF: AMM 27-11-02									
27-11-02-002 ^S		DETAILED VISUAL INSPECTION OF AILERON CONTROL CABLES					Service		ATA:27
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40	3200 (+30/-30)						
	AFL	1845							
PROC. REF: AMM 27-11-02									
27-14-02-001		FUNCTIONAL CHECK ROLL TRIM ACTUATOR AILERON TRIM BACKLASH/ INTEGRITY					Service		ATA:27
PN:452900-1007	MOS	28-Jun-13						AIRWORTHINESS	
SN:0350	HRS	0	6000 (+30/-30)		6000	6030	4012:17 (+30)		
	AFL	0							
PROC. REF: AMM 27-14-03									
27-14-03		LEFT AILERON TRIM TAB					Component		ATA:27
PN:500-14630-407	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:0000739975	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-14-03, AMM 27-14-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-21-00-001^S GENERAL VISUAL INSPECTION OF RUDDER ACTUATING SYSTEM MECHANICAL COMPONENTS								
	MOS	20-Mar-23	60 (+1m/-1m)					Service ATA:27
	HRS	1920:40	3200 (+30/-30)					
	AFL	1845						
PROC. REF: AMM 27-21-00								PKG:42
27-21-01 RUDDER BALANCED ASSEMBLY								
PN:500-10520-415	MOS/MSC	28-Jun-13	O/C	TSN 0				Component ATA:27
SN:0000748242	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-21-01, AMM 27-21-01								
27-21-02-001 FUNCTIONAL CHECK OF RUDDER CONTROL CABLES TENSION								
	MOS	20-Mar-24	60 (+1m/-1m)		20-Mar-29	20-Apr-29	1761 d (+31)	Service ATA:27
	HRS	1971:12	3200 (+30/-30)		5171:12	5201:12	3183:29 (+30)	
	AFL	1900						
PROC. REF: AMM 27-21-02								
27-21-02-001(INITIAL) FUNCTIONAL CHECK OF RUDDER CONTROL CABLES TENSION - INITIAL 12 MOS CHECK								
	MOS/MSC	20-Mar-24	-					Service ATA:27
	HRS	1971:12						
	AFL	1900						
PROC. REF: GENERIC NO REF								
27-21-02-002^S DETAILED VISUAL INSPECTION OF RUDDER CONTROL CABLES								
	MOS	20-Mar-23	60 (+1m/-1m)					Service ATA:27
	HRS	1920:40	3200 (+30/-30)					
	AFL	1845						
PROC. REF: AMM 27-21-02								PKG:42
27-24-02-001 FUNCTIONAL CHECK YAW TRIM ACTUATOR RUDDER TRIM BACKLASH INTEGRITY								
PN:453000-1007	MOS	28-Jun-13						Service ATA:27
SN:0356	HRS	0	6000 (+30/-30)		6000	6030	4012:17 (+30)	AIRWORTHINESS
	AFL	0						
PROC. REF: AMM 27-24-03								
27-24-03 TAB RUDDER								
PN:500-10420-407	MOS/MSC	28-Jun-13	O/C	TSN 0				Component ATA:27
SN:0000747709	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-24-03, AMM 27-24-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-31-00-001^S GENERAL VISUAL INSPECTION OF ELEVATOR ACTUATING SYSTEM MECHANICAL COMPONENTS								
	MOS	20-Mar-23	60 (+1m/-1m)					Service ATA:27
	HRS	1920:40	3200 (+30/-30)					
	AFL	1845						
PROC. REF: AMM 27-31-00								PKG:42
27-31-01 LEFT ELEVATOR								
PN:500-11035-4001	MOS/MSC	28-Jun-13	O/C	TSN 0				Component ATA:27
SN:0000743279	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-31-01, AMM 27-31-01								
27-31-01 RIGHT ELEVATOR								
PN:500-11035-4002	MOS/MSC	28-Jun-13	O/C	TSN 0				Component ATA:27
SN:0000746038	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-31-01, AMM 27-31-01								
27-31-02-001 FUNCTIONAL CHECK OF ELEVATOR CONTROL CABLES TENSION								
	MOS	20-Mar-24	60 (+1m/-1m)		20-Mar-29	20-Apr-29	1761 d (+31)	Service ATA:27
	HRS	1971:12	3200 (+30/-30)		5171:12	5201:12	3183:29 (+30)	
	AFL	1900						
PROC. REF: AMM 27-31-02								
27-31-02-001(INITIAL) FUNCTIONAL CHECK OF ELEVATOR CONTROL CABLES TENSION - INITIAL 12 MOS CHECK								
	MOS/MSC	20-Mar-24	-					Service ATA:27
	HRS	1971:12						
	AFL	1900						
PROC. REF: GENERIC NO REF								
27-31-02-002^S DETAILED VISUAL INSPECTION OF ELEVATOR CONTROL CABLES								
	MOS	20-Mar-23	60 (+1m/-1m)					Service ATA:27
	HRS	1920:40	3200 (+30/-30)					
	AFL	1845						
PROC. REF: AMM 27-31-02								PKG:42
27-34-02-001 FUNCTIONAL CHECK OF PITCH TRIM BACKLASH/ INTEGRITY								
	MOS	28-Jun-13						Service ATA:27
	HRS	0	6000 (+30/-30)		6000	6030	4012:17 (+30)	AIRWORTHINESS
	AFL	0						
PROC. REF: AMM 27-34-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-34-04		PITCH TRIM INTERCONNECTION ACTUATOR					Component	ATA:27	
PN:453110-1001	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:SSW0449	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-34-04, AMM 27-34-04									
27-34-05		LEFT ELEVATOR TRIM TAB					Component	ATA:27	
PN:500-11021-4001	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:0000746041	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-34-05, AMM 27-34-05									
27-34-05		RIGHT ELEVATOR TRIM TAB					Component	ATA:27	
PN:500-11021-4002	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:0000739980	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-34-05, AMM 27-34-05									
27-36-01		LEFT ANGLE-OF-ATTACK SENSOR					Component	ATA:27	
PN:C-100117-4	MOS/MSC	08-Jul-14	O/C						
SN:335	HRS	79:24							
	AFL	60							
PROC. REF: AMM 27-36-01, AMM 27-36-01									
27-36-01		RIGHT ANGLE-OF-ATTACK SENSOR					Component	ATA:27	
PN:C-100117-4	MOS/MSC	08-Jul-14	O/C						
SN:262	HRS	79:24							
	AFL	60							
PROC. REF: AMM 27-36-01, AMM 27-36-01									
27-36-01-001^S		OPERATIONAL CHECK OF ANGLE-OF-ATTACK (AOA) SENSOR					Service	ATA:27	
	MOS	20-Mar-23							
	HRS	1920:40	800 (+30/-30)						
	AFL	1845							
PROC. REF: AMM 27-36-01									
27-36-02		STICK PUSHER LINEAR ACTUATOR					Component	ATA:27	
PN:260926258-0101	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:431	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-36-02, AMM 27-36-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-36-03-001 ^S		OPERATIONAL CHECK OF SPWS CUTOUT SWITCH						Service	ATA:27
	MOS	16-Aug-19							
	HRS	1256	1600 (+30/-30)						
	AFL								
PROC. REF: AMM 27-36-03								PKG:10	
27-36-04		STALL WARNING AND PROTECTION COMPUTER						Component	ATA:27
PN:C-100106-2	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:147551-03	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-36-04, AMM 27-36-04									
27-51-01-001 ^S		LUBRICATION OF FLAP ACTUATORS BALL SCREWS						Service	ATA:27
	MOS	20-Mar-24	12 (+1m/-1m)						
	HRS	1971:12							
	AFL	1900							
PROC. REF: AMM 12-21-00								PKG:80	
27-51-01-002 ^S		DETAILED VISUAL INSPECTION LEFT FLAP ACTUATOR						Service	ATA:27
PN:6094A0001-05	MOS	28-Jun-13							
SN:0780	HRS	0	6400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 27-51-01, AMM 27-51-01								PKG:60	
27-51-01-002 ^S		DETAILED VISUAL INSPECTION RIGHT FLAP ACTUATOR						Service	ATA:27
PN:6094A0001-05	MOS								
SN:0473	HRS		6400 (+30/-30)						
	AFL								
PROC. REF: AMM 27-51-01, AMM 27-51-01								PKG:60	
27-51-01-003		RESTORE (OVERHAUL) LEFT FLAP ACTUATOR						Service	ATA:27
PN:6094A0001-05	MOS	28-Jun-13							
SN:0780	HRS	0	4000 (+30/-30)		4000	4030	2012:17 (+30)		
	AFL	0							
PROC. REF: AMM 27-51-01									
27-51-01-003		RESTORE (OVERHAUL) RIGHT FLAP ACTUATOR						Service	ATA:27
PN:6094A0001-05	MOS	29-Jun-21							
SN:0473	HRS	1413:48	4000 (+30/-30)	TAC 282	5131:48	5161:48	3144:05 (+30)		
	AFL	1324		TAC 264					
PROC. REF: AMM 27-51-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-51-03		LH WING FLAP					Component		ATA:27
PN:500-14301-405	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:0000743752	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-51-03, AMM 27-51-03									
27-51-03		RH WING FLAP					Component		ATA:27
PN:500-14301-406	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:0000742011	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-51-03, AMM 27-51-03									
27-53-01		FLAP SELECTOR LEVER					Component		ATA:27
PN:780501-9	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:1422	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-53-01, AMM 27-53-01									
27-53-02		FLAP SYSTEM CONTROL UNIT					Component		ATA:27
PN:8025B0001-05	MOS/MSC	29-Jun-21	O/C						
SN:0287	HRS	1413:48							
	AFL	1324							
PROC. REF: AMM 27-53-02, AMM 27-53-02									
27-53-03		LH WING FLAP POSITION SENSOR UNIT					Component		ATA:27
PN:7906A0001-02	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:KA1827	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-53-03, AMM 27-53-03									
27-53-03		RH WING FLAP POSITION SENSOR UNIT					Component		ATA:27
PN:7906A0001-02	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:KA1828	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-53-03, AMM 27-53-03									
27-60-00-001		OPERATIONAL CHECK OF GROUND SPOILER SYSTEM					Service		ATA:27
	MOS/MSC	28-Jun-13	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 27-60-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28-11-00-001 ^S		FUNCTIONAL CHECK OF FUEL TANKS FOR MICRO-ORGANISMS					Service	ATA:28	
	MOS	20-Mar-24	12 (+1m/-1m)						
	HRS	1971:12							
	AFL	1900							
PROC. REF: AMM 28-11-00								PKG:80	
28-11-05		LH WING WATER DRAIN VALVE					Component	ATA:28	
PN:L83A13-628	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:F12332	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-11-05, AMM 28-11-05									
28-11-05		RH WING WATER DRAIN VALVE					Component	ATA:28	
PN:L83A13-628	MOS/MSC	21-Jun-16	O/C	TSN 0					
SN:J48400	HRS	682:24		TSN 0					
	AFL	571		TSN 0					
PROC. REF: AMM 28-11-05, AMM 28-11-05									
28-11-07		LH WING DUMP VALVE					Component	ATA:28	
PN:V98A32-001	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:F64367	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-11-07, AMM 28-11-07									
28-11-07		RH WING DUMP VALVE					Component	ATA:28	
PN:V98A32-001	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:F64369	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-11-07, AMM 28-11-07									
28-12-01-001		SPECIAL DETAILED INSPECTION OF FUEL VENT NACA					Service	ATA:28	
	MOS	20-Mar-23							
	HRS	1920:40	800 (+30/-30)		2720:40	2750:40	732:57 (+30)		
	AFL	1845							
PROC. REF: AMM 28-12-01								PKG:1	
28-12-03		LH WING FUEL TANK FLOAT VENT VALVE					Component	ATA:28	
PN:L87-19-001P2	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:F70250	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-12-03, AMM 28-12-03, AMM 28-12-07, AMM 28-12-07									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28-12-03		RH WING FUEL TANK FLOAT VENT VALVE					Component	ATA:28	
PN:L87-19-001P2	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:F70247	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-12-03, AMM 28-12-03, AMM 28-12-07, AMM 28-12-07									
28-12-03-001 ^S		OPERATIONAL CHECK LH WING FUEL TANK FLOAT VENT VALVE					Service	ATA:28	
PN:L87-19-001P2	MOS	28-Jun-13							
SN:F70250	HRS	0	6400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 28-12-03									
28-12-03-001 ^S		OPERATIONAL CHECK RH WING FUEL TANK FLOAT VENT VALVE					Service	ATA:28	
PN:L87-19-001P2	MOS	28-Jun-13							
SN:F70247	HRS	0	6400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 28-12-03									
28-12-05		LH WING DRAIN CHECK VALVE					Component	ATA:28	
PN:PN	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-11-05, AMM 28-11-05									
28-12-05		RH WING DRAIN CHECK VALVE					Component	ATA:28	
PN:PN	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-11-05, AMM 28-11-05									
28-21-00		NO.1 3/4 IN CHECK VALVE					Component	ATA:28	
PN:L96-19-007P4	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:F59212	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-01, AMM 28-21-01									
28-21-00		NO.2 3/4 IN CHECK VALVE					Component	ATA:28	
PN:L96-19-007P4	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:F59214	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-01, AMM 28-21-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28-21-00	NO.3 3/4 IN CHECK VALVE							Component	ATA:28
PN:L96-19-007P4	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:F59213	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-01, AMM 28-21-01									
28-21-00	NO.4 3/4 IN CHECK VALVE							Component	ATA:28
PN:L96-19-007P4	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:F59217	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-01, AMM 28-21-01									
28-21-03	LH WING DC AUXILIARY CANISTER BOOST PUMP							Component	ATA:28
PN:C93R19-601	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:F35059	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-03, AMM 28-21-03									
28-21-03	RH WING DC AUXILIARY CANISTER BOOST PUMP							Component	ATA:28
PN:C93R19-601	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:F35058	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-03, AMM 28-21-03									
28-21-04	LH WING DC AUXILIARY CARTRIDGE BOOST PUMP							Component	ATA:28
PN:P99C19-601	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:F77457	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-03, AMM 28-21-03									
28-21-04	RH WING DC AUXILIARY CARTRIDGE BOOST PUMP							Component	ATA:28
PN:P99C19-601	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:F85001	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-03, AMM 28-21-03									
28-21-05	LH WING MAIN EJECTOR PUMP							Component	ATA:28
PN:T99A19-601	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:F57840	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-05, AMM 28-21-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-21-05 RH WING MAIN EJECTOR PUMP								Component ATA:28
PN:T99A19-601	MOS/MSC	28-Jun-13	O/C	TSN 0				
SN:F57838	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-05, AMM 28-21-05								
28-21-07-001 OPERATIONAL CHECK LEFT WING 0.75 IN SHUTOFF VALVE								Service ATA:28
PN:B97-15-601	MOS	20-Aug-18						AIRWORTHINESS
SN:F12857	HRS	1096	1200 (+30/-30)		2296	2326	308:17 (+30)	
	AFL							
PROC. REF: AMM 28-21-07								
28-21-07-001 OPERATIONAL CHECK RIGHT WING 0.75 IN SHUTOFF VALVE								Service ATA:28
PN:B97-15-601	MOS	20-Aug-18						AIRWORTHINESS
SN:F68855	HRS	1096	1200 (+30/-30)		2296	2326	308:17 (+30)	
	AFL							
PROC. REF: AMM 28-21-07								
28-21-07-01 LEFT WING 0.75 IN SHUTOFF VALVE								Component ATA:28
PN:B97-15-601	MOS/MSC	28-Jun-13	O/C	TSN 0				
SN:F12857	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-07, AMM 28-21-07								
28-21-07-01 RIGHT WING 0.75 IN SHUTOFF VALVE								Component ATA:28
PN:B97-15-601	MOS/MSC	28-Jun-13	O/C	TSN 0				
SN:F68855	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-07, AMM 28-21-07								
28-21-07-02 LH WING 28-V DC ENGINE SHUTOFF VALVE ACTUATOR ASSEMBLY								Component ATA:28
PN:D97C00-644P2	MOS/MSC	28-Jun-13	O/C	TSN 0				
SN:C701464	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-07, AMM 28-21-07								
28-21-07-02 RH WING 28-V DC ENGINE SHUTOFF VALVE ACTUATOR ASSEMBLY								Component ATA:28
PN:D97C00-644P2	MOS/MSC	28-Jun-13	O/C	TSN 0				
SN:C701458	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 28-21-07, AMM 28-21-07								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28-21-08-001 ^S		OPERATIONAL CHECK OF FUEL TRANSFER VALVE							Service ATA:28
PN:B97-38-603P2	MOS	16-Aug-19							
SN:F68737	HRS	1256	1600 (+30/-30)						
	AFL								
PROC. REF: AMM 28-21-08								PKG:10	
28-21-08-01		1.5 IN FUEL SYSTEM SHUTOFF VALVE							Component ATA:28
PN:B97-38-603P2	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:F68737	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-08, AMM 28-21-08									
28-21-08-02		ENGINE 28-V DC TRANSFER VALVE ACTUATOR ASSEMBLY							Component ATA:28
PN:D97C00-644P2	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:C701472	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-08, AMM 28-21-08									
28-21-11		LH WING MOTIVE FLOW 3/8 IN CHECK VALVE							Component ATA:28
PN:L96-09-001P4	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:F05171	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-11, AMM 28-21-11									
28-21-11		RH WING MOTIVE FLOW 3/8 IN CHECK VALVE							Component ATA:28
PN:L96-09-001P4	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:F05177	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-11, AMM 28-21-11									
28-21-13		FUEL CONTROL PANEL							Component ATA:28
PN:441-42854-002	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:0324	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-21-13, AMM 28-21-13									
28-41-01		NO. 1 LEFT WING FUEL QUANTITY PROBE							Component ATA:28
PN:765551-1-0	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:765551IN00479	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-41-01, AMM 28-41-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28-41-01	NO. 1 RIGHT WING FUEL QUANTITY PROBE							Component	ATA:28
PN:765826-1-0	MOS/MSC	28-Jun-13	O/C		TSN 0				
SN:765826IN00514	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 28-41-01, AMM 28-41-01									
28-41-01	NO. 2 LEFT WING FUEL QUANTITY PROBE							Component	ATA:28
PN:765548-1-0	MOS/MSC	28-Jun-13	O/C		TSN 0				
SN:765548IN00458	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 28-41-01, AMM 28-41-01									
28-41-01	NO. 2 RIGHT WING FUEL QUANTITY PROBE							Component	ATA:28
PN:765827-1-0	MOS/MSC	28-Jun-13	O/C		TSN 0				
SN:765827IN00385	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 28-41-01, AMM 28-41-01									
28-41-01	NO. 3 LEFT WING FUEL QUANTITY PROBE							Component	ATA:28
PN:765549-1-0	MOS/MSC	28-Jun-13	O/C		TSN 0				
SN:765549IN00768	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 28-41-01, AMM 28-41-01									
28-41-01	NO. 3 RIGHT WING FUEL QUANTITY PROBE							Component	ATA:28
PN:765549-1-0	MOS/MSC	28-Jun-13	O/C		TSN 0				
SN:765549IN00765	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 28-41-01, AMM 28-41-01									
28-41-01	NO. 4 LEFT WING FUEL QUANTITY PROBE							Component	ATA:28
PN:765550-1-0	MOS/MSC	28-Jun-13	O/C		TSN 0				
SN:765550IN00732	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 28-41-01, AMM 28-41-01									
28-41-01	NO. 4 RIGHT WING FUEL QUANTITY PROBE							Component	ATA:28
PN:765550-1-0	MOS/MSC	28-Jun-13	O/C		TSN 0				
SN:765550IN00754	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 28-41-01, AMM 28-41-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28-41-05	ELECTRONIC FUEL CONTROL UNIT							Component	ATA:28
PN:738742-1-4	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:738790IN00654	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-41-05, AMM 28-41-05									
28-43-01	FUEL TEMPERATURE SENSOR							Component	ATA:28
PN:798840-1-0	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:03233	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-43-01, AMM 28-43-01									
28-43-01-001 ^S	FUNCTIONAL CHECK FUEL TEMPERATURE SENSOR							Service	ATA:28
PN:798840-1-0	MOS	28-Jun-13							
SN:03233	HRS	0	6400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 28-43-01									
PKG:60									
28-45-01	NO.1 FUEL LOW PRESSURE SWITCH							Component	ATA:28
PN:D98C07-611	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:0945	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-45-01, AMM 28-45-01									
28-45-01	NO.2 FUEL LOW PRESSURE SWITCH							Component	ATA:28
PN:D98C07-611	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:0946	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-45-01, AMM 28-45-01									
ATA 29 - HYDRAULIC POWER									
29-00-00-001 ^S	VISUAL CHECK OF HYDRAULIC SYSTEM FILTER DIFFERENTIAL PRESSURE INDICATOR (DPI)							Service	ATA:29
PN:PN	MOS	20-Mar-24	12 (+1m/-1m)						
SN:UNKNOWN	HRS	1971:12							
	AFL	1900							
PROC. REF: AMM 29-31-02									
PKG:80									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 29 - HYDRAULIC POWER									
29-11-01		HYDRAULIC POWERPACK						Component	ATA:29
PN:3032683-105	MOS/MSC	14-Jun-22	O/C	TSO 0					
SN:MX762416	HRS	1713:20		TSO 0					
	AFL	1648		TSO 0					
PROC. REF: AMM 29-11-01, AMM 29-11-01									
29-11-01-001		RESTORATION (OVERHAUL) OF THE HYDRAULIC POWERPACK						Service	ATA:29
PN:3032683-105	MOS/MSC		N/A						
SN:MX762416	HRS								
	AFL								
PROC. REF: AMM 29-11-01									
29-11-01-002		RESTORATION (OVERHAUL) OF THE HYDRAULIC POWERPACK						Service	ATA:29
PN:3032683-105	MOS	14-Jun-22					OVERHAUL		
SN:MX762416	HRS	1713:20	1600 (+30/-30)		3313:20	3343:20	1325:37 (+30)		
	AFL	1648							
PROC. REF: AMM 29-11-01									
29-11-09		HYDRAULIC POWERPACK TEMPERATURE SWITCH						Component	ATA:29
PN:PN	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-11-09, AMM 29-11-09									
29-11-09-001 ^S		FUNCTIONAL CHECK OF TEMPERATURE SWITCH						Service	ATA:29
PN:PN	MOS	28-Jun-13							
SN:UNKNOWN	HRS	0	6400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 29-11-09									
29-15-01		LH WING - GROUND SPOILER ACTUATOR PRESSURE HOSE						Component	ATA:29
PN:PN	MOS/MSC	28-Jun-13	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-15-01, AMM 29-15-01									
29-15-01		LH WING - GROUND SPOILER ACTUATOR RETURN HOSE						Component	ATA:29
PN:PN	MOS/MSC	28-Jun-13	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-15-01, AMM 29-15-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
29-15-01 RH WING - GROUND SPOILER ACTUATOR PRESSURE HOSE Component ATA:29								
PN:PN	MOS/MSC	28-Jun-13	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-15-01, AMM 29-15-01								
29-15-01 RH WING - GROUND SPOILER ACTUATOR RETURN HOSE Component ATA:29								
PN:PN	MOS/MSC	28-Jun-13	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-15-01, AMM 29-15-01								
29-15-03 HYDRAULIC ACCUMULATOR Component ATA:29								
PN:3032936-000	MOS/MSC	28-Jun-13	O/C	TSN 0				
SN:8423-13100T	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-15-03, AMM 29-15-03								
29-20-01 POWERPACK VENTILATION FAN Component ATA:29								
PN:SF9202D00	MOS/MSC	18-Jun-15	O/C					
SN:L00213	HRS	383:12		TSN 434				
	AFL	333						
PROC. REF: AMM 29-20-01, AMM 29-20-01								
29-20-01-001^S OPERATIONAL CHECK OF POWERPACK VENTILATION FAN Service ATA:29								
PN:SF9202D00	MOS	20-Mar-23						
SN:L00213	HRS	1920:40	800 (+30/-30)					
	AFL	1845						
PROC. REF: AMM 29-20-01								
29-31-02 HYDRAULIC SYSTEM FILTER DIFFERENTIAL PRESSURE INDICATOR Component ATA:29								
PN:PN	MOS/MSC	28-Jun-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-31-02, AMM 29-31-02								
ATA 30 - ICE AND RAIN PROTECTION								
30-01-01 ICE PROTECTION/HEATING SYSTEM CONTROL PANEL Component ATA:30								
PN:441-43199-001	MOS/MSC	28-Jun-13	O/C	TSN 0				
SN:0320	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 30-01-01, AMM 30-01-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
30-10-00-001 ^S		OPERATIONAL CHECK OF PNEUMATIC DE-ICING SYSTEM							Service ATA:30
	MOS	20-Mar-23							
	HRS	1920:40	800 (+30/-30)						
	AFL	1845							
PROC. REF: AMM 30-10-00								PKG:1	
30-11-01		DE-ICING SYSTEM CONTROLLER							Component ATA:30
PN:4D2037-24	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:U0276	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-11-01, AMM 30-11-01									
30-11-02		NO.1 REAR FUSELAGE CHECK VALVE							Component ATA:30
PN:3D3555-01	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:N122215	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-11-02, AMM 30-11-02									
30-11-02		NO.2 REAR FUSELAGE CHECK VALVE							Component ATA:30
PN:3D3555-01	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:N122227	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-11-02, AMM 30-11-02									
30-11-03		REAR FUS PRESSURE REGULATOR/RELIEVER VALVE							Component ATA:30
PN:4D2095-2011	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:N122519	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-11-03, AMM 30-11-03									
30-11-03-001 ^S		CLEANING REAR FUS PRESSURE REGULATOR/RELIEVER VALVE							Service ATA:30
PN:4D2095-2011	MOS	28-Jun-13							
SN:N122519	HRS	0	6400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 30-11-03								PKG:60	
30-11-04		AFT WATER SEPARATOR							Component ATA:30
PN:44E13-1A	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:N121138	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-11-04, AMM 30-11-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
30-11-04-001 ^S		RESTORATION (CLEANING) OF THE AFT WATER SEPARATOR							Service ATA:30
PN:44E13-1A	MOS	28-Jun-13							
SN:N121138	HRS	0	6400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 30-11-04								PKG:60	
30-11-05		REAR FUS LOW PRESSURE SWITCH							Component ATA:30
PN:3D3552-02	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:0331	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-11-05, AMM 30-11-05									
30-11-05-001 ^S		FUNCTIONAL CHECK OF DE-ICING LOW PRESSURESWITCH (REAR FUS)							Service ATA:30
PN:3D3552-02	MOS	28-Jun-13							
SN:0331	HRS	0	5600 (+30/-30)						
	AFL	0							
PROC. REF: AMM 30-11-05								PKG:50	
30-13-01		INBOARD WING FLOW CONTROL VALVE							Component ATA:30
PN:3D2376-07	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:N122006	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-13-01, AMM 30-13-01									
30-13-01		OUTBOARD WING FLOW CONTROL VALVE							Component ATA:30
PN:3D2376-07	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:N122001	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-13-01, AMM 30-13-01									
30-13-02		NO.1 L/H WING DE ICE PRESSURE SWITCH							Component ATA:30
PN:3D3533-04	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:1725	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-13-02, AMM 30-13-02									
30-13-02		NO.1 R/H WING DE ICE PRESSURE SWITCH							Component ATA:30
PN:3D3533-04	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:1757	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-13-02, AMM 30-13-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
30-13-02		NO.2 L/H WING DE ICE PRESSURE SWITCH					Component	ATA:30	
PN:3D3533-04	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:1738	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-13-02, AMM 30-13-02									
30-13-02		NO.2 R/H WING DE ICE PRESSURE SWITCH					Component	ATA:30	
PN:3D3533-04	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:1719	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-13-02, AMM 30-13-02									
30-13-02-001 ^S		FUNCTIONAL CHECK NO.1 L/H WING DE ICE PRESSURE SWITCH					Service	ATA:30	
PN:3D3533-04	MOS	28-Jun-13							
SN:1725	HRS	0	5600 (+30/-30)						
	AFL	0							
PROC. REF: AMM 30-13-02									
PKG:50									
30-13-02-001 ^S		FUNCTIONAL CHECK NO.1 R/H WING DE ICE PRESSURE SWITCH					Service	ATA:30	
PN:3D3533-04	MOS	28-Jun-13							
SN:1757	HRS	0	5600 (+30/-30)						
	AFL	0							
PROC. REF: AMM 30-13-02									
PKG:50									
30-13-02-001 ^S		FUNCTIONAL CHECK NO.2 L/H WING DE ICE PRESSURE SWITCH					Service	ATA:30	
PN:3D3533-04	MOS	28-Jun-13							
SN:1738	HRS	0	5600 (+30/-30)						
	AFL	0							
PROC. REF: AMM 30-13-02									
PKG:50									
30-13-02-001 ^S		FUNCTIONAL CHECK NO.2 R/H WING DE ICE PRESSURE SWITCH					Service	ATA:30	
PN:3D3533-04	MOS	28-Jun-13							
SN:1719	HRS	0	5600 (+30/-30)						
	AFL	0							
PROC. REF: AMM 30-13-02									
PKG:50									
30-13-03		LH WING DE-ICER BOOT					Component	ATA:30	
PN:PS29S4D5321-23	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:NBG2850	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-13-03, AMM 30-13-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
30-13-03		RH WING DE-ICER BOOT						Component	ATA:30
PN:PS29S4D5321-24	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:NBA4360	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-13-03, AMM 30-13-03									
30-13-03-001^S		GENERAL VISUAL INSPECTION LH WING DE-ICER BOOT						Service	ATA:30
PN:PS29S4D5321-23	MOS	20-Mar-24	12 (+1m/-1m)						
SN:NBG2850	HRS	1971:12							
	AFL	1900							
PROC. REF: AMM 30-13-03									
PKG:80									
30-13-03-001^S		GENERAL VISUAL INSPECTION RH WING DE-ICER BOOT						Service	ATA:30
PN:PS29S4D5321-24	MOS	20-Mar-24	12 (+1m/-1m)						
SN:NBA4360	HRS	1971:12							
	AFL	1900							
PROC. REF: AMM 30-13-03									
PKG:80									
30-15-01		REAR FUS FLOW CONTROL VALVE						Component	ATA:30
PN:3D2376-07	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:N122003	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-15-01, AMM 30-15-01									
30-15-02		REAR FUS DE ICE PRESSURE SWITCH						Component	ATA:30
PN:3D3533-04	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:1758	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-15-02, AMM 30-15-02									
30-15-02-001^S		FUNCTIONAL CHECK OF HORIZONTAL STABILIZER DE-ICER PRESSURE SWITCH (REAR FUS)						Service	ATA:30
PN:3D3533-04	MOS	28-Jun-13							
SN:1758	HRS	0	5600 (+30/-30)						
	AFL	0							
PROC. REF: AMM 30-15-02									
PKG:50									
30-15-03		LH TAIL DE-ICER BOOT						Component	ATA:30
PN:PS29S4D5321-21	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:NAX3580	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-15-03, AMM 30-15-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
30-15-03		RH TAIL DE-ICER BOOT						Component	ATA:30
PN:PS29S4D5321-22	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:NAX6650	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-15-03, AMM 30-15-03									
30-15-03-001^S		GENERAL VISUAL INSPECTION OF LH TAIL DE-ICER BOOT						Service	ATA:30
PN:PS29S4D5321-21	MOS	20-Mar-24	12 (+1m/-1m)						
SN:NAX3580	HRS	1971:12							
	AFL	1900							
PROC. REF: AMM 30-15-03									
PKG:80									
30-15-03-001^S		GENERAL VISUAL INSPECTION OF RH TAIL DE-ICER BOOT						Service	ATA:30
PN:PS29S4D5321-22	MOS	20-Mar-24	12 (+1m/-1m)						
SN:NAX6650	HRS	1971:12							
	AFL	1900							
PROC. REF: AMM 30-15-03									
PKG:80									
30-21-01		LEFT ENGINE ANTI-ICE SYSTEM SHUTOFF VALVE						Component	ATA:30
PN:5727-00-5	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:0646A	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-21-01, AMM 30-21-01									
30-21-01		RIGHT ENGINE ANTI-ICE SYSTEM SHUTOFF VALVE						Component	ATA:30
PN:5727-00-5	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:0648A	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-21-01, AMM 30-21-01									
30-21-02		LH ENG ANTI-ICE PRESSURE TRANSDUCER						Component	ATA:30
PN:APTE-473A-1000-50G	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:8002-3-279	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-21-02, AMM 30-21-02									
30-21-02		RH ENG ANTI-ICE PRESSURE TRANSDUCER						Component	ATA:30
PN:APTE-473A-1000-50G	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:8002-3-294	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-21-02, AMM 30-21-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
30-21-02-001		FUNCTIONAL CHECK OF LH ENG ANTI-ICE PRESSURE TRANSDUCER							Service ATA:30
PN:APTE-473A-1000-50G	MOS	28-Jun-13							
SN:8002-3-279	HRS	0	12000 (+30/-30)		12000	12030	10012:17 (+30)		
	AFL	0							
PROC. REF: AMM 30-21-02									
30-21-02-001		FUNCTIONAL CHECK OF RH ENG ANTI-ICE PRESSURE TRANSDUCER							Service ATA:30
PN:APTE-473A-1000-50G	MOS	28-Jun-13							
SN:8002-3-294	HRS	0	12000 (+30/-30)		12000	12030	10012:17 (+30)		
	AFL	0							
PROC. REF: AMM 30-21-02									
30-21-03-001 ^S		BORESCOPE INSPECTION OF PICCOLO TUBE							Service ATA:30
	MOS	28-Jun-13							
	HRS	0	5600 (+30/-30)						
	AFL	0							
PROC. REF: AMM 30-21-03									
PKG:50									
30-21-04-001 ^S		DETAILED VISUAL INSPECTION OF ENGINE ANTI-ICE DUCTS							Service ATA:30
	MOS	28-Jun-13							
	HRS	0	2400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 30-21-00									
PKG:20									
30-31-00-001 ^S		OPERATIONAL CHECK OF PITOT, STATIC, AOA AND P-STATIC HEATING							Service ATA:30
	MOS	20-Mar-23	24 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
PROC. REF: AMM 30-30-00									
PKG:81									
30-31-01		AIR DATA PROBES HEATER CURRENT MONITOR-							Component ATA:30
PN:C-100131-1	MOS/MSC	28-Jun-13	O/C		TSN 0				
SN:140334-02	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 30-31-01, AMM 30-31-01									
30-41-01-001		FUNCTIONAL CHECK OF WINDSHIELD RAIN REPELLENT COATING							Service ATA:30
	MOS/MSC	25-Feb-22	O/C						
	HRS	1605:35							
	AFL	1535							
PROC. REF: AMM 30-41-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
30-41-01-002^S DISCARD OF WINDSHIELD RAIN REPELLENT COATING Service ATA:30								
	MOS	20-Mar-24	12 (+1m/-1m)					DISCARD
	HRS	1971:12						
	AFL	1900						
	PROC. REF: AMM 30-41-01							PKG:80
30-41-01-003^S FUNCTIONAL CHECK OF RAIN REPELLENT COATING (RRC) LAYER ON WINDSHIELD SURFACE Service ATA:30								
	MOS	20-Mar-24	12 (+1m/-1m)					
	HRS	1971:12						
	AFL	1900						
	PROC. REF: AMM 30-41-01							PKG:80
30-42-00-001^S OPERATIONAL CHECK OF WINDSHIELD HEATING SYSTEM Service ATA:30								
	MOS	20-Mar-23						
	HRS	1920:40	800 (+30/-30)					
	AFL	1845						
	PROC. REF: AMM 30-42-00							PKG:1
30-42-01 LH WINDSHIELD HEATER CONTROL UNIT Component ATA:30								
PN:EPM-112-3	MOS/MSC	28-Jun-13	O/C		TSN 0			
SN:01616	HRS	0			TSN 0			
	AFL	0			TSN 0			
	PROC. REF: AMM 30-42-01, AMM 30-42-01							
30-42-01 RH WINDSHIELD HEATER CONTROL UNIT Component ATA:30								
PN:EPM-112-3	MOS/MSC	28-Jun-13	O/C		TSN 0			
SN:01627	HRS	0			TSN 0			
	AFL	0			TSN 0			
	PROC. REF: AMM 30-42-01, AMM 30-42-01							
30-81-01 CREW CABIN LIGHT ICING INDICATOR Component ATA:30								
PN:PN	MOS/MSC	28-Jun-13	O/C		TSN 0			
SN:UNKNOWN	HRS	0			TSN 0			
	AFL	0			TSN 0			
	PROC. REF: AMM 30-81-02, AMM 30-81-02							
ATA 31 - INDICATING/RECORDING SYSTEMS								
31-31-00-002^S OPERATIONAL CHECK OF COCKPIT VOICE AND DATA RECORDER SYSTEM Service ATA:31								
PN:2100-3083-50	MOS	20-Mar-24	12 (+1m/-1m)					
SN:000846292	HRS	1971:12						
	AFL	1900						
	PROC. REF: AMM 31-31-00							PKG:80

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
31-31-01 CVDR - COCKPIT VOICE AND DATA RECORDER Component ATA:31								
PN:2100-3083-50	MOS/MSC	13-Aug-19	O/C	TSN 74				
SN:000846292	HRS							
	AFL							
PROC. REF: AMM 31-31-01, AMM 31-31-01								
31-31-03 CVDR/ULB UNDERWATER LOCATOR BEACON BATTERY Component ATA:31								
PN:DK120/90	MOS/MSC		H/T					
SN:AT76566	HRS							
	AFL							
PROC. REF: AMM 31-31-03, AMM 31-31-03								
31-31-03-001 DISCARD CVDR/ULB UNDERWATER LOCATOR BEACON BATTERY Service ATA:31								
PN:DK120/90	MOS/MSC		DUE		01-Oct-24 (M)		130 d	DISCARD
SN:AT76566	HRS							
	AFL							
PROC. REF: AMM 31-31-03								
31-31-04 IMPACT SWITCH Component ATA:31								
PN:5930-4-000	MOS/MSC	28-Jun-13	O/C	TSN 0				
SN:5484	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-31-04, AMM 31-31-04								
31-31-09 CVDR INSC ILLUM PANEL Component ATA:31								
PN:441-42635-003	MOS/MSC	28-Jun-13	O/C	TSN 0				
SN:0473	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-31-09, AMM 31-31-09								
31-31-13 CVDR/UNDERWATER LOCATOR BEACON Component ATA:31								
PN:PN	MOS/MSC	28-Jun-13	A/R	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-31-03, AMM 31-31-03								
31-41-01 GSD 41 DATA CONCENTRATOR UNIT Component ATA:31								
PN:011-01457-00	MOS/MSC	28-Jun-13	O/C	TSN 0				
SN:16905723	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-41-01, AMM 31-41-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 31 - INDICATING/RECORDING SYSTEMS									
31-41-03		NO.1 ENGINE/AIRFRAME INTERFACE UNIT					Component		ATA:31
PN:011-00831-00	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:46715693	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-41-03, AMM 31-41-03									
31-41-03		NO.2 ENGINE/AIRFRAME INTERFACE UNIT					Component		ATA:31
PN:011-00831-00	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:46715702	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-41-03, AMM 31-41-03									
31-41-03		NO.3 ENGINE/AIRFRAME INTERFACE UNIT					Component		ATA:31
PN:011-00831-00	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:46715820	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-41-03, AMM 31-41-03									
31-41-05		NO.1 GIA63W INTEGRATED AVIONICS UNIT					Component		ATA:31
PN:011-01105-20	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:1HQ006845	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-41-05, AMM 31-41-05									
31-41-05		NO.2 GIA63W INTEGRATED AVIONICS UNIT					Component		ATA:31
PN:011-01105-20	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:1HQ007679	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-41-05, AMM 31-41-05									
31-42-00-001 ^S		OPERATIONAL CHECK OF HSDB SWITCH REVERSION					Service		ATA:31
	MOS	28-Jun-13							
	HRS	0	6400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 31-42-00									
PKG:60									
31-42-01		MAINTENANCE CONTROL PANEL					Component		ATA:31
PN:441-40947-001	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:0323	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-42-01, AMM 31-42-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 31 - INDICATING/RECORDING SYSTEMS									
31-61-00-001 ^S	OPERATIONAL CHECK MFD FLIGHT DISPLAY SYSTEM (MANUAL AND AUTOMATIC REVERSION MODE)							Service	ATA:31
	MOS	28-Jun-13							
	HRS	0	3200 (+30/-30)						
	AFL	0							
	PROC. REF: AMM 31-61-00							PKG:40	
31-61-00-001 ^S	OPERATIONAL CHECK PFD 1 FLIGHT DISPLAY SYSTEM (MANUAL AND AUTOMATIC REVERSION MODE)							Service	ATA:31
	MOS	28-Jun-13							
	HRS	0	3200 (+30/-30)						
	AFL	0							
	PROC. REF: AMM 31-61-00							PKG:40	
31-61-00-001 ^S	OPERATIONAL CHECK PFD 2 FLIGHT DISPLAY SYSTEM (MANUAL AND AUTOMATIC REVERSION MODE)							Service	ATA:31
	MOS	28-Jun-13							
	HRS	0	3200 (+30/-30)						
	AFL	0							
	PROC. REF: AMM 31-61-00							PKG:40	
31-61-01	MFD (MULTI-FUNCTION FLIGHT DISPLAY)							Component	ATA:31
PN:011-01440-10	MOS/MSC	28-Jun-13	O/C		TSN 0				
SN:18T006232	HRS	0			TSN 0				
	AFL	0			TSN 0				
	PROC. REF: AMM 31-61-01, AMM 31-61-01								
31-61-01	PFD 1 (PRIMARY FLIGHT DISPLAY)							Component	ATA:31
PN:011-01440-10	MOS/MSC	28-Jun-13	O/C		TSN 0				
SN:18T006230	HRS	0			TSN 0				
	AFL	0			TSN 0				
	PROC. REF: AMM 31-61-01, AMM 31-61-01								
31-61-01	PFD 2 (PRIMARY FLIGHT DISPLAY)							Component	ATA:31
PN:011-01440-10	MOS/MSC	28-Jun-13	O/C		TSN 0				
SN:18T006233	HRS	0			TSN 0				
	AFL	0			TSN 0				
	PROC. REF: AMM 31-61-01, AMM 31-61-01								
31-CUS-01 ^U	CVDR READ-OUT (DATA DOWNLOAD) (OPERATIONAL CHECKS AND EVALUATIONS OF VOICE AND PARAMETERS DATA) IA NCC.GEN.145 REQUIREMENTS							Service	ATA:31
	MOS	20-Mar-23	24		20-Mar-25		300 d	NATIONAL REQUIREMENT	
	HRS	1920:40							
	AFL	1845							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
31-CUS-02^U CHECK OF CVDR SENSORS CALIBRATION IAW. NCC.GEN.145 Service ATA:31								
	MOS		60		30-Mar-28 (M)		1406 d	
	HRS							
	AFL							
ATA 32 - LANDING GEAR								
32-00-00-001^S EXTERNAL GENERAL VISUAL INSPECTION OF OF LANDING GEAR POLYURETHANE FILMS Service ATA:32								
	MOS	20-Mar-23						
	HRS	1920:40	800 (+30/-30)					
	AFL	1845						
				PROC. REF: AMM 32-00-20				PKG:1
32-000 LEFT MAIN GEAR ASSEMBLY Component ATA:32								
PN:PN	MOS/MSC	28-Jun-13	O/C		TSN 0			
SN:UNKNOWN	HRS	0			TSN 0			
	AFL	0			TSN 0			
				PROC. REF: GENERIC NO REF				
32-000 RIGHT MAIN GEAR ASSEMBLY Component ATA:32								
PN:PN	MOS/MSC	28-Jun-13	O/C		TSN 0			
SN:UNKNOWN	HRS	0			TSN 0			
	AFL	0			TSN 0			
				PROC. REF: GENERIC NO REF				
32-003 LEFT MAIN GEAR SHOCK STRUT - MAIN FITTING Component ATA:32								
PN:2310-2206-501	MOS	20-Mar-23						LIFE LIMIT
SN:1318590/001	HRS	1920:40						
	AFL	1845	19000		TSN 1572	19273	17359	
				PROC. REF: AMM 32-11-01, AMM 32-11-01				
32-004 RIGHT MAIN GEAR SHOCK STRUT - MAIN FITTING Component ATA:32								
PN:2310-2206-502	MOS	20-Mar-23						LIFE LIMIT
SN:1301538/002	HRS	1920:40						
	AFL	1845	19000		TSN 1572	19273	17359	
				PROC. REF: AMM 32-11-01, AMM 32-11-01				
32-005 NO.1 LEFT MAIN GEAR PINTLE PIN Component ATA:32								
PN:2310-2107-001	MOS	20-Mar-23						LIFE LIMIT
SN:1302135/011	HRS	1920:40						
	AFL	1845	19000		TSN 1572	19273	17359	
				PROC. REF: GENERIC NO REF				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-005 NO.1 RIGHT MAIN GEAR PINTLE PIN								
PN:2310-2107-001	MOS	20-Mar-23						Component ATA:32
SN:1302132/005	HRS	1920:40						LIFE LIMIT
	AFL	1845	19000	TSN 1572	19273		17359	
PROC. REF: GENERIC NO REF								
32-005 NO.2 LEFT MAIN GEAR PINTLE PIN								
PN:2310-2107-001	MOS	20-Mar-23						Component ATA:32
SN:1302135/013	HRS	1920:40						LIFE LIMIT
	AFL	1845	19000	TSN 1572	19273		17359	
PROC. REF: GENERIC NO REF								
32-005 NO.2 RIGHT MAIN GEAR PINTLE PIN								
PN:2310-2107-001	MOS	20-Mar-23						Component ATA:32
SN:1302132/013	HRS	1920:40						LIFE LIMIT
	AFL	1845	19000	TSN 1572	19273		17359	
PROC. REF: GENERIC NO REF								
32-006 LEFT MAIN GEAR UPPER AXLE								
PN:2310-2104-001	MOS	20-Mar-23						Component ATA:32
SN:1302138/011	HRS	1920:40						LIFE LIMIT
	AFL	1845	21000	TSN 1572	21273		19359	
PROC. REF: GENERIC NO REF								
32-006 RIGHT MAIN GEAR UPPER AXLE								
PN:2310-2104-001	MOS	20-Mar-23						Component ATA:32
SN:1302139/004	HRS	1920:40						LIFE LIMIT
	AFL	1845	21000	TSN 1572	21273		19359	
PROC. REF: GENERIC NO REF								
32-007 LEFT MAIN GEAR LOWER AXLE								
PN:2310-2108-003	MOS	20-Mar-23						Component ATA:32
SN:1290115/011	HRS	1920:40						LIFE LIMIT
	AFL	1845	21000	TSN 1572	21273		19359	
PROC. REF: GENERIC NO REF								
32-007 RIGHT MAIN GEAR LOWER AXLE								
PN:2310-2108-003	MOS	20-Mar-23						Component ATA:32
SN:1290115/007	HRS	1920:40						LIFE LIMIT
	AFL	1845	21000	TSN 1572	21273		19359	
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-008		LEFT MAIN GEAR JACKING PIN						Component	ATA:32
PN:2310-2109-001	MOS	20-Mar-23						LIFE LIMIT	
SN:1304611/012	HRS	1920:40							
	AFL	1845	21000	TSN 1572	21273		19359		
PROC. REF: GENERIC NO REF									
32-008		RIGHT MAIN GEAR JACKING PIN						Component	ATA:32
PN:2310-2109-001	MOS	20-Mar-23						LIFE LIMIT	
SN:1310141/010	HRS	1920:40							
	AFL	1845	21000	TSN 1572	21273		19359		
PROC. REF: GENERIC NO REF									
32-009		LEFT MAIN GEAR PIN						Component	ATA:32
PN:2310-2103-001	MOS	20-Mar-23						LIFE LIMIT	
SN:1287341/005	HRS	1920:40							
	AFL	1845	21000	TSN 1572	21273		19359		
PROC. REF: GENERIC NO REF									
32-009		RIGHT MAIN GEAR PIN						Component	ATA:32
PN:2310-2103-001	MOS	20-Mar-23						LIFE LIMIT	
SN:1287341/004	HRS	1920:40							
	AFL	1845	21000	TSN 1572	21273		19359		
PROC. REF: GENERIC NO REF									
32-010		LEFT MAIN GEAR PIN						Component	ATA:32
PN:2310-2113-003	MOS	20-Mar-23						LIFE LIMIT	
SN:1302440/002	HRS	1920:40							
	AFL	1845	21000	TSN 1572	21273		19359		
PROC. REF: GENERIC NO REF									
32-010		RIGHT MAIN GEAR PIN						Component	ATA:32
PN:2310-2113-003	MOS	20-Mar-23		TSN 0				LIFE LIMIT	
SN:3018518	HRS	1920:40		TSN 0					
	AFL	1845	21000	TSN 0	22845		20931		
PROC. REF: GENERIC NO REF									
32-100		LEFT MAIN GEAR TRAILING ARM ASSEMBLY						Component	ATA:32
PN:2310-3000-401	MOS/MSC	20-Mar-23	O/C	TSO 0					
SN:00147	HRS	1920:40		TSN 2003:40, TSO 0					
	AFL	1845		TSN 1572, TSO 0					
PROC. REF: AMM 32-11-04, AMM 32-11-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-100		RIGHT MAIN GEAR TRAILING ARM ASSEMBLY						Component	ATA:32
PN:2310-3000-402	MOS/MSC	20-Mar-23	O/C	TSO 0					
SN:00143	HRS	1920:40		TSO 0					
	AFL	1845		TSN 1572, TSO 0					
PROC. REF: AMM 32-11-04, AMM 32-11-04									
32-101		LEFT MAIN GEAR TRAILING ARM AXLE						Component	ATA:32
PN:2310-2102-001	MOS	20-Mar-23		TSO 0				LIFE LIMIT	
SN:1279627/010	HRS	1920:40		TSN 2003:40, TSO 0					
	AFL	1845	21000	TSN 1572, TSO 0	21273		19359		
PROC. REF: AMM 32-11-04, AMM 32-11-04									
32-101		RIGHT MAIN GEAR TRAILING ARM AXLE						Component	ATA:32
PN:2310-2102-001	MOS	20-Mar-23		TSO 0				LIFE LIMIT	
SN:1274627/003	HRS	1920:40		TSO 0					
	AFL	1845	3500	TSN 1572, TSO 0	3773		1859		
PROC. REF: AMM 32-11-04, AMM 32-11-04									
32-104		LEFT MAIN GEAR TRAILING ARM						Component	ATA:32
PN:2310-3002-501	MOS	20-Mar-23		TSR 0				LIFE LIMIT	
SN:1296611/002	HRS	1920:40		TSN 2003:40, TSR 0					
	AFL	1845	19000	TSN 1572, TSR 0	19273		17359		
PROC. REF: AMM 32-11-04, AMM 32-11-04									
32-105		RIGHT MAIN GEAR TRAILING ARM						Component	ATA:32
PN:2310-3002-502	MOS	20-Mar-23		TSO 0				LIFE LIMIT	
SN:1296612/002	HRS	1920:40		TSO 0					
	AFL	1845	3500	TSN 1572, TSO 0	3773		1859		
PROC. REF: AMM 32-11-04, AMM 32-11-04									
32-106		LEFT MAIN GEAR TRAILING ARM WHEEL AXLE						Component	ATA:32
PN:2310-3010-001	MOS	20-Mar-23		TSO 0				LIFE LIMIT	
SN:1294244/002	HRS	1920:40		TSN 2003:40, TSO 0					
	AFL	1845	21000	TSN 1572, TSO 0	21273		19359		
PROC. REF: AMM 32-11-04, AMM 32-11-04									
32-106		RIGHT MAIN GEAR TRAILING ARM WHEEL AXLE						Component	ATA:32
PN:2310-3010-001	MOS	20-Mar-23		TSO 0				LIFE LIMIT	
SN:1294243/002	HRS	1920:40		TSN 1572	21273		19359		
	AFL	1845	21000	TSN 1572	21273		19359		
PROC. REF: AMM 32-11-04, AMM 32-11-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-11-00-001^S GENERAL VISUAL INSPECTION LEFT MAIN GEAR ASSEMBLY Service ATA:32								
PN:PN	MOS	20-Mar-24	12 (+1m/-1m)					
SN:UNKNOWN	HRS	1971:12						
	AFL	1900						
PROC. REF: AMM 32-11-00								PKG:80
32-11-00-001^S GENERAL VISUAL INSPECTION RIGHT MAIN GEAR ASSEMBLY Service ATA:32								
PN:PN	MOS	20-Mar-24	12 (+1m/-1m)					
SN:UNKNOWN	HRS	1971:12						
	AFL	1900						
PROC. REF: AMM 32-11-00								PKG:80
32-11-00-002 RESTORE (OVERHAUL) LEFT MAIN GEAR ASSEMBLY Service ATA:32								
PN:PN	MOS/MSC	28-Jun-13	O/C					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: AMM 32-11-00								
32-11-00-002 RESTORE (OVERHAUL) RIGHT MAIN GEAR ASSEMBLY Service ATA:32								
PN:PN	MOS/MSC	28-Jun-13	O/C					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: AMM 32-11-00								
32-11-00-003 LUBRICATION OF LEFT MAIN GEAR ASSEMBLY Service ATA:32								
PN:PN	MOS	20-Mar-24	12 (+1m/-1m)	Adj -23d	25-Feb-25	25-Mar-25	277 d (+28)	
SN:UNKNOWN	HRS	1971:12						
	AFL	1900	650 (+30/-30)		2550	2580	636 (+30)	
PROC. REF: AMM 12-21-00								
32-11-00-003 LUBRICATION OF RIGHT MAIN GEAR ASSEMBLY Service ATA:32								
PN:PN	MOS	20-Mar-24	12 (+1m/-1m)	Adj -23d	25-Feb-25	25-Mar-25	277 d (+28)	
SN:UNKNOWN	HRS	1971:12						
	AFL	1900	650 (+30/-30)		2550	2580	636 (+30)	
PROC. REF: AMM 12-21-00								
32-11-01 LEFT MAIN GEAR SHOCK STRUT Component ATA:32								
PN:2310-2000-601	MOS/MSC	20-Mar-23	O/C	TSO 0				
SN:00146	HRS	1920:40		TSN 2003:40, TSO 0				
	AFL	1845		TSN 1572, TSO 0				
PROC. REF: AMM 32-11-01, AMM 32-11-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-11-01	RIGHT MAIN GEAR SHOCK STRUT							Component	ATA:32
PN:2310-2000-602	MOS/MSC	20-Mar-23	O/C	TSO 0					
SN:00143	HRS	1920:40		TSN 2003:40, TSO 0					
	AFL	1845		TSN 1572, TSO 0					
PROC. REF: AMM 32-11-01, AMM 32-11-01									
32-11-01-001	RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - STRUT ASSY (LH)							Service	ATA:32
PN:2310-2000-601	MOS	20-Mar-23	120 (+1m/-1m)	TAC 15, Adj -3d	17-Dec-31	17-Jan-32	2763 d (+31)	OVERHAUL	
SN:00146	HRS	1920:40							
	AFL	1845	12000 (+30/-30)	TAC 0	13845	13875	11931 (+30)		
PROC. REF: AMM 32-11-00									
32-11-01-002	RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - STRUT ASSY (RH)							Service	ATA:32
PN:2310-2000-602	MOS	20-Mar-23	120 (+1m/-1m)	TAC 15	20-Dec-31	20-Jan-32	2766 d (+31)	OVERHAUL	
SN:00143	HRS	1920:40		TAC 2003:40					
	AFL	1845	12000 (+30/-30)	TAC 0	13845	13875	11931 (+30)		
PROC. REF: AMM 32-11-00									
32-11-02-001	RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - LOCKING ACTUATOR (LH)							Service	ATA:32
PN:2136-1000-405	MOS	20-Mar-23	120 (+1m/-1m)	TAC 15	20-Dec-31	20-Jan-32	2766 d (+31)	OVERHAUL	
SN:00173	HRS	1920:40							
	AFL	1845	12000 (+30/-30)	TAC 0	13845	13875	11931 (+30)		
PROC. REF: AMM 32-11-00									
32-11-02-002	RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - LOCKING ACTUATOR (RH)							Service	ATA:32
PN:2136-1000-405	MOS	20-Mar-23	120 (+1m/-1m)	TAC 15	20-Dec-31	20-Jan-32	2766 d (+31)	OVERHAUL	
SN:00088	HRS	1920:40							
	AFL	1845	12000 (+30/-30)	TAC 0	13845	13875	11931 (+30)		
PROC. REF: AMM 32-11-00									
32-11-03-001	RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - SHOCK ABSORBER (LH)							Service	ATA:32
PN:2310-4000-407	MOS	20-Mar-23	120 (+1m/-1m)	TAC 4, Adj 1d	21-Nov-32	21-Dec-32	3103 d (+30)	OVERHAUL	
SN:00261	HRS	1920:40							
	AFL	1845	12000 (+30/-30)	TAC 0	13845	13875	11931 (+30)		
PROC. REF: AMM 32-11-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-11-03-002		RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - SHOCK ABSORBER (RH)						Service	ATA:32
PN:2310-4000-407	MOS	20-Mar-23	120 (+1m/-1m)	TAC 15	20-Dec-31	20-Jan-32	2766 d (+31)	OVERHAUL	
SN:00468	HRS	1920:40		TAC 0					
	AFL	1845	12000 (+30/-30)	TAC 0	13845	13875	11931 (+30)		
PROC. REF: AMM 32-11-00									
32-11-03-004		SERVICING LEFT MAIN GEAR SHOCK ABSORBER ASSEMBLY						Service	ATA:32
PN:2310-4000-407	MOS	20-Mar-24	12 (+1m/-1m)		20-Mar-25	20-Apr-25	300 d (+31)		
SN:00261	HRS	1971:12							
	AFL	1900	650 (+30/-30)		2550	2580	636 (+30)		
PROC. REF: AMM 12-14-02									
32-11-03-004		SERVICING RIGHT MAIN GEAR SHOCK ABSORBER ASSEMBLY						Service	ATA:32
PN:2310-4000-407	MOS	20-Mar-24	12 (+1m/-1m)		20-Mar-25	20-Apr-25	300 d (+31)		
SN:00468	HRS	1971:12							
	AFL	1900	650 (+30/-30)		2550	2580	636 (+30)		
PROC. REF: AMM 12-14-02									
32-11-04-001		RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - TRAILING ARM (LH)						Service	ATA:32
PN:2310-3000-401	MOS	20-Mar-23	120 (+1m/-1m)	TAC 15	20-Dec-31	20-Jan-32	2766 d (+31)	OVERHAUL	
SN:00147	HRS	1920:40							
	AFL	1845	12000 (+30/-30)	TAC 0	13845	13875	11931 (+30)		
PROC. REF: AMM 32-11-00									
32-11-04-002		RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - TRAILING ARM (RH)						Service	ATA:32
PN:2310-3000-402	MOS	20-Mar-23	120 (+1m/-1m)	TAC 15	20-Dec-31	20-Jan-32	2766 d (+31)	OVERHAUL	
SN:00143	HRS	1920:40		TAC 0					
	AFL	1845	12000 (+30/-30)	TAC 0	13845	13875	11931 (+30)		
PROC. REF: AMM 32-11-00									
32-200		LEFT MAIN GEAR SHOCK ABSORBER ASSEMBLY						Component	ATA:32
PN:2310-4000-407	MOS/MSC	20-Mar-23	O/C	TSO 0					
SN:00261	HRS	1920:40		TSN 2003:40, TSO 0					
	AFL	1845		TSN 1572, TSO 0					
PROC. REF: AMM 32-11-03, AMM 32-11-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-200		RIGHT MAIN GEAR SHOCK ABSORBER ASSEMBLY						Component	ATA:32
PN:2310-4000-407	MOS/MSC	20-Mar-23	O/C	TSO 0					
SN:00468	HRS	1920:40		TSO 0					
	AFL	1845		TSO 0					
PROC. REF: AMM 32-11-03, AMM 32-11-03									
32-203		LEFT MAIN GEAR SHOCK ABSORBER CYLINDER						Component	ATA:32
PN:2310-4102-501	MOS	20-Mar-23		TSO 0				LIFE LIMIT	
SN:1278328/008	HRS	1920:40		TSN 2003:40, TSO 0					
	AFL	1845	21000	TSN 1572, TSO 0	21273		19359		
PROC. REF: GENERIC NO REF									
32-203		RIGHT MAIN GEAR SHOCK ABSORBER CYLINDER						Component	ATA:32
PN:2310-4102-501	MOS	20-Mar-23		TSO 0				LIFE LIMIT	
SN:1310221/009	HRS	1920:40		TSO 0					
	AFL	1845	21000	TSN 1572, TSO 0	21273		19359		
PROC. REF: GENERIC NO REF									
32-205		LEFT MAIN GEAR SHOCK ABSORBER SLIDING TUBE						Component	ATA:32
PN:2310-4201-003	MOS	20-Mar-23		TSN 0				LIFE LIMIT	
SN:1592617/003	HRS	1920:40		TSN 0					
	AFL	1845	21000	TSN 0	22845		20931		
PROC. REF: GENERIC NO REF									
32-205		RIGHT MAIN GEAR SHOCK ABSORBER SLIDING TUBE						Component	ATA:32
PN:2310-4201-003	MOS	20-Mar-23		TSO 0				LIFE LIMIT	
SN:1312124/002	HRS	1920:40		TSO 0					
	AFL	1845	21000	TSN 1572, TSO 0	21273		19359		
PROC. REF: GENERIC NO REF									
32-206		LEFT MAIN GEAR SHOCK ABSORBER BEARING						Component	ATA:32
PN:2310-4006-007	MOS	20-Mar-23		TSO 0				LIFE LIMIT	
SN:1287415/012	HRS	1920:40		TSN 2003:40, TSO 0					
	AFL	1845	21000	TSN 1572, TSO 0	21273		19359		
PROC. REF: GENERIC NO REF									
32-206		RIGHT MAIN GEAR SHOCK ABSORBER BEARING						Component	ATA:32
PN:2310-4006-007	MOS	20-Mar-23		TSO 0				LIFE LIMIT	
SN:1310235/003	HRS	1920:40		TSO 0					
	AFL	1845	21000	TSN 1572, TSO 0	21273		19359		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-207		LEFT MAIN GEAR SHOCK ABSORBER BEARING CAP					Component		ATA:32
PN:2310-4014-001	MOS	20-Mar-23		TSO 0				LIFE LIMIT	
SN:1311771/004	HRS	1920:40		TSN 2003:40, TSO 0					
	AFL	1845	21000	TSN 1572, TSO 0	21273		19359		
PROC. REF: GENERIC NO REF									
32-207		RIGHT MAIN GEAR SHOCK ABSORBER BEARING CAP					Component		ATA:32
PN:2310-4014-001	MOS	20-Mar-23		TSO 0				LIFE LIMIT	
SN:1311771/001	HRS	1920:40		TSO 0					
	AFL	1845	21000	TSN 1572, TSO 0	21273		19359		
PROC. REF: GENERIC NO REF									
32-21-00-001^S		GENERAL VISUAL INSPECTION OF NOSE LANDING GEAR ASSEMBLY					Service		ATA:32
PN:PN	MOS	20-Mar-24	12 (+1m/-1m)						
SN:UNKNOWN	HRS	1971:12							
	AFL	1900							
PROC. REF: AMM 32-21-00									
32-21-00-002		RESTORE (OVERHAUL) NOSE LANDING GEAR ASSEMBLY					Service		ATA:32
PN:PN	MOS/MSC	28-Jun-13	O/C						
SN:UNKNOWN	HRS	0							
	AFL	0							
PROC. REF: AMM 32-21-00									
32-21-00-003		LUBRICATION OF NOSE LANDING GEAR ASSEMBLY					Service		ATA:32
PN:PN	MOS	20-Mar-24	12 (+1m/-1m)	Adj -23d	25-Feb-25	25-Mar-25	277 d (+28)		
SN:UNKNOWN	HRS	1971:12							
	AFL	1900	650 (+30/-30)		2550	2580	636 (+30)		
PROC. REF: AMM 12-21-00									
32-21-01		NOSE LANDING GEAR SHOCK STRUT					Component		ATA:32
PN:2310-1000-403	MOS/MSC	20-Mar-23	O/C	TSO 0					
SN:00070	HRS	1920:40		TSO 0					
	AFL	1845		TSN 1387, TSO 0					
PROC. REF: AMM 32-21-01, AMM 32-21-01									
32-21-01-001		RESTORATION (OVERHAUL) OF NOSE LANDING GEAR - STRUT ASSY					Service		ATA:32
PN:2310-1000-403	MOS	20-Mar-23	120 (+1m/-1m)	TAC 15, Adj -4d	16-Dec-31	16-Jan-32	2762 d (+31)	OVERHAUL	
SN:00070	HRS	1920:40							
	AFL	1845	12000 (+30/-30)		13845	13875	11931 (+30)		
PROC. REF: AMM 32-21-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-21-02 NOSE LANDING GEAR RETRACT ACTUATOR ASSEMBLY								Component ATA:32
PN:2135-1000-403	MOS/MSC	28-Jun-13	O/C	TSN 0				
SN:00331	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-21-02, AMM 32-21-02								
32-21-03 NOSE LANDING GEAR DOWNLOCK RELEASE ACTUATOR ASSEMBLY								Component ATA:32
PN:2137-1000-401	MOS/MSC	28-Jun-13	O/C	TSN 0				
SN:00317	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-21-03, AMM 32-21-03								
32-21-04-001 RESTORATION (OVERHAUL) OF NOSE LANDING GEAR - LOCKING STAY								Service ATA:32
PN:2310-1700-403	MOS	20-Mar-23	120 (+1m/-1m)	TAC 15, Adj -14d	06-Dec-31	06-Jan-32	2752 d (+31)	OVERHAUL
SN:00150	HRS	1920:40						
	AFL	1845	12000 (+30/-30)	TAC 0	13845	13875	11931 (+30)	
PROC. REF: AMM 32-21-00								
32-21-05-001 RESTORATION (OVERHAUL) OF NOSE LANDING GEAR - SHOCK ABSORBER								Service ATA:32
PN:2310-1100-403	MOS	20-Mar-23	120 (+1m/-1m)	TAC 15, Adj -4d	16-Dec-31	16-Jan-32	2762 d (+31)	OVERHAUL
SN:00074	HRS	1920:40						
	AFL	1845	12000 (+30/-30)		13845	13875	11931 (+30)	
PROC. REF: AMM 32-21-00								
32-21-05-004 SERVICING NOSE LANDING GEAR (ALUM STRUT) SHOCK ABSORBER								Service ATA:32
PN:2310-1100-403	MOS	20-Mar-24	12 (+1m/-1m)		20-Mar-25	20-Apr-25	300 d (+31)	
SN:00074	HRS	1971:12						
	AFL	1900	650 (+30/-30)		2550	2580	636 (+30)	
PROC. REF: AMM 12-14-03								
32-21-06-005^S VISUAL CHECK OF NOSE LANDING GEAR SHIMMY DAMPER								Service ATA:32
PN:2310-1500-405	MOS	20-Mar-24	12 (+1m/-1m)					
SN:00518	HRS	1971:12						
	AFL	1900						
PROC. REF: AMM 32-21-06								
PKG:80								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-21-09-001		RESTORATION (OVERHAUL) OF NOSE LANDING GEAR - DRAG BRACE ASSY						Service	ATA:32
PN:2310-1400-403	MOS	20-Mar-23	120 (+1m/-1m)	TAC 15, Adj 1d	21-Dec-31	21-Jan-32	2767 d (+31)	OVERHAUL	
SN:00148	HRS	1920:40							
	AFL	1845	12000 (+30/-30)	TAC 0	13845	13875	11931 (+30)		
PROC. REF: AMM 32-21-00									
32-300		LEFT MAIN GEAR LOCKING ACTUATOR ASSEMBLY						Component	ATA:32
PN:2136-1000-405	MOS/MSC	20-Mar-23	O/C	TSO 0					
SN:00173	HRS	1920:40		TSO 0					
	AFL	1845		TSN 760, TSO 0					
PROC. REF: AMM 32-11-02, AMM 32-11-02									
32-300		RIGHT MAIN GEAR LOCKING ACTUATOR ASSEMBLY						Component	ATA:32
PN:2136-1000-405	MOS/MSC	20-Mar-23	O/C	TSO 0					
SN:00088	HRS	1920:40		TSO 0					
	AFL	1845		TSN 770, TSO 0					
PROC. REF: AMM 32-11-02, AMM 32-11-02									
32-304		LEFT MAIN GEAR LOCKING ACTUATOR PISTON						Component	ATA:32
PN:2136-1035-003	MOS	20-Mar-23		TSO 0				LIFE LIMIT	
SN:1265865/007	HRS	1920:40		TSO 0					
	AFL	1845	21000	TSN 760, TSO 0	22085		20171		
PROC. REF: GENERIC NO REF									
32-304		RIGHT MAIN GEAR LOCKING ACTUATOR PISTON						Component	ATA:32
PN:2136-1035-003	MOS	20-Mar-23		TSO 0				LIFE LIMIT	
SN:1247271/007	HRS	1920:40		TSO 0					
	AFL	1845	21000	TSN 770, TSO 0	22075		20161		
PROC. REF: GENERIC NO REF									
32-305		LEFT MAIN GEAR LOCKING ACTUATOR FINGER						Component	ATA:32
PN:2136-1050-003	MOS	20-Mar-23		TSO 0				LIFE LIMIT	
SN:1263687/001	HRS	1920:40		TSO 0					
	AFL	1845	21000	TSN 760, TSO 0	22085		20171		
PROC. REF: GENERIC NO REF									
32-305		RIGHT MAIN GEAR LOCKING ACTUATOR FINGER						Component	ATA:32
PN:2136-1050-003	MOS	20-Mar-23		TSN 0				LIFE LIMIT	
SN:1342273/004	HRS	1920:40		TSN 0					
	AFL	1845	21000	TSN 0	22845		20931		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-306 LEFT MAIN GEAR LOCKING ACTUATOR ROD Component ATA:32								
PN:2136-1020-001	MOS	20-Mar-23		TSO 0				LIFE LIMIT
SN:1266776/009	HRS	1920:40		TSO 0				
	AFL	1845	21000	TSN 760, TSO 0	22085		20171	
PROC. REF: GENERIC NO REF								
32-306 RIGHT MAIN GEAR LOCKING ACTUATOR ROD Component ATA:32								
PN:2136-1020-001	MOS	20-Mar-23		TSO 0				LIFE LIMIT
SN:1238809/003	HRS	1920:40		TSO 0				
	AFL	1845	21000	TSN 770, TSO 0	22075		20161	
PROC. REF: GENERIC NO REF								
32-309 LEFT MAIN GEAR LOCKING ACTUATOR PIN Component ATA:32								
PN:2136-1049-001	MOS	20-Mar-23		TSO 0				LIFE LIMIT
SN:1427344/015	HRS	1920:40		TSO 0				
	AFL	1845	21000	TSN 392, TSO 0	22453		20539	
PROC. REF: GENERIC NO REF								
32-309 RIGHT MAIN GEAR LOCKING ACTUATOR PIN Component ATA:32								
PN:2136-1049-001	MOS	20-Mar-23		TSO 0				LIFE LIMIT
SN:1427344/009	HRS	1920:40		TSO 0				
	AFL	1845	21000	TSN 392, TSO 0	22453		20539	
PROC. REF: GENERIC NO REF								
32-31-01 LANDING GEAR CONTROL LEVER PANEL Component ATA:32								
PN:827101-5	MOS/MSC	28-Jun-13	O/C	TSN 0				
SN:1330	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-31-01, AMM 32-31-01								
32-31-02 LANDING GEAR HYDRAULIC SYSTEM (MANIFOLD) ASSEMBLY Component ATA:32								
PN:72375-3	MOS/MSC	24-Jun-22	O/C	TSN 108, TSR 0				
SN:0403	HRS	1713:50		TSN 1713:50, TSR 0				
	AFL	1649		TSN 1649, TSR 0				
PROC. REF: AMM 32-31-02, AMM 32-31-02								
32-310 LEFT MAIN GEAR LOCKING ACTUATOR LOCKING SLEEVE Component ATA:32								
PN:2136-1036-003	MOS	20-Mar-23		TSO 0				LIFE LIMIT
SN:1275201/008	HRS	1920:40		TSO 0				
	AFL	1845	21000	TSN 760, TSO 0	22085		20171	
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-310 RIGHT MAIN GEAR LOCKING ACTUATOR LOCKING SLEEVE Component ATA:32								
PN:2136-1036-003	MOS	20-Mar-23		TSO 0				LIFE LIMIT
SN:1252317/004	HRS	1920:40		TSO 0				
	AFL	1845	21000	TSN 770, TSO 0	22075		20161	
PROC. REF: GENERIC NO REF								
32-311 LEFT MAIN GEAR LOCKING ACTUATOR CAP BEARING Component ATA:32								
PN:2136-1005-003	MOS	20-Mar-23		TSN 0				LIFE LIMIT
SN:3033371	HRS	1920:40		TSN 0				
	AFL	1845	21000	TSN 0	22845		20931	
PROC. REF: GENERIC NO REF								
32-311 RIGHT MAIN GEAR LOCKING ACTUATOR CAP BEARING Component ATA:32								
PN:2136-1005-003	MOS	20-Mar-23		TSN 0				LIFE LIMIT
SN:3031095	HRS	1920:40		TSN 0				
	AFL	1845	21000	TSN 0	22845		20931	
PROC. REF: GENERIC NO REF								
32-312 LEFT MAIN GEAR LOCKING ACTUATOR NUT Component ATA:32								
PN:2136-1042-003	MOS	20-Mar-23		TSO 0				LIFE LIMIT
SN:1276982/001	HRS	1920:40		TSO 0				
	AFL	1845	21000	TSN 760, TSO 0	22085		20171	
PROC. REF: GENERIC NO REF								
32-312 RIGHT MAIN GEAR LOCKING ACTUATOR NUT Component ATA:32								
PN:2136-1042-003	MOS	20-Mar-23		TSO 0				LIFE LIMIT
SN:1244590/001	HRS	1920:40		TSO 0				
	AFL	1845	21000	TSN 770, TSO 0	22075		20161	
PROC. REF: GENERIC NO REF								
32-313 LEFT MAIN GEAR LOCKING ACTUATOR STOP Component ATA:32								
PN:2136-1008-003	MOS	20-Mar-23		TSO 0				LIFE LIMIT
SN:1268871/012	HRS	1920:40		TSO 0				
	AFL	1845	21000	TSN 760, TSO 0	22085		20171	
PROC. REF: GENERIC NO REF								
32-313 RIGHT MAIN GEAR LOCKING ACTUATOR STOP Component ATA:32								
PN:2136-1008-003	MOS	20-Mar-23		TSO 0				LIFE LIMIT
SN:1253972/003	HRS	1920:40		TSO 0				
	AFL	1845	21000	TSN 770, TSO 0	22075		20161	
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-315		LEFT MAIN GEAR LOCKING ACTUATOR LOCKING PISTON						Component	ATA:32
PN:2136-1046-009	MOS	20-Mar-23		TSO 0				LIFE LIMIT	
SN:1470437/015	HRS	1920:40		TSO 0					
	AFL	1845	19500	TSN 392, TSO 0	20953		19039		
PROC. REF: GENERIC NO REF									
32-315		RIGHT MAIN GEAR LOCKING ACTUATOR LOCKING PISTON						Component	ATA:32
PN:2136-1046-009	MOS	20-Mar-23		TSO 0				LIFE LIMIT	
SN:1470437/014	HRS	1920:40		TSO 0					
	AFL	1845	19500	TSN 392, TSO 0	20953		19039		
PROC. REF: GENERIC NO REF									
32-316		LEFT MAIN GEAR LOCKING ACTUATOR CYLINDER						Component	ATA:32
PN:2136-1013-503	MOS	20-Mar-23		TSO 0				LIFE LIMIT	
SN:1264855/001	HRS	1920:40		TSO 0					
	AFL	1845	21000	TSN 760, TSO 0	22085		20171		
PROC. REF: GENERIC NO REF									
32-317		LEFT MAIN GEAR LOCKING ACTUATOR ROD END						Component	ATA:32
PN:MEK12EL	MOS	20-Mar-23		TSN 0				LIFE LIMIT	
SN:010168	HRS	1920:40		TSN 0					
	AFL	1845	21000	TSN 0	22845		20931		
PROC. REF: GENERIC NO REF									
32-317		RIGHT MAIN GEAR LOCKING ACTUATOR ROD END						Component	ATA:32
PN:MEK12EL	MOS	20-Mar-23		TSN 0				LIFE LIMIT	
SN:01069	HRS	1920:40		TSN 0					
	AFL	1845	21000	TSN 0	22845		20931		
PROC. REF: GENERIC NO REF									
32-320		RIGHT MAIN GEAR LOCKING ACTUATOR CYLINDER						Component	ATA:32
PN:2136-1011-603	MOS	20-Mar-23						LIFE LIMIT	
SN:1220398/006	HRS	1920:40							
	AFL	1845	21000	TSN 770	22075		20161		
PROC. REF: GENERIC NO REF									
32-35-00-001^S		FUNCTIONAL CHECK OF LANDING GEAR EMERGENCY EXTENSION SYSTEM						Service	ATA:32
	MOS	20-Mar-23	24 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
PROC. REF: AMM 32-35-00									

PKG:81

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-35-00-002 ^S		GENERAL VISUAL INSPECTION OF EMERGENCY EXTENSION SYSTEM LINKAGES							Service ATA:32
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
PROC. REF: AMM 32-35-00								PKG:84	
32-400		NOSE LANDING GEAR ASSEMBLY							Component ATA:32
PN:PN	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
32-401		LEFT SIDE NLG SIDE PINTLE PIN							Component ATA:32
PN:2310-1137-003	MOS	20-Mar-23		TSO 0				LIFE LIMIT	
SN:1263734/015	HRS	1920:40		TSO 0					
	AFL	1845	35000	TSN 1387, TSO 0	35458		33544		
PROC. REF: GENERIC NO REF									
32-401		RIGHT SIDE NLG SIDE PINTLE PIN							Component ATA:32
PN:2310-1137-003	MOS	20-Mar-23		TSO 0				LIFE LIMIT	
SN:1263734/020	HRS	1920:40		TSO 0					
	AFL	1845	35000	TSN 1387, TSO 0	35458		33544		
PROC. REF: GENERIC NO REF									
32-402		NOSE LANDING GEAR MAIN FITTING							Component ATA:32
PN:2310-1204-501	MOS	20-Mar-23		TSO 0				LIFE LIMIT	
SN:1275309/001	HRS	1920:40		TSO 0					
	AFL	1845	35000	TSN 1387, TSO 0	35458		33544		
PROC. REF: GENERIC NO REF									
32-404 (1)		NOSE LANDING GEAR TORQUE LINK							Component ATA:32
PN:2310-1124-501	MOS	20-Mar-23		TSO 0				LIFE LIMIT	
SN:1263713/009	HRS	1920:40		TSO 0					
	AFL	1845	35000	TSN 1387, TSO 0	35458		33544		
PROC. REF: AMM 32-21-07, AMM 32-21-07									
32-404 (2)		NOSE LANDING GEAR TORQUE LINK							Component ATA:32
PN:2310-1124-501	MOS	20-Mar-23		TSO 0				LIFE LIMIT	
SN:1249653/004	HRS	1920:40		TSO 0					
	AFL	1845	35000	TSN 1387	35458		33544		
PROC. REF: AMM 32-21-07, AMM 32-21-07									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-406 NOSE LANDING GEAR SHOCK STRUT PIN Component ATA:32								
PN:2310-1407-001	MOS	20-Mar-23		TSO 0				LIFE LIMIT
SN:1260460/009	HRS	1920:40		TSO 0				
	AFL	1845	35000	TSN 1387, TSO 0	35458		33544	
PROC. REF: AMM 32-21-01, AMM 32-21-01								
32-407 NOSE LANDING GEAR AXLE Component ATA:32								
PN:2310-1165-001	MOS	20-Mar-23		TSO 0				LIFE LIMIT
SN:361189/001	HRS	1920:40		TSO 0				
	AFL	1845	35000	TSN 1191, TSO 0	35654		33740	
PROC. REF: GENERIC NO REF								
32-408 NOSE LANDING GEAR STEERING BELLCRANK Component ATA:32								
PN:2310-1131-001	MOS	20-Mar-23		TSO 0				LIFE LIMIT
SN:1372640/001	HRS	1920:40		TSO 0				
	AFL	1845	35000	TSN 1191, TSO 0	35654		33740	
PROC. REF: GENERIC NO REF								
32-409 NOSE LANDING GEAR SHIMMY DAMPER Component ATA:32								
PN:2310-1500-405	MOS/MSC	20-Mar-24	O/C	TSR 0				
SN:00518	HRS	1971:12		TSN 1371, TSR 0				
	AFL	1900		TSN 1312, TSR 0				
PROC. REF: AMM 32-21-06, AMM 32-21-06								
32-41-01 DIGITAL BRAKE CONTROL UNIT Component ATA:32								
PN:90005034-8	MOS/MSC	07-Apr-22	O/C					
SN:SEP09-1076	HRS	1632:20		TSN 116:15				
	AFL	1564		TSN 89				
PROC. REF: AMM 32-41-01, AMM 32-41-01								
32-41-02 LH BRAKE PEDAL TRANSDUCER Component ATA:32								
PN:Q3008	MOS/MSC	28-Jun-13	O/C	TSN 0				
SN:053949	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-02, AMM 32-41-02								
32-41-02 RH BRAKE PEDAL TRANSDUCER Component ATA:32								
PN:Q3008	MOS/MSC	28-Jun-13	O/C	TSN 0				
SN:046965	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-41-02, AMM 32-41-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-41-02-001 ^S		OPERATIONAL CHECK LH BRAKE PEDAL TRANSDUCER					Service	ATA:32	
PN:Q3008	MOS	28-Jun-13							
SN:053949	HRS	0	6400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 32-41-02								PKG:60	
32-41-02-001 ^S		OPERATIONAL CHECK RH BRAKE PEDAL TRANSDUCER					Service	ATA:32	
PN:Q3008	MOS	28-Jun-13							
SN:046965	HRS	0	6400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 32-41-02								PKG:60	
32-41-02-002 ^S		FUNCTIONAL CHECK LH BRAKE PEDAL TRANSDUCER					Service	ATA:32	
PN:Q3008	MOS	25-Feb-20							
SN:053949	HRS	1317:51	1600 (+30/-30)						
	AFL	1207							
PROC. REF: AMM 32-41-02								PKG:10	
32-41-02-002 ^S		FUNCTIONAL CHECK RH BRAKE PEDAL TRANSDUCER					Service	ATA:32	
PN:Q3008	MOS	25-Feb-20							
SN:046965	HRS	1317:51	1600 (+30/-30)						
	AFL	1207							
PROC. REF: AMM 32-41-02								PKG:10	
32-41-03		MAIN BRAKE SHUT-OFF VALVE					Component	ATA:32	
PN:90005027	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:MAR11-0343	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-03, AMM 32-41-03									
32-41-04		LH BRAKE CONTROL VALVE					Component	ATA:32	
PN:90005035-2	MOS/MSC	07-Apr-22	O/C						
SN:09-05-0290	HRS	1632:20							
	AFL	1564							
PROC. REF: AMM 32-41-04, AMM 32-41-04									
32-41-04		RH BRAKE CONTROL VALVE					Component	ATA:32	
PN:90005035-2	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:12-06-0924	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-04, AMM 32-41-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-41-05		LH MAIN BRAKE SYSTEM PRESSURE TRANSDUCER					Component	ATA:32	
PN:90005191-1	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:AUG11-0664	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-05, AMM 32-41-05									
32-41-05		RH MAIN BRAKE SYSTEM PRESSURE TRANSDUCER					Component	ATA:32	
PN:90005191-1	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:JUL11-0647	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-05, AMM 32-41-05									
32-41-06		LEFT MAIN GEAR WHEEL SPEED TRANSDUCER					Component	ATA:32	
PN:90005036	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:MAY11-0602	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-06, AMM 32-41-06									
32-41-06		RIGHT MAIN GEAR WHEEL SPEED TRANSDUCER					Component	ATA:32	
PN:90005036	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:MAY11-0624	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-06, AMM 32-41-06									
32-410		NOSE LANDING GEAR WHEEL AXLE					Component	ATA:32	
PN:2317-5101-001	MOS	20-Mar-23		TSO 0				LIFE LIMIT	
SN:1259883/006	HRS	1920:40		TSO 0					
	AFL	1845	35000	TSN 1387, TSO 0	35458		33544		
PROC. REF: GENERIC NO REF									
32-411		NOSE LANDING GEAR LOCK PIN					Component	ATA:32	
PN:57675-1	MOS	20-Mar-23		TSO 0				LIFE LIMIT	
SN:00069	HRS	1920:40		TSO 0					
	AFL	1845	35000	TSN 1387, TSO 0	35458		33544		
PROC. REF: GENERIC NO REF									
32-412		NOSE LANDING GEAR AXLE BOLT					Component	ATA:32	
PN:2310-1144-005	MOS	20-Mar-23		TSO 0				LIFE LIMIT	
SN:1263780/007	HRS	1920:40		TSO 0					
	AFL	1845	35000	TSN 1387, TSO 0	35458		33544		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-413 NOSE LANDING GEAR BOLT Component ATA:32								
PN:2310-1172-003	MOS	20-Mar-23		TSO 0				LIFE LIMIT
SN:1263692/008	HRS	1920:40		TSO 0				
	AFL	1845	35000	TSN 1387, TSO 0	35458		33544	
PROC. REF: GENERIC NO REF								
32-414 NOSE LANDING GEAR PIN Component ATA:32								
PN:2310-1173-001	MOS	20-Mar-23		TSO 0				LIFE LIMIT
SN:1265838/012	HRS	1920:40		TSO 0				
	AFL	1845	35000	TSN 1387, TSO 0	35458		33544	
PROC. REF: GENERIC NO REF								
32-415 NOSE LANDING GEAR BOLT Component ATA:32								
PN:2310-1183-001	MOS	20-Mar-23		TSO 0				LIFE LIMIT
SN:1263669/005	HRS	1920:40		TSO 0				
	AFL	1845	35000	TSN 1387, TSO 0	35458		33544	
PROC. REF: GENERIC NO REF								
32-43-00-001 FUNCTIONAL CHECK OF EMERGENCY/PARKING BRAKE SYSTEM Service ATA:32								
	MOS	20-Mar-23						
	HRS	1920:40	800 (+30/-30)		2720:40	2750:40	732:57 (+30)	
	AFL	1845						
PROC. REF: AMM 32-43-00								
PKG:1								
32-43-01-001 GENERAL VISUAL INSPECTION OF EMERGENCY/PARKING BRAKE SYSTEM Service ATA:32								
	MOS	20-Mar-23						
	HRS	1920:40	800 (+30/-30)		2720:40	2750:40	732:57 (+30)	
	AFL	1845						
PROC. REF: AMM 32-43-00								
PKG:1								
32-43-02 EMERGENCY/PARKING BRAKE VALVE Component ATA:32								
PN:11056-7	MOS/MSC	04-Jun-20	O/C	TSO 23				
SN:0662	HRS	1334:21		TSO 0				
	AFL	1232		TSO 0				
PROC. REF: AMM 32-43-02, AMM 32-43-02								
32-43-04 EMERGENCY/PARKING BRAKE ACCUMULATOR Component ATA:32								
PN:0860231003	MOS/MSC	28-Jun-13	O/C	TSN 0				
SN:60231-2515	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-43-04, AMM 32-43-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-43-05		EMERGENCY/PARKING BRAKE PRESSURE SWITCH						Component	ATA:32
PN:15H0126PH	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:0398	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-43-05, AMM 32-43-05									
32-43-06		EMERGENCY/PARKING BRAKE PRESSURE- TRANSDUCER						Component	ATA:32
PN:APT-218A-1000-3000AMOS/MSC		28-Jun-13	O/C	TSN 0					
SN:7768-7-142	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-43-06, AMM 32-43-06									
32-43-11		EMERGENCY/PARKING BRAKE SHUT OFF VALVE						Component	ATA:32
PN:2216-0001-401	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:00448	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-43-11, AMM 32-43-11									
32-43-11-001		OPERATIONAL CHECK EMERGENCY/PARKING BRAKE SHUT OFF VALVE						Service	ATA:32
PN:2216-0001-401	MOS	20-Mar-24	12 (+30m/-30m)	Adj -23d	25-Feb-25	25-Aug-27	277 d (+911)		
SN:00448	HRS	1971:12	800 (+30/-30)		2771:12	2801:12	783:29 (+30)		
	AFL	1900							
PROC. REF: AMM 32-43-11									
32-45-01		LH MLG 21X6.5-10 12PR TIRE						Component	ATA:32
PN:215K26-2	MOS/MSC	10-Aug-23	O/C	TSN 0					
SN:23550167	HRS	1942:25		TSN 0					
	AFL	1866		TSN 0					
PROC. REF: AMM 32-45-02, AMM 32-45-02									
32-45-01		RH MLG 21X6.5-10 12PR TIRE						Component	ATA:32
PN:215K26-2	MOS/MSC	28-Dec-23	O/C	TSR 0					
SN:31140210	HRS	1962:06		TSR 0					
	AFL	1892		TSO 236, TSR 0					
PROC. REF: AMM 32-45-02, AMM 32-45-02									
32-45-01-001		RESTORATION (OVERHAUL) OF LH MLG WHEEL ASSEMBLY						Service	ATA:32
PN:500-19026-605	MOS/MSC	10-Aug-23	T/C						
SN:DEC14-1077	HRS	1942:25							
	AFL	1866	1500 (+30/-30)		3366	3396	1452 (+30)		
PROC. REF: SMR 500-32-0012, AMM 32-45-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-45-01-001		RESTORATION (OVERHAUL) OF RH MLG WHEEL ASSEMBLY						Service	ATA:32
PN:500-19026-605	MOS/MSC	28-Dec-23	T/C						
SN:JAN15-1078	HRS	1962:06							
	AFL	1892	1500 (+30/-30)	TAC 236	3156	3186	1242 (+30)		
PROC. REF: SMR 500-32-0012, AMM 32-45-00									
32-45-01-002		SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF LH MLG WHEEL ASSEMBLY						Service	ATA:32
PN:500-19026-605	MOS/MSC	10-Aug-23	O/C						
SN:DEC14-1077	HRS	1942:25							
	AFL	1866							
PROC. REF: AMM 32-45-00									
32-45-01-002		SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF RH MLG WHEEL ASSEMBLY						Service	ATA:32
PN:500-19026-605	MOS/MSC	28-Dec-23	O/C						
SN:JAN15-1078	HRS	1962:06							
	AFL	1892							
PROC. REF: AMM 32-45-00									
32-45-02		LH MLG 21X6.5-10, AL WHEEL						Component	ATA:32
PN:90005024	MOS/MSC	10-Aug-23	O/C						
SN:DEC14-1077	HRS	1942:25							
	AFL	1866							
PROC. REF: AMM 32-45-02, AMM 32-45-02									
32-45-02		RH MLG 21X6.5-10, AL WHEEL						Component	ATA:32
PN:90005024	MOS/MSC	28-Dec-23	O/C	TSR 0					
SN:JAN15-1078	HRS	1962:06		TSR 0					
	AFL	1892		TSO 236, TSR 0					
PROC. REF: AMM 32-45-02, AMM 32-45-02									
32-45-03		LH MLG WHEEL ASSEMBLY						Component	ATA:32
PN:500-19026-605	MOS/MSC	10-Aug-23	O/C						
SN:DEC14-1077	HRS	1942:25							
	AFL	1866							
PROC. REF: AMM 32-45-01, AMM 32-45-01									
32-45-03		RH MLG WHEEL ASSEMBLY						Component	ATA:32
PN:500-19026-605	MOS/MSC	28-Dec-23	O/C	TSR 0					
SN:JAN15-1078	HRS	1962:06		TSR 0					
	AFL	1892		TSO 236, TSR 0					
PROC. REF: AMM 32-45-01, AMM 32-45-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-45-10		NLG 15X6.0-6 10PR TIRE						Component	ATA:32
PN:156E06B1	MOS/MSC	20-Mar-24	O/C	TSN 0					
SN:03560288	HRS	1971:12		TSN 0					
	AFL	1900		TSN 0					
PROC. REF: AMM 32-45-11, AMM 32-45-11									
32-45-11		NLG WHEEL ASSEMBLY						Component	ATA:32
PN:500-19001-601	MOS/MSC	20-Mar-24	O/C						
SN:JAN11-0436	HRS	1971:12							
	AFL	1900							
PROC. REF: AMM 32-45-11, AMM 32-45-11									
32-45-11-001		RESTORATION (OVERHAUL) OF NLG WHEEL ASSEMBLY						Service	ATA:32
PN:500-19001-601	MOS/MSC	20-Mar-24	T/C						
SN:JAN11-0436	HRS	1971:12							
	AFL	1900	1500 (+30/-30)	TAC 1113	2287	2317	373 (+30)		
PROC. REF: SMR 500-32-0012, AMM 32-45-00									
32-45-11-002		SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF NLG WHEEL ASSEMBLY						Service	ATA:32
PN:500-19001-601	MOS/MSC	20-Mar-24	O/C						
SN:JAN11-0436	HRS	1971:12							
	AFL	1900		TAC 1113					
PROC. REF: AMM 32-45-00									
32-45-12		NLG 15X6.0-6, AL WHEEL						Component	ATA:32
PN:PN-UNKNOWN	MOS/MSC	20-Mar-24	O/C						
SN:JAN11-0436	HRS	1971:12							
	AFL	1900		TSO 1113					
PROC. REF: AMM 32-45-11, AMM 32-45-11									
32-45-21		LH MLG STEEL BRAKE ASSEMBLY						Component	ATA:32
PN:90005025-3	MOS/MSC	13-Aug-22	O/C	TSO 0					
SN:NOV11-0766	HRS	1798:30		TSO 0					
	AFL	1731		TSO 0					
PROC. REF: AMM 32-45-21, AMM 32-45-21									
32-45-21		RH MLG STEEL BRAKE ASSEMBLY						Component	ATA:32
PN:90005025-3	MOS/MSC	29-Dec-21	O/C	TSO 0					
SN:APR13-0926	HRS	1598:20		TSO 0					
	AFL	1526		TSO 0					
PROC. REF: AMM 32-45-21, AMM 32-45-21									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-45-21-20		LH MLG SHUTTLE VALVE						Component	ATA:32
PN:PN	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
32-45-21-20		RH MLG SHUTTLE VALVE						Component	ATA:32
PN:PN	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
32-500		NOSE LANDING GEAR (ALUM STRUT) SHOCK ABSORBER						Component	ATA:32
PN:2310-1100-403	MOS/MSC	20-Mar-23	O/C	TSO 0					
SN:00074	HRS	1920:40		TSO 0					
	AFL	1845		TSN 1387, TSO 0					
PROC. REF: GENERIC NO REF									
32-501		NOSE LANDING GEAR SHOCK ABSORBER PISTON TUBE						Component	ATA:32
PN:2310-1225-003	MOS	20-Mar-23		TSO 0				LIFE LIMIT	
SN:1444797/001	HRS	1920:40		TSO 0					
	AFL	1845	35000	TSN 1445, TSO 0	35400		33486		
PROC. REF: GENERIC NO REF									
32-502		NOSE LANDING GEAR SHOCK ABSORBER BEARING						Component	ATA:32
PN:2310-1221-009	MOS	20-Mar-23		TSN 0				LIFE LIMIT	
SN:1805820/010	HRS	1920:40		TSN 0					
	AFL	1845	35000	TSN 0	36845		34931		
PROC. REF: GENERIC NO REF									
32-504		NOSE LANDING GEAR SHOCK ABSORBER TURNING CYLINDER						Component	ATA:32
PN:2310-1241-501	MOS	20-Mar-23		TSO 0				LIFE LIMIT	
SN:1280666/002	HRS	1920:40		TSO 0					
	AFL	1845	35000	TSN 1387, TSO 0	35458		33544		
PROC. REF: GENERIC NO REF									
32-506		NOSE LANDING GEAR SHOCK ABSORBER FORK						Component	ATA:32
PN:2310-1308-501	MOS	20-Mar-23		TSO 0				LIFE LIMIT	
SN:1255989/002	HRS	1920:40		TSO 0					
	AFL	1845	35000	TSN 1387, TSO 0	35458		33544		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-600		NLG DRAG BRACE ASSEMBLY					Component	ATA:32	
PN:2310-1400-403	MOS/MSC	20-Mar-23	O/C	TSN 2, TSO 0					
SN:00148	HRS	1920:40		TSN 2003:40, TSO 0					
	AFL	1845		TSN 1572, TSO 0					
PROC. REF: AMM 32-21-09, AMM 32-21-09									
32-601		NOSE LANDING GEAR UPPER DRAG BRACE					Component	ATA:32	
PN:2310-1424-501	MOS	20-Mar-23						LIFE LIMIT	
SN:1296653/002	HRS	1920:40							
	AFL	1845	35000	TSN 1572	35273		33359		
PROC. REF: AMM 32-21-09, AMM 32-21-09									
32-603		NOSE LANDING GEAR LOWER DRAG BRACE					Component	ATA:32	
PN:2310-1451-005	MOS	20-Mar-23		TSO 0				LIFE LIMIT	
SN:1275536/002	HRS	1920:40		TSO 0					
	AFL	1845	35000	TSN 1572, TSO 0	35273		33359		
PROC. REF: AMM 32-21-09, AMM 32-21-09									
32-605		LEFT SIDE NLG DRAG BRACE PINTLE PIN					Component	ATA:32	
PN:2310-1415-003	MOS	20-Mar-23		TSO 0				LIFE LIMIT	
SN:1276989/09	HRS	1920:40		TSO 0					
	AFL	1845	35000	TSN 1572, TSO 0	35273		33359		
PROC. REF: AMM 32-21-09, AMM 32-21-09									
32-605		RIGHT SIDE NLG DRAG BRACE PINTLE PIN					Component	ATA:32	
PN:2310-1415-003	MOS	20-Mar-23		TSO 0				LIFE LIMIT	
SN:1276989/018	HRS	1920:40		TSO 0					
	AFL	1845	35000	TSN 1572, TSO 0	35273		33359		
PROC. REF: AMM 32-21-09, AMM 32-21-09									
32-606		NOSE LANDING GEAR DRAG BRACE PIN					Component	ATA:32	
PN:2310-1407-001	MOS	20-Mar-23		TSO 0				LIFE LIMIT	
SN:1299536/005	HRS	1920:40		TSO 0					
	AFL	1845	35000	TSN 1572, TSO 0	35273		33359		
PROC. REF: AMM 32-21-09, AMM 32-21-09									
32-61-01		LH MLG PROXIMITY SWITCH					Component	ATA:32	
PN:80-057-01	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:31920	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-61-01		NO. 1 NLG PROXIMITY SWITCH						Component	ATA:32
PN:80-057-01	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:31916	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
32-61-01		RH MLG PROXIMITY SWITCH						Component	ATA:32
PN:80-057-01	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:31921	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
32-61-02		LH MLG PROXIMITY SWITCH						Component	ATA:32
PN:PN	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
32-61-02		RH MLG PROXIMITY SWITCH						Component	ATA:32
PN:PN	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
32-700		NLG LOCKING STAY ASSEMBLY						Component	ATA:32
PN:2310-1700-403	MOS/MSC	20-Mar-23	O/C	TSN 15, TSO 0					
SN:00150	HRS	1920:40		TSN 2003:40, TSO 0					
	AFL	1845		TSN 1572, TSO 0					
PROC. REF: AMM 32-21-04, AMM 32-21-04									
32-701		LOWER NLG LOCKING STAY						Component	ATA:32
PN:2310-1712-501	MOS	20-Mar-23		TSO 0				LIFE LIMIT	
SN:1304697/07	HRS	1920:40		TSO 0					
	AFL	1845	35000	TSN 1572, TSO 0	35273		33359		
PROC. REF: AMM 32-21-04, AMM 32-21-04									
32-703		UPPER NLG LOCKING STAY						Component	ATA:32
PN:2310-1722-501	MOS	20-Mar-23		TSO 0				LIFE LIMIT	
SN:1294182/004	HRS	1920:40		TSO 0					
	AFL	1845	35000	TSN 1572, TSO 0	35273		33359		
PROC. REF: AMM 32-21-04, AMM 32-21-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-706		LOWER NLG LOCKING STAY BOLT					Component	ATA:32	
PN:2310-1734-001	MOS	20-Mar-23		TSO 0				LIFE LIMIT	
SN:1299636/002	HRS	1920:40		TSO 0					
	AFL	1845	35000	TSN 1572, TSO 0	35273		33359		
PROC. REF: AMM 32-21-04, AMM 32-21-04									
32-706		UPPER NLG LOCKING STAY BOLT					Component	ATA:32	
PN:2310-1734-001	MOS	20-Mar-23		TSO 0				LIFE LIMIT	
SN:1299636/011	HRS	1920:40		TSO 0					
	AFL	1845	35000	TSN 1572, TSO 0	35273		33359		
PROC. REF: AMM 32-21-04, AMM 32-21-04									
32-801		BRAKE SYSTEM ACCUMULATOR					Component	ATA:32	
PN:0860231003	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:60231-2515	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-41-11, AMM 32-41-11									
Z700-001^S		EXTERNAL GENERAL VISUAL INSPECTION OF OF THE MAIN LANDING GEAR BAY					Service	ATA:32	
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
PROC. REF: AMM 05-47-00									
ATA 33 - LIGHTS									
33-01-01		UPPER COCKPIT LIGHTING SYSTEM CONTROL PANEL					Component	ATA:33	
PN:441-40941-003	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:0375	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-01-01, AMM 33-01-01									
33-12-01		FORWARD FUSELAGE BOTTOM DIMMER					Component	ATA:33	
PN:81-01760-002	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:0532	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-12-01, AMM 33-12-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
33-12-02		MAIN TEST ANUNCIATOR/FIRE PANEL ASSEMBLY					Component	ATA:33	
PN:441-43213-002	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:0337	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-12-02, AMM 33-12-02									
33-21-05		PASSENGER-CABIN LED LIGHT DIMMER					Component	ATA:33	
PN:AS-33-0038-001	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:0350	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-21-05, AMM 33-21-05									
33-31-02		W001 ELECTRICAL NOSE HARNESS					Component	ATA:33	
PN:PN	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
33-41-01		LEFT LANDING/TAXI LIGHT					Component	ATA:33	
PN:81012-3	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:000346	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-41-01, AMM 33-41-01									
33-41-01		RIGHT LANDING/TAXI LIGHT					Component	ATA:33	
PN:81012-4	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:000342	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-41-01, AMM 33-41-01									
33-43-01		LH WING NAVIGATION/STROBE LIGHTS					Component	ATA:33	
PN:84056-7	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:000020	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-43-01, AMM 33-43-01									
33-43-01		RH WING NAVIGATION/STROBE LIGHTS					Component	ATA:33	
PN:84056-8	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:000030	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-43-01, AMM 33-43-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
33-43-01-001		DISCARD LH WING NAVIGATION/STROBE LIGHTS					Service		ATA:33
PN:84056-7	MOS	28-Jun-13							
SN:000020	HRS	0	8000 (+30/-30)		8000	8030	6012:17 (+30)		
	AFL	0							
PROC. REF: AMM 33-43-01									
33-43-01-001		DISCARD RH WING NAVIGATION/STROBE LIGHTS					Service		ATA:33
PN:84056-8	MOS	28-Jun-13							
SN:000030	HRS	0	8000 (+30/-30)		8000	8030	6012:17 (+30)		
	AFL	0							
PROC. REF: AMM 33-43-01									
33-43-01-002 ^S		GENERAL VISUAL INSPECTION OF LH WING NAVIGATION/STROBE LIGHTS					Service		ATA:33
PN:84056-7	MOS	28-Jun-13							
SN:000020	HRS	0	2400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 33-43-01									
PKG:20									
33-43-01-002 ^S		GENERAL VISUAL INSPECTION OF RH WING NAVIGATION/STROBE LIGHTS					Service		ATA:33
PN:84056-8	MOS	28-Jun-13							
SN:000030	HRS	0	2400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 33-43-01									
PKG:20									
ATA 34 - NAVIGATION									
34-11-00-001		FUNCTIONAL CHECK INTEGRATED ELECTRONIC STANDBY INSTRUMENT UNIT					Service		ATA:34
PN:C16786DA01	MOS	20-Mar-23	24 (+1m/-1m)	Adj -15d	05-Mar-25	05-Apr-25	285 d (+31)		
SN:C16786004445	HRS	1920:40							
	AFL	1845							
PROC. REF: AMM 34-11-00									
34-11-01		INTEGRATED ELECTRONIC STANDBY INSTRUMENT UNIT					Component		ATA:34
PN:C16786DA01	MOS/MSC	16-Aug-19	O/C						
SN:C16786004445	HRS								
	AFL								
PROC. REF: AMM 34-11-01, AMM 34-11-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
34-11-02		PITOT-STATIC PROBE						Component	ATA:34
PN:101469-4-004	MOS/MSC	16-Aug-19	O/C						
SN:927099	HRS								
	AFL								
PROC. REF: AMM 34-11-02, AMM 34-11-02									
34-11-02-001		RESTORATION PITOT-STATIC PROBE (CLEANING)						Service	ATA:34
PN:101469-4-004	MOS	20-Mar-23	24 (+1m/-1m)	Adj -15d	05-Mar-25	05-Apr-25	285 d (+31)		
SN:927099	HRS	1920:40							
	AFL	1845							
PROC. REF: AMM 34-11-02									
34-15-00-001		FUNCTIONAL CHECK (CALIBRATION) OF AIR DATA SYSTEM						Service	ATA:34
	MOS	20-Mar-23	24 (+1m/-1m)	Adj -15d	05-Mar-25	05-Apr-25	285 d (+31)		
	HRS	1920:40							
	AFL	1845							
PROC. REF: AMM 34-15-00									
34-15-00-002 ^S		SPECIAL DETAILED INSPECTION OF RVSM CRITICAL REGION (SKIN) FOR WAVINESS						Service	ATA:34
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
PROC. REF: AMM 34-15-00									
PKG:84									
34-15-00-003 ^S		SPECIAL DETAILED INSPECTION OF STATIC PORT SURROUNDING PLATE FOR FLUSHNESS						Service	ATA:34
	MOS	20-Mar-23	24 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
PROC. REF: AMM 34-15-00									
PKG:81									
34-15-01		NO. 1 GDC 74B AIR DATA COMPUTER UNIT						Component	ATA:34
PN:011-01110-01	MOS/MSC	16-Aug-19	O/C	TSN 74					
SN:1SW005618	HRS								
	AFL								
PROC. REF: AMM 34-15-01, AMM 34-15-01									
34-15-01		NO. 2 GDC 74B AIR DATA COMPUTER UNIT						Component	ATA:34
PN:011-01110-01	MOS/MSC	16-Aug-19	O/C						
SN:1SW005744	HRS								
	AFL								
PROC. REF: AMM 34-15-01, AMM 34-15-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
34-15-03		LH FWD PITOT TUBE					Component		ATA:34
PN:0851LP	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:297503	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-15-03, AMM 34-15-03									
34-15-03		RH FWD PITOT TUBE					Component		ATA:34
PN:0851LP	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:297514	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-15-03, AMM 34-15-03									
34-15-03-001 ^S		RESTORATION OF PITOT PROBE (CLEANING)					Service		ATA:34
	MOS	20-Mar-23	24 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
PROC. REF: AMM 34-15-03									
PKG:81									
34-15-05		LH FWD DUAL STATIC PORT					Component		ATA:34
PN:100442-106	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:906389	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-15-05, AMM 34-15-05									
34-15-05		RH FWD DUAL STATIC PORT					Component		ATA:34
PN:100442-107	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:906415	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-15-05, AMM 34-15-05									
34-21-00-001 ^S		FUNCTIONAL CHECK MAGNETIC INTERFERENCE CHECK ON THE LH WING MAGNETOMETER					Service		ATA:34
PN:011-00870-10	MOS	25-Feb-22	36 (+1m/-1m)						
SN:1CM008588	HRS	1605:35							
	AFL	1535							
PROC. REF: AMM 34-21-02									
PKG:82									
34-21-00-001 ^S		FUNCTIONAL CHECK MAGNETIC INTERFERENCE CHECK ON THE RH WING MAGNETOMETER					Service		ATA:34
PN:011-00870-10	MOS	25-Feb-22	36 (+1m/-1m)						
SN:1CM008613	HRS	1605:35							
	AFL	1535							
PROC. REF: AMM 34-21-02									
PKG:82									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
34-21-01		LH ATTITUDE AND HEADING REFERENCE UNIT					Component	ATA:34	
PN:011-00868-10	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:42021665	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 34-21-01, AMM 34-21-01									
34-21-01		RH ATTITUDE AND HEADING REFERENCE UNIT					Component	ATA:34	
PN:011-00868-10	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:42021699	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 34-21-01, AMM 34-21-01									
34-21-02		LH WING MAGNETOMETER					Component	ATA:34	
PN:011-00870-10	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:1CM008588	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 34-21-02, AMM 34-21-02									
34-21-02		RH WING MAGNETOMETER					Component	ATA:34	
PN:011-00870-10	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:1CM008613	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 34-21-02, AMM 34-21-02									
34-23-00-001 ^S		FUNCTIONAL CHECK OF STANDBY COMPASS					Service	ATA:34	
PN:KCA0120W	MOS	25-Feb-22	36 (+1m/-1m)						
SN:BG7791111	HRS	1605:35							
	AFL	1535							
PROC. REF: AMM 34-23-00									
34-23-01		MAGNETIC COMPASS					Component	ATA:34	
PN:KCA0120W	MOS/MSC	20-Jan-19	O/C	TSN 67					
SN:BG7791111	HRS								
	AFL								
PROC. REF: AMM 34-23-01, AMM 34-23-01									
34-32-01		TAIL PHASING COUPLER					Component	ATA:34	
PN:SSPD-113-10	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:7435	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: AMM 34-32-01, AMM 34-32-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
34-32-03		LEFT VOR/LOC 2&3 ANTENNA BLADE						Component	ATA:34
PN:S65-247170	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:173-3369	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-32-03, AMM 34-32-03									
34-32-03		RIGHT VOR/LOC 2&3 ANTENNA BLADE						Component	ATA:34
PN:S65-247170	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:173-3320	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-32-03, AMM 34-32-03									
34-32-04		LW FWR MARKER BEACON ANTENNA						Component	ATA:34
PN:S35-1000-2	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:102-9712	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-32-04, AMM 34-32-04									
34-42-01		WEATHER RADAR ANTENNA						Component	ATA:34
PN:011-00883-20	MOS/MSC	05-Mar-21	O/C	TSR 0					
SN:47202586	HRS	1385:39		TSR 0					
	AFL	1293		TSR 0					
PROC. REF: AMM 34-42-01, AMM 34-42-01									
34-43-00		BAGGAGE COMPARTMENT GTS 850 TRAFFIC PROCESSOR UNIT						Component	ATA:34
PN:011-01553-00	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:1EB005260	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
34-43-02		TRC899 TRANSMITTER RECEIVER COMPUTER						Component	ATA:34
PN:PN	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
34-43-05		LOWER DIRECTIONAL ANTENNA						Component	ATA:34
PN:011-01346-00	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:124008355	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-43-05, AMM 34-43-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
34-43-05		UPPER DIRECTIONAL ANTENNA						Component	ATA:34
PN:011-01346-00	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:124008291	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-43-05, AMM 34-43-05									
34-43-08		LOW NOISE (TCAS) POWER AMPLIFIER						Component	ATA:34
PN:011-01347-00	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:140050632	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-43-08, AMM 34-43-08									
34-51-01		NO.1 CENTER DISTANCE MEASURING EQUIP UNIT						Component	ATA:34
PN:066-01070-0001	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:35472	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-51-01, AMM 34-51-01									
34-51-01		NO.2 CENTER DISTANCE MEASURING EQUIP UNIT						Component	ATA:34
PN:PN	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-51-01, AMM 34-51-01									
34-51-02		NO. 1 DME L BAND ANTENNA						Component	ATA:34
PN:PN	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-51-02, AMM 34-51-02									
34-51-02		NO. 2 DME L BAND ANTENNA						Component	ATA:34
PN:PN	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-51-02, AMM 34-51-02									
34-52-00-001		FUNCTIONAL CHECK LH TRANSPONDER MODULE TRANSPONDER SYSTEM						Service	ATA:34
PN:011-00779-30	MOS	20-Mar-23	24	Adj -15d	05-Mar-25		285 d		
SN:89105233	HRS	1920:40							
	AFL	1845							
PROC. REF: AMM 34-52-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
34-52-00-001 FUNCTIONAL CHECK RH TRANSPONDER MODULE TRANSPONDER SYSTEM								
PN:011-00779-21	MOS	20-Mar-23	24	Adj -15d	05-Mar-25		285 d	Service ATA:34
SN:84813800	HRS	1920:40						
	AFL	1845						
PROC. REF: AMM 34-52-00								
34-52-01 LH TRANSPONDER MODULE								
PN:011-00779-30	MOS/MSC	15-Sep-20	O/C	TSR 0				Component ATA:34
SN:89105233	HRS	1357:56		TSR 0				
	AFL	1258		TSR 0				
PROC. REF: AMM 34-52-01, AMM 34-52-01								
34-52-01 RH TRANSPONDER MODULE								
PN:011-00779-21	MOS/MSC	15-Sep-20	O/C	TSN 0				Component ATA:34
SN:84813800	HRS	1357:56		TSN 0				
	AFL	1258		TSN 0				
PROC. REF: AMM 34-52-01, AMM 34-52-01								
34-52-02 BOTTOM TRANSPONDOR 1 L BAND ANTENNA								
PN:PN	MOS/MSC	28-Jun-13	O/C	TSN 0				Component ATA:34
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-52-02, AMM 34-52-02								
34-52-02 TOP TRANSPONDOR 2 L BAND ANTENNA								
PN:PN	MOS/MSC	28-Jun-13	O/C	TSN 0				Component ATA:34
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-52-02, AMM 34-52-02								
34-52-04 COAXIAL SWITCH								
PN:D2-729B005	MOS/MSC	28-Jun-13	O/C	TSN 0				Component ATA:34
SN:577060	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-52-04, AMM 34-52-04								
34-56-02 LH TOP CENTER GPS WAAS - GA 36 ANTENNA								
PN:013-00244-00	MOS/MSC	28-Jun-13	O/C	TSN 0				Component ATA:34
SN:9290	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-56-02, AMM 34-56-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
34-56-02		RH TOP CENTER WAAS & SATELLITE WEATHER AND RADAR ANTENNA						Component	ATA:34
PN:013-00245-00	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:10080	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-56-02, AMM 34-56-02									
34-57-01		SATELLITE WEATHER AND RADIO RECIEVER						Component	ATA:34
PN:011-00987-00	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:47766153	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-57-01, AMM 34-57-01									
34-61-01		FLIGHT MANAGEMENT SYSTEM PANEL						Component	ATA:34
PN:011-01054-10	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:21805906	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-61-01, AMM 34-61-01									
ATA 35 - OXYGEN									
35-00-00-001		FUNCTIONAL CHECK OF OXYGEN SYSTEM PRESSURE LINES FOR LEAKAGE						Service	ATA:35
	MOS	24-Jun-22	36 (+30d/-30d)	Adj -28d	27-May-25	26-Jun-25	368 d (+30)	AIRWORTHINESS	
	HRS	1713:50	1800 (+30/-30)		3513:50	3543:50	1526:07 (+30)		
	AFL	1649							
PROC. REF: AMM 35-00-00									
35-01-00-001 ^S		FUNCTIONAL CHECK OF CREW OXYGEN PRESSURE INDICATION						Service	ATA:35
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
PROC. REF: AMM 35-01-02									
35-01-02		OXYGEN CYLINDER PRESSURE AND TEMPERATURE TRANSDUCER						Component	ATA:35
PN:4441125-000	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:7743-9-179	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-01-02, AMM 35-01-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
35-01-05		OXYGEN SYSTEM LOW PRESSURE SWITCH					Component	ATA:35	
PN:P24151	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:0194	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-01-05, AMM 35-01-05									
35-01-06		LH CSL OXYGEN SYSTEM CONTROL PANEL					Component	ATA:35	
PN:441-40945-002	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:0481	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-01-06, AMM 35-01-06									
35-01-07		OXYGEN SYSTEM CABIN ALTITUDE SWITCH					Component	ATA:35	
PN:PN	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-01-07, AMM 35-01-07									
35-01-09		CENTER FUSELAGE ALTITUDE COMPENSATING REGULATOR					Component	ATA:35	
PN:4421135-001	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:00367	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-01-09, AMM 35-01-09									
35-01-10		OXYGEN LOW PRESSURE 3 POSITION VALVE					Component	ATA:35	
PN:4421132-109	MOS/MSC	07-Apr-22	O/C	TSN 0					
SN:01029	HRS	1632:20		TSN 0					
	AFL	1564		TSN 0					
PROC. REF: AMM 35-01-10, AMM 35-01-10									
35-02-01		50 CU.FT OXYGEN CYLINDER					Component	ATA:35	
PN:4441122-050	MOS/MSC	13-Aug-22	O/C	TSN 116, TSO 0					
SN:528961202	HRS	1798:30		TSO 0					
	AFL	1731		TSO 0					
PROC. REF: AMM 35-02-01, AMM 35-02-01									
35-02-01-001		FUNCTIONAL CHECK OF OXYGEN CYLINDER REGULATOR					Service	ATA:35	
PN:4441122-050	MOS	30-Jun-22	60		30-Jun-27		1132 d		
SN:528961202	HRS								
	AFL								
PROC. REF: AMM 35-02-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
35-02-01-003		DISCARD 50 CU.FT OXYGEN CYLINDER						Service	ATA:35
PN:4441122-050	MOS	01-Oct-12	180		01-Oct-27		1225 d		
SN:528961202	HRS								
	AFL								
PROC. REF: AMM 35-02-01									
35-02-01-004		RESTORATION (HYDROSTATIC TEST) OF OXYGEN CYLINDER						Service	ATA:35
	MOS	30-Jun-22	60		30-Jun-27 (M)		1132 d		
	HRS								
	AFL								
PROC. REF: AMM 35-02-01									
35-02-05		OXYGEN PRESSURE REGULATOR						Component	ATA:35
PN:172421-14	MOS/MSC	13-Aug-22	O/C						
SN:0524	HRS	1798:30							
	AFL	1731							
PROC. REF: GENERIC NO REF									
35-11-00-001		OPERATIONAL CHECK OF LH CREW OXYGEN MASK AND STOWAGE BOX						Service	ATA:35
	MOS	20-Mar-23	24 (+1m/-1m)	Adj -15d	05-Mar-25	05-Apr-25	285 d (+31)		
	HRS	1920:40							
	AFL	1845							
PROC. REF: AMM 35-11-02									
35-11-00-001		OPERATIONAL CHECK OF RH CREW OXYGEN MASK AND STOWAGE BOX						Service	ATA:35
	MOS	20-Mar-23	24 (+1m/-1m)	Adj -15d	05-Mar-25	05-Apr-25	285 d (+31)		
	HRS	1920:40							
	AFL	1845							
PROC. REF: AMM 35-11-02									
35-11-01		LH CREW OXYGEN-MASK STOWAGE BOX						Component	ATA:35
PN:1186F6-23	MOS/MSC	20-Mar-23	O/C	TSR 0					
SN:01063	HRS	1920:40		TSR 0					
	AFL	1845		TSR 0					
PROC. REF: AMM 35-11-01, AMM 35-11-01									
35-11-01		RH CREW OXYGEN-MASK STOWAGE BOX						Component	ATA:35
PN:1186F6-23	MOS/MSC	20-Mar-23	O/C	TSR 0					
SN:01406	HRS	1920:40		TSR 0					
	AFL	1845		TSR 0					
PROC. REF: AMM 35-11-01, AMM 35-11-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
35-11-02	LH CREW OXYGEN MASK							Component	ATA:35
PN:174232-93	MOS/MSC	10-Apr-19	O/C	TSO 0					
SN:35816	HRS	1213		TSO 0					
	AFL			TSO 0					
PROC. REF: AMM 35-11-02, AMM 35-11-02									
35-11-02	RH CREW OXYGEN MASK							Component	ATA:35
PN:174232-93	MOS/MSC	01-Dec-23	O/C	TSO 0					
SN:28749	HRS	1960:25		TSO 0					
	AFL	1890		TSO 0					
PROC. REF: AMM 35-11-02, AMM 35-11-02									
35-11-02-001	DETAILED VISUAL INSPECTION OF LH CREW OXYGEN MASK							Service	ATA:35
PN:174232-93	MOS	20-Mar-23	24 (+1m/-1m)	Adj -15d	05-Mar-25	05-Apr-25	285 d (+31)		
SN:35816	HRS	1920:40							
	AFL	1845							
PROC. REF: AMM 35-11-02									
35-11-02-001	DETAILED VISUAL INSPECTION OF RH CREW OXYGEN MASK							Service	ATA:35
PN:174232-93	MOS	01-Dec-23	24 (+1m/-1m)		01-Dec-25	01-Jan-26	556 d (+31)		
SN:28749	HRS	1960:25							
	AFL	1890							
PROC. REF: AMM 35-11-02									
35-11-02-002	RESTORATION (OVERHAUL) OF LH CREW OXYGEN MASK							Service	ATA:35
PN:174232-93	MOS	10-Apr-19	72 (+1m/-1m)		09-Apr-25 (M)	09-May-25	320 d (+30)		
SN:35816	HRS	1213	3600 (+30/-30)		4813	4843	2825:17 (+30)		
	AFL								
PROC. REF: AMM 35-11-02									
35-11-02-002	RESTORATION (OVERHAUL) OF RH CREW OXYGEN MASK							Service	ATA:35
PN:174232-93	MOS	14-Oct-23	72 (+1m/-1m)		14-Oct-29	14-Nov-29	1969 d (+31)		
SN:28749	HRS	1960:25	3600 (+30/-30)	TAC 0	5560:25	5590:25	3572:42 (+30)		
	AFL								
PROC. REF: AMM 35-11-02									
35-11-04-001 ^S	DETAILED VISUAL INSPECTION OF CREW GOGGLES							Service	ATA:35
	MOS	25-Feb-22	36 (+1m/-1m)						
	HRS	1605:35							
	AFL	1535							
PROC. REF: AMM 35-11-04									

PKG:82

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
35-21-00-001	FUNCTIONAL CHECK OF PASSENGER OXYGEN SYSTEM IN AUTO MODE							Service	ATA:35
	MOS	24-Jun-22	36 (+30d/-30d)	Adj -29d	26-May-25	25-Jun-25	367 d (+30)	AIRWORTHINESS	
	HRS	1713:50	1800 (+30/-30)		3513:50	3543:50	1526:07 (+30)		
	AFL	1649							
PROC. REF: AMM 35-21-00									
35-21-00-002	OPERATIONAL CHECK OF PASSENGER OXYGEN SYSTEM IN MANUAL MODE							Service	ATA:35
	MOS	24-Jun-22	36 (+30d/-30d)	Adj -29d	26-May-25	25-Jun-25	367 d (+30)	AIRWORTHINESS	
	HRS	1713:50	1800 (+30/-30)		3513:50	3543:50	1526:07 (+30)		
	AFL	1649							
PROC. REF: AMM 35-21-00									
35-21-01	PAX 1 OXYGEN MASK							Component	ATA:35
PN:PN	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-21-01, AMM 35-21-01									
35-21-01	PAX 2 OXYGEN MASK							Component	ATA:35
PN:PN	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-21-01, AMM 35-21-01									
35-21-01	PAX 3 OXYGEN MASK							Component	ATA:35
PN:PN	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-21-01, AMM 35-21-01									
35-21-01	PAX 4 OXYGEN MASK							Component	ATA:35
PN:PN	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 35-21-01, AMM 35-21-01									
35-21-01-001 ^S	DETAILED INSPECTION OF PASSENGER OXYGEN-MASKS ASSEMBLY							Service	ATA:35
	MOS	25-Feb-22	36 (+1m/-1m)						
	HRS	1605:35							
	AFL	1535							
PROC. REF: AMM 35-21-01									

PKG:82

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
35-21-02 CABIN OXYGEN THREE MASK DEPLOYMENT CONTAINER								Component ATA:35
PN:4411073-011	MOS/MSC	28-Jun-13	O/C	TSN 0				
SN:4411073-011-00046	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 35-21-02, AMM 35-21-02								
35-21-02 LH OXYGEN TWO MASK DEPLOYMENT CONTAINER								Component ATA:35
PN:4411072-011	MOS/MSC	28-Jun-13	O/C	TSN 0				
SN:4411072-011-00089	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 35-21-02, AMM 35-21-02								
35-21-02 OXYGEN ONE MASK DEPLOYMENT CONTAINER								Component ATA:35
PN:4411071-012	MOS/MSC	28-Jun-13	O/C	TSN 0				
SN:4411071-012-00121	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 35-21-02, AMM 35-21-02								
35-21-02 RH OXYGEN TWO MASK DEPLOYMENT CONTAINER								Component ATA:35
PN:4411072-011	MOS/MSC	28-Jun-13	O/C	TSN 0				
SN:4411072-011-00091	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 35-21-02, AMM 35-21-02								
35-31-01 PROTECTIVE BREATHING EQUIPMENT (PBE)								Component ATA:35
PN:MR-10022NEMB	MOS/MSC	20-Mar-23	H/T	TSN 0				
SN:E1205647	HRS	1920:40		TSN 0				
	AFL	1845		TSN 0				
PROC. REF: AMM 35-31-01, AMM 35-31-01								
35-31-01-001 DISCARD PROTECTIVE BREATHING EQUIPMENT (PBE)								Service ATA:35
PN:MR-10022NEMB	MOS	15-Sep-22	126 (+1m/-1m)		07-Jun-32 (M)	07-Jul-32	2936 d (+30)	
SN:E1205647	HRS							
	AFL							
PROC. REF: AMM 35-31-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 36 - PNEUMATIC								
36-11-00-001^S OPERATIONAL CHECK LH BLEED SHUT-OFF FUNCTION Service ATA:36								
PN:1330310-1	MOS	20-Mar-23						
SN:230	HRS	1920:40	800 (+30/-30)					
	AFL	1845						
PROC. REF: AMM 36-11-00								PKG:1
36-11-00-001^S OPERATIONAL CHECK RH BLEED SHUT-OFF FUNCTION Service ATA:36								
PN:1330310-1	MOS	20-Mar-23						
SN:749	HRS	1920:40	800 (+30/-30)					
	AFL	1845						
PROC. REF: AMM 36-11-00								PKG:1
36-11-01 LH PYLON PRESSURE REGULATING SHUTOFF VALVE Component ATA:36								
PN:1330310-1	MOS/MSC	28-Jun-13	O/C	TSN 0				
SN:230	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-11-01, AMM 36-11-01								
36-11-01 RH PYLON PRESSURE REGULATING SHUTOFF VALVE Component ATA:36								
PN:1330310-1	MOS/MSC	28-Jun-13	O/C	TSN 0				
SN:749	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 36-11-01, AMM 36-11-01								
36-11-02-001 DETAILED INSPECT OF BLEED LINE WATER DRAINS Service ATA:36								
	MOS/MSC	18-Jun-15	N/A					
	HRS	364:42						
	AFL	318						
PROC. REF: AMM 36-11-02								
36-21-01-001 OPERATIONAL CHECK OF BLEED LEAKAGE SENSORS Service ATA:36								
	MOS	28-Jun-13						AIRWORTHINESS
	HRS	0	6400 (+30/-30)		6400	6430	4412:17 (+30)	
	AFL	0						
PROC. REF: AMM 36-21-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 44 - CABIN SYSTEMS									
24-21-03	DC CONVERTER							Component	ATA:44
PN:PN	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 44-21-03, AMM 44-21-03									
ATA 52 - DOORS									
52-10-00	OPTIONAL DOOR EQUIPPED STEP ASSEMBLY							Component	ATA:52
PN:PN	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
52-10-01-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF MAIN PAX DOOR ASSEMBLY STRUCTURE							Service	ATA:52
PN:500-09910-455	MOS	20-Mar-23	60 (+1m/-1m)						
SN:0000743763	HRS	1920:40							
	AFL	1845							
PROC. REF: NDT 52-10-00									
52-10-01-002 ^S	INTERNAL GENERAL VISUAL INSPECTION MAIN PAX DOOR ASSEMBLY STRUCTURE							Service	ATA:52
PN:500-09910-455	MOS	20-Mar-23	60 (+1m/-1m)						
SN:0000743763	HRS	1920:40							
	AFL	1845							
PROC. REF: NDT 52-10-00									
52-10-01-01-901	INTERNAL DETAILED VISUAL INSPECTION MAIN DOOR STRUCTURE UPPER EXTERNAL FRAME, UPPER HORIZONTAL STRINGER, EXTERNAL VERTICAL FRAME, AND LOWER HORIZONTAL FRAME.							Service	ATA:52
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
PROC. REF: NDT 52-10-00									
52-10-01-01-902	EXTERNAL DETAILED VISUAL INSPECTION MAIN DOOR STRUCTURE DOOR SKIN, VENT FLAP SKIN AND SKIN/VENT FLAP SKIN FASTENER.							Service	ATA:52
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
PROC. REF: NDT 52-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-10-02-01-901	INTERNAL DETAILED VISUAL INSPECTION MAIN DOOR LATCH MECHANISM LATCH PINS.							Service	ATA:52
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
	PROC. REF: NDT 52-10-00								
52-10-20-001 ^S	GENERAL VISUAL INSPECTION MAIN PAX DOOR ASSEMBLY RUBBER SEAL							Service	ATA:52
PN:500-09910-455	MOS	20-Mar-24	12 (+1m/-1m)						
SN:0000743763	HRS	1971:12							
	AFL	1900							
	PROC. REF: AMM 52-10-20								
	PKG:80								
52-11-00	MAIN PAX DOOR ASSEMBLY							Component	ATA:52
PN:500-09910-455	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:0000743763	HRS	0		TSN 0					
	AFL	0		TSN 0					
	PROC. REF: AMM 52-10-00, AMM 52-10-00								
52-11-00-001 ^S	GENERAL VISUAL INSPECTION MAIN PAX DOOR ASSEMBLY LOCKING AND ACTUATING MECHANISM							Service	ATA:52
PN:500-09910-455	MOS	05-Mar-21	48 (+1m/-1m)						
SN:0000743763	HRS	1385:39							
	AFL	1293							
	PROC. REF: AMM 52-11-00								
	PKG:83								
52-11-00-002 ^S	LUBRICATION OF MAIN DOOR LATCH PINS							Service	ATA:52
	MOS	20-Mar-24	12 (+1m/-1m)						
	HRS	1971:12							
	AFL	1900							
	PROC. REF: AMM 52-11-21								
	PKG:80								
52-11-01	DOOR KEY LOCK KIT							Component	ATA:52
PN:500-38958-901	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:550234	HRS	0		TSN 0					
	AFL	0		TSN 0					
	PROC. REF: GENERIC NO REF								
52-13-00	MAIN DOOR BALANCE ASSEMBLY							Component	ATA:52
PN:500-09890-003	MOS/MSC	28-Mar-16	O/C						
SN:UNKNOWN	HRS	621							
	AFL	552							
	PROC. REF: AMM 52-13-00, AMM 52-13-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-13-01	MAIN DOOR BALANCE ASSY GEAR SECTOR							Component	ATA:52
PN:PN	MOS/MSC	28-Jun-13	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 52-13-21, AMM 52-13-21									
52-13-02	MAIN DOOR BALANCE ASSY PINION SHAFT							Component	ATA:52
PN:PN	MOS/MSC	28-Jun-13	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 52-13-23, AMM 52-13-23									
52-13-21-001	DISCARD GEAR GEAR SECTOR							Service	ATA:52
	MOS/MSC	28-Jun-13	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 52-13-21									
52-13-22-002 ^S	DISCARD MAIN DOOR BALANCE ASSEMBLY MECHANISM CABLE							Service	ATA:52
PN:500-09890-003	MOS	20-Mar-23							
SN:UNKNOWN	HRS	1920:40	800 (+30/-30)						
	AFL	1845							
PROC. REF: AMM 52-13-22									
52-13-23-001 ^S	DISCARD SHAFT PINION SHAFT							Service	ATA:52
	MOS	28-Jun-13							
	HRS	0	6400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 52-13-23									
52-20-01-01-901	INTERNAL DETAILED VISUAL INSPECTION EMERGENCY DOOR STRUCTURE SPAR AND FRAMES.							Service	ATA:52
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
PROC. REF: NDT 52-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-20-01-01-902	EXTERNAL - DETAILED INSPECTION EMERGENCY DOOR STRUCTURE DOOR SKIN, VENT FLAP SKIN AND SKIN/VENT FLAP SKIN FASTENER.							Service	ATA:52
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
PROC. REF: NDT 52-20-00									
52-20-20-001 ^S	GENERAL VISUAL INSPECTION CENTER FUSELAGE EMERGENCY DOOR ASSEMBLY LOCKING AND ACTUATING MECHANISM							Service	ATA:52
PN:500-09700-437	MOS	05-Mar-21	48 (+1m/-1m)						
SN:0000743993	HRS	1385:39							
	AFL	1293							
PROC. REF: AMM 52-20-20									
52-20-21	CENTER FUSELAGE EMERGENCY DOOR ASSEMBLY							Component	ATA:52
PN:500-09700-437	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:0000743993	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
52-20-21-001 ^S	GENERAL VISUAL INSPECTION CENTER FUSELAGE EMERGENCY DOOR ASSEMBLY RUBBER SEAL							Service	ATA:52
PN:500-09700-437	MOS	20-Mar-23	24 (+1m/-1m)						
SN:0000743993	HRS	1920:40							
	AFL	1845							
PROC. REF: AMM 52-20-21									
52-31-20-001 ^S	GENERAL VISUAL INSPECTION OF FORWARD BAGGAGE DOOR LOCKING AND ACTUATING MECHANISM							Service	ATA:52
	MOS	05-Mar-21	48 (+1m/-1m)						
	HRS	1385:39							
	AFL	1293							
PROC. REF: AMM 52-31-20									
52-32-20-001 ^S	GENERAL VISUAL INSPECTION OF AFT BAGGAGE DOOR LOCKING ACTUATING MECHANISM							Service	ATA:52
	MOS	05-Mar-21	48 (+1m/-1m)						
	HRS	1385:39							
	AFL	1293							
PROC. REF: AMM 52-32-20									
52-71-20	LOWER DOOR MICRO SWITCH							Component	ATA:52
PN:PN	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 52-71-20, AMM 52-71-20									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-71-20	UPPER DOOR MICRO SWITCH							Component	ATA:52
PN:PN	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 52-71-20, AMM 52-71-20									
ATA 53 - FUSELAGE									
53-00-00-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF FUSELAGE POLYURETHANE FILMS							Service	ATA:53
	MOS	20-Mar-23							
	HRS	1920:40	800 (+30/-30)						
	AFL	1845							
PROC. REF: AMM 53-00-20									
53-05-00-001 ^S	DETAILED VISUAL INSPECTION OF FUSELAGE DRAINS							Service	ATA:53
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
PROC. REF: AMM 53-05-00									
53-10-00-001 ^S	INTERNAL DETAILED VISUAL INSPECTION OF FORWARD FUSELAGE LOWER SKIN PANEL AND COCKPIT FLOOR STRUCTURES							Service	ATA:53
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
PROC. REF: NDT 53-10-00									
53-10-00-002 ^S	INTERNAL DETAILED VISUAL INSPECTION OF FORWARD FUSELAGE SKIN PANELS, SKIN SPLICES AND WINDSHIELD CUTOUT STRUCTURE							Service	ATA:53
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
PROC. REF: NDT 53-10-00									
53-10-01-01-901	INTERNAL DETAILED INSPECTION FORWARD FUSELAGE UPPER SKIN PANEL AND WINDSHIELD CUTOUT STRUCTURE MACHINE FR07, BEAMS, POSTS, GUSSET (SPLICES)							Service	ATA:53
	MOS/MSC		N/A						
	HRS								
	AFL								
PROC. REF: NDT 53-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-10-01-01-902			INTERNAL DETAILED INSPECTION FORWARD FUSELAGE UPPER SKIN PANEL AND WINDSHIELD CUTOUT STRUCTURE MACHINE FR07, BEAMS, POSTS, GUSSET (SPLICES)					Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:14000		14000		12086	
			PROC. REF: NDT 53-10-00					
53-10-01-01-903			EXTERNAL - DETAILED INSPECTION FORWARD FUSELAGE UPPER SKIN PANEL AND WINDSHIELD CUTOUT STRUCTURE SKIN PANEL AND FASTENERS.					Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15586	
			PROC. REF: NDT 53-10-00					
53-10-02-01-901			INTERNAL GENERAL VISUAL INSPECTION FORWARD FUSELAGE LEFT AND RIGHT SIDE SKIN PANELS FRAMES AND SPLICES.					Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15586	
			PROC. REF: NDT 53-10-00					
53-10-02-01-902			EXTERNAL - DETAILED INSPECTION FORWARD FUSELAGE LEFT AND RIGHT SIDE SKIN PANELS SKIN-TO-FRAMES AREA.					Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15586	
			PROC. REF: NDT 53-10-00					
53-10-02-02-901			INTERNAL GENERAL VISUAL INSPECTION FORWARD FUSELAGE LEFT AND RIGHT SIDE SKIN PANELS STRINGERS.					Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15586	
			PROC. REF: NDT 53-10-00					
53-10-02-02-902			EXTERNAL - DETAILED INSPECTION FORWARD FUSELAGE LEFT AND RIGHT SIDE SKIN PANELS SKIN-TO-STRINGERS AREA.					Service ATA:53
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15586	
			PROC. REF: NDT 53-10-00					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-10-03-01-901	INTERNAL GENERAL VISUAL INSPECTION FORWARD FUSELAGE LOWER SKIN PANEL FRAMES AND STRINGERS.							Service	ATA:53
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 53-10-00						
53-10-03-01-902	EXTERNAL - DETAILED INSPECTION FORWARD FUSELAGE LOWER SKIN PANEL SKIN-TO-FRAME/STRINGERS AREA.							Service	ATA:53
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 53-10-00						
53-10-04-01-901	INTERNAL DETAILED INSPECTION FORWARD FUSELAGE LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICES LONGITUDINAL SPLICE							Service	ATA:53
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 53-10-00						
53-10-04-01-902	EXTERNAL - DETAILED INSPECTION FORWARD FUSELAGE LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICES - SKIN-TO-LONGITUDINAL SPLICE AREA.							Service	ATA:53
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 53-10-00						
53-10-04-02-901	INTERNAL DETAILED INSPECTION FORWARD FUSELAGE LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICES CIRCUMFERENTIAL SPLICE.							Service	ATA:53
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 53-10-00						
53-10-04-02-902	EXTERNAL - DETAILED INSPECTION FORWARD FUSELAGE LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICES SKIN-TO-CIRCUMFERENTIAL-SPLICE AREA.							Service	ATA:53
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 53-10-00						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-10-05-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF FORWARD FUSELAGE PRESSURE BULKHEAD							Service	ATA:53
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
	PROC. REF: NDT 53-10-00							PKG:90	
53-10-05-002 ^S	INTERNAL DETAILED VISUAL INSPECTION OF FORWARD FUSELAGE PRESSURE BULKHEAD							Service	ATA:53
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
	PROC. REF: NDT 53-10-00							PKG:90	
53-10-05-01-901	INTERNAL GENERAL VISUAL INSPECTION FORWARD FUSELAGE PRESSURE BULKHEAD.							Service	ATA:53
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
	PROC. REF: NDT 53-10-00								
53-10-06-002 ^S	INTERNAL DETAILED VISUAL INSPECTION OF FORWARD FUSELAGE FORWARD SKIN PANELS							Service	ATA:53
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
	PROC. REF: NDT 53-10-00							PKG:90	
53-10-07-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF NOSE LANDING GEAR WHEELWELL METALLIC STRUCTURE							Service	ATA:53
	MOS	20-Mar-23	24 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
	PROC. REF: NDT 53-10-00							PKG:81	
53-10-07-01-901	EXTERNAL SPECIAL DETAILED INSPECTION NOSE LANDING GEAR WHEEL WEEL METALLIC STRUCTURE (EDDY CURRENT) TRUNION.							Service	ATA:53
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
	PROC. REF: NDT 53-10-00								
53-10-07-02-901	EXTERNAL - DETAILED INSPECTION NOSE LANDING GEAR WHEEL WEEL METALLIC STRUCTURE.							Service	ATA:53
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
	PROC. REF: NDT 53-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-10-07-02-902	EXTERNAL SPECIAL DETAILED INSPECTION NOSE LANDING GEAR WHEEL WHEEL METALLIC STRUCTURE (EDDY CURRENT) DRAG LOCKING STRUTS.							Service	ATA:53
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
PROC. REF: NDT 53-10-00									
53-10-08-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF NOSE LANDING GEAR WHEELWELL COMPOSITE STRUCTURE							Service	ATA:53
	MOS	20-Mar-23	120 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
PROC. REF: NDT 53-10-00									
53-10-08-01-901	EXTERNAL - DETAILED INSPECTION NOSE LANDING GEAR WHEEL COMPOSITE STRUCTURE UPPER PANEL AND SIDE SKIN.							Service	ATA:53
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
PROC. REF: NDT 53-10-00									
53-14-00	NOSE RADOME							Component	ATA:53
PN:5190-102-1	MOS/MS	28-Jun-13	O/C	TSN 0					
SN:422	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 53-14-00, AMM 53-14-00									
53-20-00-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF CENTER FUSELAGE SKIN PANELS AND SKIN SPLICES							Service	ATA:53
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
PROC. REF: NDT 53-20-00									
53-20-00-002 ^S	INTERNAL DETAILED VISUAL INSPECTION OF CENTER FUSELAGE SKIN PANELS, SKIN SPLICES, AND FLOOR STRUCTURE							Service	ATA:53
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
PROC. REF: NDT 53-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-20-00-003 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF CENTER FUSELAGE-TO-WING LATERAL AND CENTER LINKS							Service	ATA:53
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
				PROC. REF: NDT 53-20-00				PKG:90	
53-20-01-01-901	INTERNAL GENERAL VISUAL INSPECTION CENTER FUSELAGE UPPER SKIN PANEL (FROM FRAME 8 TO 19 AND FROM STRINGER 1R TO 6L) FRAMES.							Service	ATA:53
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
				PROC. REF: NDT 53-20-00					
53-20-01-01-902	EXTERNAL - DETAILED INSPECTION CENTER FUSELAGE UPPER SKIN PANEL (FROM FRAME 8 TO 19 AND FROM STRINGER 1R TO 6L) SKIN TO FRAMES AREA.							Service	ATA:53
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
				PROC. REF: NDT 53-20-00					
53-20-01-02-901	INTERNAL GENERAL VISUAL INSPECTION CENTER FUSELAGE UPPER SKIN PANEL (FROM STRINGER 1R TO 6L AND FROM FRAME 8 TO 19) STRINGERS.							Service	ATA:53
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
				PROC. REF: NDT 53-20-00					
53-20-01-02-902	EXTERNAL - DETAILED INSPECTION CENTER FUSELAGE UPPER SKIN PANEL (FROM STRINGER 1R TO 6L AND FROM FRAME 8 TO 19) SKIN TO STRINGERS AREA.							Service	ATA:53
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
				PROC. REF: NDT 53-20-00					
53-20-02-01-901	INTERNAL GENERAL VISUAL INSPECTION CENTER FUSELAGE SIDE SKIN PANEL (FROM FRAME 8 TO 19 AND FROM STRINGER 2R TO 11R) FRAMES.							Service	ATA:53
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
				PROC. REF: NDT 53-20-00					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-20-02-01-902	EXTERNAL - DETAILED INSPECTION CENTER FUSELAGE SIDE SKIN PANEL (FROM FRAME 8 TO 19 AND FROM STRINGER 2R TO 11R) SKIN TO FRAMES AREA.							Service	ATA:53
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 53-20-00						
53-20-02-02-901	INTERNAL GENERAL VISUAL INSPECTION CENTER FUSELAGE SIDE SKIN PANEL (FROM STRINGER 2R TO 11R AND FROM FRAME 8 TO 19) STRINGERS.							Service	ATA:53
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 53-20-00						
53-20-02-02-902	EXTERNAL - DETAILED INSPECTION CENTER FUSELAGE SIDE SKIN PANEL (FROM STRINGER 2R TO 11R AND FROM FRAME 8 TO 19) SKIN TO STRINGERS AREA.							Service	ATA:53
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 53-20-00						
53-20-03-01-901	INTERNAL GENERAL VISUAL INSPECTION CENTER FUSELAGE LOWER SKIN PANEL (FROM STRINGER 7L TO 12R AND FROM FRAME 8 TO 19) CUT-OUT REINFORCEMENT (SKIN DOUBLER).							Service	ATA:53
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 53-20-00						
53-20-03-01-902	EXTERNAL - DETAILED INSPECTION CENTER FUSELAGE LOWER SKIN PANEL (FROM STRINGER 7L TO 12R AND FROM FRAME 8 TO 19) SKIN TO CUT-OUT AREA.							Service	ATA:53
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 53-20-00						
53-20-03-02-901	INTERNAL GENERAL VISUAL INSPECTION CENTER FUSELAGE LOWER SKIN PANEL (FROM STRINGER 7L TO 12R AND FROM FRAME 8 TO 19) FRAMES AND STRINGERS.							Service	ATA:53
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 53-20-00						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-20-03-02-902	EXTERNAL - DETAILED INSPECTION CENTER FUSELAGE LOWER SKIN PANEL (FROM STRINGER 7L TO 12R AND FROM FRAME 8 TO 19) SKIN TO FRAMES AND STRINGERS AREA.							Service	ATA:53
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
PROC. REF: NDT 53-20-00									
53-20-04-01-901	INTERNAL DETAILED INSPECTION CENTER FUSELAGE LONGITUDINAL LAPJOINT SKIN SPLICE AND CIRCUMFERENTIALSKIN SPLICE LONGITUDINAL LAP JOINT SKIN SPLICE.							Service	ATA:53
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
PROC. REF: NDT 53-20-00									
53-20-04-01-902	EXTERNAL - DETAILED INSPECTION CENTER FUSELAGE LONGITUDINAL LAPJOINT SKIN SPLICE AND CIRCUMFERENTIALSKIN SPLICE LONGITUDINAL LAP JOINT SKIN SPLICE.							Service	ATA:53
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
PROC. REF: NDT 53-20-00									
53-20-04-02-901	INTERNAL DETAILED INSPECTION CENTER FUSELAGE LONGITUDINAL LAPJOINT SKIN SPLICE AND CIRCUMFERENTIALSKIN SPLICE CIRCUNFERENTIAL SKIN SPLICE.							Service	ATA:53
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
PROC. REF: NDT 53-20-00									
53-20-04-02-902	EXTERNAL - DETAILED INSPECTION CENTER FUSELAGE LONGITUDINAL LAPJOINT SKIN SPLICE AND CIRCUMFERENTIALSKIN SPLICESKIN AT CIRCUMFERENTIAL SKIN SPLICE AREA.							Service	ATA:53
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
PROC. REF: NDT 53-20-00									
53-20-05-002 ^S	INTERNAL DETAILED VISUAL INSPECTION OF CENTER FUSELAGE CIRCUMFERENTIAL SKIN SPLICES AND END FITTINGS							Service	ATA:53
	MOS	20-Mar-23		60 (+1m/-1m)					
	HRS	1920:40							
	AFL	1845							
PROC. REF: NDT 53-20-00									
								PKG:90	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-20-05-01-901	INTERNAL DETAILED INSPECTION CENTER FUSELAGE TO AFT FUSELAGE CIRCUMFERENTIAL SKIN SPLICES AND END FITTINGS SKIN (FROM STRINGER 12L TO 12R).							Service	ATA:53
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
	PROC. REF: NDT 53-20-00								
53-20-05-01-902	EXTERNAL SPECIAL DETAILED INSPECTION CENTER FUSELAGE TO AFT FUSELAGE CIRCUMFERENTIAL SKIN SPLICES AND END FITTINGS (EDDY CURRENT) SPLICE (1ST AND 3RD ROWS) (FROM STRINGER 01R TO 01L, FROM STRINGER 04R TO 07R AND FROM STRINGER 04L TO 07L).							Service	ATA:53
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
	PROC. REF: NDT 53-20-00								
53-20-05-01-903	EXTERNAL - DETAILED INSPECTION CENTER FUSELAGE TO AFT FUSELAGE CIRCUMFERENTIAL SKIN SPLICES AND END FITTINGS SKIN (FROM STRINGER 01R TO 01L, FROM STRINGER 04R TO 07R AND FROM STRINGER 04L TO 07L).							Service	ATA:53
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
	PROC. REF: NDT 53-20-00								
53-20-05-01-904	INTERNAL DETAILED INSPECTION CENTER FUSELAGE TO AFT FUSELAGE CIRCUMFERENTIAL SKIN SPLICES END FITTINGS							Service	ATA:53
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
	PROC. REF: NDT 53-20-00								
53-20-06-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF MAIN DOOR CUTOUT STRUCTURE							Service	ATA:53
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
	PROC. REF: NDT 53-20-00								
	PKG:84								
53-20-06-002 ^S	INTERNAL DETAILED VISUAL INSPECTION OF MAIN DOOR CUTOUT STRUCTURE							Service	ATA:53
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
	PROC. REF: NDT 53-20-00								
	PKG:90								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-20-06-01-901	EXTERNAL SPECIAL DETAILED INSPECTION (EDDY CURRENT) THE DOUBLER 1 AT CORNERS OF MAIN DOOR CUTOUT STRUCTURE.							Service	ATA:53
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
	PROC. REF: NDT 53-20-00								
53-20-06-01-902	EXTERNAL SPECIAL DETAILED INSPECTION (EDDY CURRENT) THE SKIN AT CORNERS OF THE MAIN DOOR CUTOUT STRUCTURE.							Service	ATA:53
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
	PROC. REF: NDT 53-20-00								
53-20-06-01-903	EXTERNAL - DETAILED INSPECTION THE MAIN DOOR CUTOUT STRUCTURE SKIN TO DOOR CUTOUT STRUCTURE.							Service	ATA:53
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
	PROC. REF: NDT 53-20-00								
53-20-06-01-904	INTERNAL GENERAL VISUAL INSPECTION THE MAIN DOOR CUT-OUT STRUCTURE.							Service	ATA:53
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
	PROC. REF: NDT 53-20-00								
53-20-06-01-905	INTERNAL DETAILED INSPECTION MAIN DOOR CUTOUT STRUCTURE MACHINED FRAME AT LATCH PIN BOX AREA .							Service	ATA:53
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
	PROC. REF: NDT 53-20-00								
53-20-07-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF EMERGENCY DOOR CUTOUT STRUCTURE							Service	ATA:53
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
	PROC. REF: NDT 53-20-00								
	PKG:84								
53-20-07-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF EMERGENCY DOOR CUTOUT STRUCTURE							Service	ATA:53
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
	PROC. REF: NDT 53-20-00								
	PKG:90								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-20-07-01-901	INTERNAL GENERAL VISUAL INSPECTION EMERGENCY DOOR CUTOUT STRUCTURE (FROM STRINGER 3R TO 7R AND FROM FRAME 14 TO 16)							Service	ATA:53
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 53-20-00						
53-20-07-01-902	EXTERNAL - DETAILED INSPECTION THE SKIN TO EMERGENCY DOOR CUTOUT STRUCTURE (FROM STRINGER 3R TO 7R AND FROM FRAME 14 TO 16)							Service	ATA:53
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 53-20-00						
53-20-08-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF PASSENGER WINDOW CUT-OUT STRUCTURE							Service	ATA:53
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
			PROC. REF: NDT 53-20-00						PKG:90
53-20-08-01-901	INTERNAL GENERAL VISUAL INSPECTION PASSENGER WINDOW CUTOUT STRUCTURE PASSENGER WINDOW FRAME (FROM STRINGER 4L TO 6L AND STRINGER 4R TO 6R AND FROM FRAME 10 TO 18)							Service	ATA:53
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 53-20-00						
53-20-08-01-902	EXTERNAL - DETAILED INSPECTION PASSENGER WINDOW CUTOUT STRUCTURE PASSENGER (FROM STRINGER 4L TO 6L AND STRINGER 4R TO 6R AND FROM FRAME 10 TO 18) SKIN AT WINDOW AREA.							Service	ATA:53
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 53-20-00						
53-20-10-01-901	INTERNAL DETAILED INSPECTION CENTER FUSELAGE-TO-WING LATERAL LINKS.							Service	ATA:53
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 53-20-00						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-20-10-01-902	INTERNAL DETAILED INSPECTION CENTER FUSELAGE-TO-WING LATERAL LINKSMACHINED FRAME (FRAME 14 AND FRAME 18) AND FASTENERS							Service	ATA:53
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 53-20-00						
53-20-11-01-901	INTERNAL SPECIAL DETAILED INSPECTION CENTER FUSELAGE-TO-WING CONNECTION LINK(EDDY CURRENT) CONNECTION LINK FITTING (LUG AND INNER CAP).							Service	ATA:53
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 53-20-00						
53-20-11-01-902	INTERNAL DETAILED INSPECTION CENTER FUSELAGE-TO-WING CONNECTION LINK FITTING.							Service	ATA:53
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 53-20-00						
53-20-12-01-901	INTERNAL DETAILED INSPECTION AFT PRESSURE BULKHEAD.							Service	ATA:53
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 53-20-00						
53-30-00-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF AFT FUSELAGE SKINS AND ATTACHMENTS							Service	ATA:53
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
			PROC. REF: NDT 53-30-00						PKG:90
53-30-00-002 ^S	INTERNAL DETAILED VISUAL INSPECTION OF AFT FUSELAGE UPPER SKIN, JUNCTIONS AND ATTACHMENTS							Service	ATA:53
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
			PROC. REF: NDT 53-30-00						PKG:90

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-30-00-003 ^S	INTERNAL DETAILED VISUAL INSPECTION OF AFT FUSELAGE SIDE SKIN, CUTOUTS AND ATTACHMENTS							Service	ATA:53
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
				PROC. REF: NDT 53-30-00				PKG:90	
53-30-01-01-901	INTERNAL DETAILED INSPECTION AFT FUSELAGE UPPER SKIN PANELBEDPLATE AND ITS ATTACHMENTS, BEDPLATES TO STRINGER ATTACHMENTS AND SKIN TO BEDPLATE AREA.							Service	ATA:53
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
				PROC. REF: NDT 53-30-00					
53-30-01-01-902	EXTERNAL - DETAILED INSPECTION AFT FUSELAGE UPPER SKIN PANEL SKIN TO BEDPLATE AREA.							Service	ATA:53
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
				PROC. REF: NDT 53-30-00					
53-30-02-01-901	INTERNAL GENERAL VISUAL INSPECTION AFT FUSELAGE SIDE SKIN PANEL FORWARD MACHINED FRAME (FRAME 22 AND FRAME 23)							Service	ATA:53
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
				PROC. REF: NDT 53-30-00					
53-30-02-01-902	EXTERNAL - DETAILED INSPECTION AFT FUSELAGE SIDE SKIN PANEL SKIN TO FRAME AREA							Service	ATA:53
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
				PROC. REF: NDT 53-30-00					
53-30-02-02-901	INTERNAL GENERAL VISUAL INSPECTION AFT FUSELAGE SIDE SKIN PANEL AFT MACHINED FRAME (FRAME 25 AND FR25A)							Service	ATA:53
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
				PROC. REF: NDT 53-30-00					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-30-02-02-902	EXTERNAL - DETAILED INSPECTION AFT FUSELAGE SIDE SKIN PANEL - SKIN TO FRAME AREA							Service	ATA:53
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
	PROC. REF: NDT 53-30-00								
53-30-04-01-901	EXTERNAL - DETAILED INSPECTION AFT FUSELAGE LONGITUDINAL AND CIRCUMFERENTIALSKIN SPLICES AFT FUSELAGE SKIN TO LONGITUDINAL SPLICE.							Service	ATA:53
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
	PROC. REF: NDT 53-30-00								
53-30-04-01-902	INTERNAL DETAILED INSPECTION AFT FUSELAGE LONGITUDINAL AND CIRCUMFERENTIALSKIN SPLICES LONGITUDINAL SPLICE							Service	ATA:53
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
	PROC. REF: NDT 53-30-00								
53-30-04-02-901	EXTERNAL - DETAILED INSPECTION AFT FUSELAGE LONGITUDINAL AND CIRCUMFERENTIALSKIN SPLICES TO CIRCUMFERENTIAL SPLICE.							Service	ATA:53
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
	PROC. REF: NDT 53-30-00								
53-30-04-02-902	INTERNAL DETAILED INSPECTION AFT FUSELAGE LONGITUDINAL AND CIRCUMFERENTIALSKIN SPLICES TO CIRCUMFERENTIAL SPLICE.							Service	ATA:53
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
	PROC. REF: NDT 53-30-00								
53-30-05-001 ^S	INTERNAL DETAILED VISUAL INSPECTION OF AFT FUSELAGE BAGGAGE DOOR CUTOUT STRUCTURE							Service	ATA:53
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
	PROC. REF: NDT 53-30-00								
	PKG:84								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-30-05-01-901	INTERNAL GENERAL VISUAL INSPECTION AFT FUSELAGE BAGGAGE DOOR CUTOUT STRUCTURE.							Service	ATA:53
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
	PROC. REF: NDT 53-30-00								
53-30-05-01-902	EXTERNAL - DETAILED INSPECTION AFT FUSELAGE BAGGAGE DOOR CUTOUTSTRUCTUREAFT FUSELAGE THE SKIN TO BAGGAGE DOOR CUTOUT STRUCTURE.							Service	ATA:53
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
	PROC. REF: NDT 53-30-00								
53-30-06-01-901	INTERNAL GENERAL VISUAL INSPECTION AFT FUSELAGE CUTOUT STRUCTURES -INTERNALFRAMES, STRINGER, REINFORCEMENT, AND DOUBLER OF AFT FUSELAGE CUTOUT STRUCTURES.							Service	ATA:53
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
	PROC. REF: NDT 53-30-00								
53-30-07-001 ^S	INTERNAL DETAILED VISUAL INSPECTION OF AFT FUSELAGE UPPER FRAMES 29 TO 32							Service	ATA:53
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
	PROC. REF: NDT 53-30-00								
	PKG:84								
53-30-07-01-901	INTERNAL GENERAL VISUAL INSPECTION AFT FUSELAGE UPPER FRAMES (FROM FRAME 29 TO FRAME 32) MACHINED FRAMES.							Service	ATA:53
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
	PROC. REF: NDT 53-30-00								
53-30-07-01-902	EXTERNAL - DETAILED INSPECTION AFT FUSELAGE UPPER FRAMES (FROM FRAME 29 TO FRAME 32) SKIN TO FRAME AREA.							Service	ATA:53
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
	PROC. REF: NDT 53-30-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-30-07-02-901	INTERNAL GENERAL VISUAL INSPECTION AFT FUSELAGE UPPER FRAMES (FROM FRAME 29 TO FRAME 32) BEDPLATES AND FASTENERS.							Service	ATA:53
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
	PROC. REF: NDT 53-30-00								
53-30-08-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF AFT FUSELAGE MACHINED FRAME 32							Service	ATA:53
	MOS	20-Mar-23	120 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
	PROC. REF: NDT 53-30-00								
	PKG:87								
Z210-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF THE FORWARD FUSELAGE NOSE SECTION							Service	ATA:53
	MOS	20-Mar-23	120 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
	PROC. REF: AMM 05-41-00								
	PKG:87								
Z210-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF THE FORWARD FUSELAGE NOSE SECTION							Service	ATA:53
	MOS	20-Mar-23	120 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
	PROC. REF: AMM 05-41-00								
	PKG:87								
Z220-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF THE FORWARD FUSELAGE COCKPIT SECTION							Service	ATA:53
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
	PROC. REF: AMM 05-41-00								
	PKG:84								
Z220-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF THE FORWARD FUSELAGE COCKPIT SECTION							Service	ATA:53
	MOS	20-Mar-23	120 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
	PROC. REF: AMM 05-41-00								
	PKG:87								
Z230-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF THE CENTER FUSELAGE FRONT SECTION							Service	ATA:53
	MOS	20-Mar-23	120 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
	PROC. REF: AMM 05-42-00								
	PKG:87								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
Z230-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF THE CENTER FUSELAGE FRONT SECTION							Service	ATA:53
	MOS	20-Mar-23	120 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
					PROC. REF: AMM 05-42-00			PKG:87	
Z240-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF THE CENTER FUSELAGE REAR SECTION							Service	ATA:53
	MOS	20-Mar-23	120 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
					PROC. REF: AMM 05-42-00			PKG:87	
Z240-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF THE CENTER FUSELAGE REAR SECTION							Service	ATA:53
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
					PROC. REF: AMM 05-42-00			PKG:84	
Z310-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF THE AFT FUSELAGE FRONT SECTION							Service	ATA:53
	MOS	20-Mar-23	120 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
					PROC. REF: AMM 05-43-00			PKG:87	
Z310-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF THE AFT FUSELAGE FRONT SECTION							Service	ATA:53
	MOS	20-Mar-23	120 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
					PROC. REF: AMM 05-43-00			PKG:87	
Z320-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF THE AFT FUSELAGE REAR SECTION							Service	ATA:53
	MOS	20-Mar-23	120 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
					PROC. REF: AMM 05-43-00			PKG:87	
Z320-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF THE AFT FUSELAGE REAR SECTION							Service	ATA:53
	MOS	20-Mar-23	120 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
					PROC. REF: AMM 05-43-00			PKG:87	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 54 - NACELLES/PYLONS									
54-00-00-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF PYLON POLYURETHANE FILMS							Service	ATA:54
	MOS	20-Mar-23							
	HRS	1920:40	800 (+30/-30)						
	AFL	1845							
				PROC. REF: AMM 54-51-20				PKG:1	
54-50-00-001 ^S	INTERNAL DETAILED VISUAL INSPECTION OF PYLON MAIN BOX							Service	ATA:54
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
				PROC. REF: NDT 54-50-00				PKG:90	
54-50-00-002 ^S	INTERNAL DETAILED VISUAL INSPECTION OF FORWARD BEAM							Service	ATA:54
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
				PROC. REF: NDT 54-50-00				PKG:90	
54-50-01-01-901	INTERNAL DETAILED INSPECTION PYLON FORWARD BEAM PYLON SPARS 1 AND 2, UPPER AND LOWER SKIN AND FASTENERS.							Service	ATA:54
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
				PROC. REF: NDT 54-50-00					
54-50-02-01-901	INTERNAL DETAILED INSPECTION PYLON AFT BEAMPYLON SPARS 3 AND 4 AND FASTENERS.							Service	ATA:54
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
				PROC. REF: NDT 54-50-00					
54-50-03-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF PYLON MAIN BOX							Service	ATA:54
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
				PROC. REF: NDT 54-50-00				PKG:90	
54-50-03-01-901	EXTERNAL GENERAL VISUAL INSPECTION OF PYLON MAIN BOX MAIN BOX SKIN AND FASTENERS.							Service	ATA:54
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
				PROC. REF: NDT 54-50-00					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 54 - NACELLES/PYLONS									
54-50-04-01-901	INTERNAL DETAILED INSPECTION PYLON-TO-FUSELAGE CONNECTIONS OF BOLTS.							Service	ATA:54
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 54-50-00						
54-50-05-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF PYLON YOKES							Service	ATA:54
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
			PROC. REF: NDT 54-50-00						PKG:84
54-50-05-01-901	INTERNAL DETAILED INSPECTION PYLON YOKESLUG HOLES AT YOKES, YOKES, GUSSETS AND SHIELD.							Service	ATA:54
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 54-50-00						
54-50-06-001 ^S	INTERNAL DETAILED VISUAL INSPECTION OF AFT MOUNT FITTINGS							Service	ATA:54
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
			PROC. REF: NDT 54-50-00						PKG:84
54-50-06-01-901	INTERNAL DETAILED INSPECTION PYLON AFT FITTINGAFT MOUNT FITTING AND FASTENERS.							Service	ATA:54
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 54-50-00						
Z410-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF THE PYLON							Service	ATA:54
	MOS	20-Mar-23	120 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
			PROC. REF: AMM 05-46-00						PKG:87
Z410-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF THE PYLON							Service	ATA:54
	MOS	20-Mar-23	120 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
			PROC. REF: AMM 05-46-00						PKG:87

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 54 - NACELLES/PYLONS									
Z430-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF THE NACELLE							Service	ATA:54
	MOS	20-Mar-23	120 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
					PROC. REF: AMM 05-46-00			PKG:87	
Z430-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF THE NACELLE							Service	ATA:54
	MOS	20-Mar-23	120 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
					PROC. REF: AMM 05-46-00			PKG:87	
ATA 55 - STABILIZERS									
55-00-00-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF STABILIZER POLYURETHANE FILMS							Service	ATA:55
	MOS	20-Mar-23							
	HRS	1920:40	800 (+30/-30)						
	AFL	1845							
					PROC. REF: AMM 55-00-20			PKG:1	
55-10-00	HORIZONTAL STABILIZER							Component	ATA:55
PN:500-10700-409	MOS/MS	28-Jun-13	O/C		TSN 0				
SN:0000745642	HRS	0			TSN 0				
	AFL	0			TSN 0				
					PROC. REF: GENERIC NO REF				
55-10-00-001 ^S	EXTERNAL - DETAILED INSPECTION OF HORIZONTAL-STABILIZER SPARS							Service	ATA:55
	MOS	20-Mar-23	120 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
					PROC. REF: NDT 55-10-00			PKG:87	
55-10-00-002 ^S	SPECIAL DETAILED INSPECTION (BOREScope METHOD) OF HORIZONTAL-STABILIZER MAIN BOX							Service	ATA:55
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
					PROC. REF: NDT 55-10-00			PKG:84	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-10-01-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF VERTICAL-TO-HORIZONTAL STABILIZER ATTACHMENTS							Service	ATA:55
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
				PROC. REF: NDT 55-10-00				PKG:84	
55-10-01-01-901	INTERNAL DETAILED INSPECTION FIN-TO-HORIZONTAL STABILIZER CONNECTIONS IN HORIZONTAL STABILIZER AND FASTENERS.							Service	ATA:55
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
				PROC. REF: NDT 55-10-00					
55-10-02-01-901	INTERNAL SPECIAL DETAILED INSPECTION HORIZONTAL STABILIZER FRONT SPAR (BORESCOPIC) FRONT SPAR AND FASTENERS.							Service	ATA:55
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
				PROC. REF: NDT 55-10-00					
55-10-02-01-902	EXTERNAL - DETAILED INSPECTION HORIZONTAL STABILIZER FRONT SPAR FRONT SPAR AND FASTENERS.							Service	ATA:55
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
				PROC. REF: NDT 55-10-00					
55-10-03-01-901	INTERNAL SPECIAL DETAILED INSPECTION HORIZONTAL STABILIZER REAR SPAR(BORESCOPIC) REAR SPAR.							Service	ATA:55
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
				PROC. REF: NDT 55-10-00					
55-10-03-01-902	EXTERNAL - DETAILED INSPECTION HORIZONTAL STABILIZER REAR SPAR					REAR SPAR AND FASTENERS.		Service	ATA:55
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
				PROC. REF: NDT 55-10-00					
55-10-04-01-901	INTERNAL SPECIAL DETAILED INSPECTION HORIZONTAL STABILIZER MAIN BOX UPPER SKIN					(BORESCOPIC) STRINGERS.		Service	ATA:55
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
				PROC. REF: NDT 55-10-00					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-10-04-01-902	EXTERNAL - DETAILED INSPECTION HORIZONTAL STABILIZER MAIN BOX UPPER SKIN FASTENERS.					UPPER SKIN AND		Service ATA:55	
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 55-10-00						
55-10-05-01-901	EXTERNAL - DETAILED INSPECTION HORIZONTAL STABILIZER MAIN BOX LOWER SKIN - LOWER SKIN.							Service ATA:55	
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 55-10-00						
55-10-05-01-902	INTERNAL DETAILED INSPECTION HORIZONTAL STABILIZER MAIN BOX LOWER SKIN HORIZONTAL STABILIZER LINK AREA AND STRINGERS, INCLUDING FASTENERS.					LOWER SKIN AT FIN TO		Service ATA:55	
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 55-10-00						
55-10-06-01-901	INTERNAL SPECIAL DETAILED INSPECTION HORIZONTAL STABILIZER COMPOSITE RIBS AND FASTENERS.					(BORESCOPIC) COMPOSITE RIBS		Service ATA:55	
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 55-10-00						
55-10-07-001 ^S	SPECIAL DETAILED INSPECTION (BOREScope METHOD) ON HORIZONTAL-STABILIZER TIP RIBS							Service ATA:55	
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
			PROC. REF: NDT 55-10-00						PKG:90
55-10-07-01-901	INTERNAL DETAILED INSPECTION HORIZONTAL STABILIZER METALLIC RIBS INCLUDING FASTENERS.					ROOT AND TIP METALLIC RIBS,		Service ATA:55	
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 55-10-00						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-10-08-001 ^S	EXTERNAL - DETAILED INSPECTION ON HORIZONTAL STABILIZER ROOT RIBS							Service	ATA:55
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
				PROC. REF: NDT 55-10-00				PKG:90	
55-10-08-01-901	INTERNAL SPECIAL DETAILED INSPECTION HORIZONTAL STABILIZER LEADING EDGE HORIZONTAL STABILIZER LEADING EDGE SKIN AND SPAR.					(BORESCOPIC)		Service	ATA:55
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
				PROC. REF: NDT 55-10-00					
55-10-08-01-902	EXTERNAL - DETAILED INSPECTION HORIZONTAL STABILIZER LEADING EDGE EDGE SKIN AND FASTENERS.					HORIZONTAL STABILIZER LEADING		Service	ATA:55
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
				PROC. REF: NDT 55-10-00					
55-10-09-002 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE METHOD) OF HORIZONTAL STABILIZER LEADING EDGE							Service	ATA:55
	MOS	20-Mar-23	120 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
				PROC. REF: NDT 55-10-00				PKG:87	
55-10-09-01-901	EXTERNAL - DETAILED INSPECTION HORIZONTAL STABILIZER ELEVATOR FITTING					HINGE FITTINGS, AND FASTENERS.		Service	ATA:55
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
				PROC. REF: NDT 55-10-00					
55-10-09-02-901	INTERNAL SPECIAL DETAILED INSPECTION HORIZONTAL STABILIZER ELEVATOR FITTING (EDDY CURRENT) LUGS.							Service	ATA:55
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
				PROC. REF: NDT 55-10-00					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-10-09-03-901	INTERNAL DETAILED INSPECTION HORIZONTAL STABILIZER ELEVATOR FITTING TORQUE BOX AND FASTENERS.							Service	ATA:55
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
	PROC. REF: NDT 55-10-00								
55-10-10-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF HORIZONTAL-STABILIZER HINGE FITTINGS							Service	ATA:55
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
	PROC. REF: NDT 55-10-00								
55-10-10-01-901	INTERNAL DETAILED INSPECTION HORIZONTAL STABILIZER TRIM TAB ACTUATOR SUPPORT FITTINGS TAB SUPPORTING FITTING AND FASTENERS.						TRIM	Service	ATA:55
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
	PROC. REF: NDT 55-10-00								
55-10-10-02-901	EXTERNAL - DETAILED INSPECTION HORIZONTAL STABILIZER TRIM TAB ACTUATOR SUPPORT FITTINGS TAB LINK SUPPORT FITTING AND FASTENERS.						TRIM	Service	ATA:55
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
	PROC. REF: NDT 55-10-00								
55-10-11-002 ^S	INTERNAL DETAILED VISUAL INSPECTION OF TRIM-TAB SUPPORT FITTINGS							Service	ATA:55
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
	PROC. REF: NDT 55-10-00								
55-20-00-001 ^S	EXTERNAL - DETAILED INSPECTION OF ELEVATOR FITTINGS AND TORQUE-TUBE ATTACHMENTS							Service	ATA:55
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
	PROC. REF: NDT 55-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-20-01-002 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE METHOD) OF ELEVATOR MAIN BOX							Service	ATA:55
	MOS	20-Mar-23	120 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
				PROC. REF: NDT 55-20-00				PKG:87	
55-20-01-01-901	INTERNAL SPECIAL DETAILED INSPECTION ELEVATOR MAIN BOX (SKIN, SPARS AND RIBS) SKIN, SPARS, RIBS AND FASTENERS.					(BORESCOPIK)		Service	ATA:55
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
				PROC. REF: NDT 55-20-00					
55-20-01-01-902	EXTERNAL - DETAILED INSPECTION ELEVATOR MAIN BOX (SKIN, SPARS AND RIBS) INCLUDING MAIN BOX, TRAILING EDGE, LEADING EDGE AND HORN.					SKIN AND FASTENERS,		Service	ATA:55
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
				PROC. REF: NDT 55-20-00					
55-20-02-01-901	INTERNAL SPECIAL DETAILED INSPECTION ELEVATOR HINGE FITTINGS (DYE PENETRANT) ELEVATOR HINGE PINS.							Service	ATA:55
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
				PROC. REF: NDT 55-20-00					
55-20-02-02-901	INTERNAL SPECIAL DETAILED INSPECTION ELEVATOR HINGE FITTINGS (EDDY CURRENT) ELEVATOR HINGE FITTINGS.							Service	ATA:55
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
				PROC. REF: NDT 55-20-00					
55-20-02-02-902	INTERNAL DETAILED INSPECTION ELEVATOR HINGE FITTINGS ELEVATOR HINGE FITTINGS.							Service	ATA:55
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
				PROC. REF: NDT 55-20-00					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-20-03-01-901	INTERNAL SPECIAL DETAILED INSPECTION ELEVATOR TORQUE TUBE ASSY (EDDY CURRENT) ELEVATOR TORQUE TUBE FLANGE.							Service	ATA:55
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 55-20-00						
55-20-03-02-901	INTERNAL SPECIAL DETAILED INSPECTION ELEVATOR TORQUE TUBE ASSY (DYE PENETRANT) ELEVATOR TORQUE TUBE.							Service	ATA:55
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 55-20-00						
55-22-01-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF ELEVATOR TAB PIANO HINGE							Service	ATA:55
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
			PROC. REF: NDT 55-22-00						PKG:90
55-22-02-001 ^S	SPECIAL DETAILED INSPECTION (BOREScope METHOD) OF ELEVATOR TAB BOX							Service	ATA:55
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
			PROC. REF: NDT 55-22-00						PKG:90
55-30-01-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF VERTICAL STABILIZER TO AFT FUSELAGE CONNECTIONS AT VERTICAL STABILIZER							Service	ATA:55
	MOS	20-Mar-23	120 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
			PROC. REF: NDT 55-30-00						PKG:87
55-30-01-002 ^S	SPECIAL DETAILED INSPECTION (BOREScope METHOD) OF FIN-TO-REAR FUSELAGE CONNECTIONS AT VERTICAL STABILIZER							Service	ATA:55
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
			PROC. REF: NDT 55-30-00						PKG:84

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-30-01-01-901	INTERNAL SPECIAL DETAILED INSPECTION FIN-TO-FUSELAGE CONNECTIONS IN VERTICAL STABILIZER FITTING, PINS AND SPARS ATTACHMENTS (UPPER PART OF CONNECTIONS).						(BORESCOPIC)	Service	ATA:55
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 55-30-00						
55-30-01-01-902	INTERNAL DETAILED INSPECTION FIN-TO-FUSELAGE CONNECTIONS IN VERTICAL STABILIZER SPAR ATTACHMENTS (LOWER PART OF CONNECTIONS), NUT, SEAL AND FASTENERS.						FITTING, PINS AND	Service	ATA:55
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 55-30-00						
55-30-01-02-901	INTERNAL DETAILED INSPECTION FIN-TO-FUSELAGE CONNECTIONS IN VERTICAL STABILIZER L SHAPE, RIB AND FASTENERS.							Service	ATA:55
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 55-30-00						
55-30-02-002 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE METHOD) OF FIN-TO-HORIZONTAL STABILIZER CONNECTIONS ON VERTICAL STABILIZER							Service	ATA:55
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
			PROC. REF: NDT 55-30-00						PKG:84
55-30-02-01-901	INTERNAL SPECIAL DETAILED INSPECTION FIN-TO-HORIZONTAL STABILIZER CONNECTIONS ON VERTICAL STABILIZER (BORESCOPIC) DOUBLER AND TIP RIB.							Service	ATA:55
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 55-30-00						
55-30-02-01-902	INTERNAL SPECIAL DETAILED INSPECTION FIN-TO-HORIZONTAL STABILIZER CONNECTIONS ON VERTICAL STABILIZER (EDDY CURRENT) DOUBLER AND TIP RIB AT FRONT AND REAR FITTING AREA.							Service	ATA:55
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 55-30-00						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-30-02-02-901	INTERNAL DETAILED INSPECTION FIN-TO-HORIZONTAL STABILIZER CONNECTIONS ON VERTICAL STABILIZER L SHAPE AND FASTENERS.							Service	ATA:55
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 55-30-00						
55-30-02-02-902	INTERNAL SPECIAL DETAILED INSPECTION FIN-TO-HORIZONTAL STABILIZER CONNECTIONS ON VERTICAL STABILIZER (BORESCOPIC) L SHAPE AND FASTENERS.							Service	ATA:55
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 55-30-00						
55-30-02-03-901	INTERNAL DETAILED INSPECTION FIN-TO-HORIZONTAL STABILIZER CONNECTIONS ON VERTICAL STABILIZER FITTINGS AND FASTENERS.							Service	ATA:55
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 55-30-00						
55-30-02-04-901	INTERNAL DETAILED INSPECTION FIN-TO-HORIZONTAL STABILIZER CONNECTIONS ON VERTICAL STABILIZER COMPOSITE PLATES AND FASTENERS.							Service	ATA:55
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 55-30-00						
55-30-03-001 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE METHOD) OF VERTICAL STABILIZER MAIN BOX							Service	ATA:55
	MOS	20-Mar-23		120 (+1m/-1m)					
	HRS	1920:40							
	AFL	1845							
			PROC. REF: NDT 55-30-00						PKG:87
55-30-03-01-901	EXTERNAL - DETAILED INSPECTION VERTICAL STABILIZER MAIN BOX (SKIN AND SPARS) SKIN AND SPAR.							Service	ATA:55
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 55-30-00						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-30-03-01-902	INTERNAL SPECIAL DETAILED INSPECTION VERTICAL STABILIZER MAIN BOX (SKIN AND SPARS) (BORESCOPIC) SPAR.							Service	ATA:55
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
	PROC. REF: NDT 55-30-00								
55-30-05-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF VERTICAL STABILIZER-TO-RUDDER FITTING							Service	ATA:55
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
	PROC. REF: NDT 55-30-00								
	PKG:84								
55-30-05-01-901	EXTERNAL - DETAILED INSPECTION RUDDER HINGE FITTINGS HINGE FITTING 1 AND FASTENERS.							Service	ATA:55
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
	PROC. REF: NDT 55-30-00								
55-30-05-02-901	INTERNAL SPECIAL DETAILED INSPECTION RUDDER HINGE FITTINGS (EDDY CURRENT) HINGE FITTING 2 FLANGES.							Service	ATA:55
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
	PROC. REF: NDT 55-30-00								
55-30-05-03-901	INTERNAL SPECIAL DETAILED INSPECTION RUDDER HINGE FITTINGS (EDDY CURRENT) RUDDER LUG HINGE FITTINGS 1 AND 2.							Service	ATA:55
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
	PROC. REF: NDT 55-30-00								
55-30-06-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF RUDDER TAB ACTUATOR FITTING AND SUPPORT FITTINGS							Service	ATA:55
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
	PROC. REF: NDT 55-30-00								
	PKG:90								
55-30-06-01-901	EXTERNAL - DETAILED INSPECTION VERTICAL STABILIZER TAB ACTUATOR AND SUPPORT FITTINGS FITTINGS, LUGS AND FASTENERS.							Service	ATA:55
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
	PROC. REF: NDT 55-30-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-33-00	VERTICAL STABILIZER							Component	ATA:55
PN:500-10100-417	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:0000744198	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
55-40-01-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF RUDDER ASSEMBLY							Service	ATA:55
	MOS	20-Mar-23	120 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
PROC. REF: NDT 55-40-00									
PKG:87									
55-40-01-002 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE METHOD) OF RUDDER ASSEMBLY							Service	ATA:55
	MOS	20-Mar-23	120 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
PROC. REF: NDT 55-40-00									
PKG:87									
55-40-01-01-901	INTERNAL SPECIAL DETAILED INSPECTION RUDDER MAIN BOX				(BORESCOPIC) SKIN, SPARS, RIBS AND FASTENERS.		Service	ATA:55	
	MOS						AIRWORTHINESS		
	HRS								
	AFL		T:17500		17500		15586		
PROC. REF: NDT 55-40-00									
55-40-01-01-902	EXTERNAL - DETAILED INSPECTION RUDDER MAIN BOX				MAIN BOX, TRAILING EDGE AND LEADING EDGE SKINS, INCLUDING		Service	ATA:55	
	FASTENERS.						AIRWORTHINESS		
	MOS								
	HRS								
	AFL		T:17500		17500		15586		
PROC. REF: NDT 55-40-00									
55-40-02-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF RUDDER HINGE FITTINGS							Service	ATA:55
	MOS	20-Mar-23	120 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
PROC. REF: NDT 55-40-00									
PKG:87									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-40-02-01-901	INTERNAL SPECIAL DETAILED INSPECTION RUDDER HINGE FITTINGS				(DYE PENETRANT) RUDDER HINGE FITTINGS PINS.			Service ATA:55
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15586	
								PROC. REF: NDT 55-40-00
55-40-02-02-901	INTERNAL SPECIAL DETAILED INSPECTION RUDDER HINGE FITTINGS				(EDDY CURRENT) RUDDER HINGE FITTINGS.			Service ATA:55
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15586	
								PROC. REF: NDT 55-40-00
55-40-02-02-902	INTERNAL DETAILED INSPECTION RUDDER HINGE FITTINGS				RUDDER HINGE FITTINGS.			Service ATA:55
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15586	
								PROC. REF: NDT 55-40-00
55-40-03-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF RUDDER TORQUE-TUBE ASSEMBLY							Service ATA:55
	MOS	20-Mar-23	120 (+1m/-1m)					
	HRS	1920:40						
	AFL	1845						
								PROC. REF: NDT 55-40-00
								PKG:87
55-40-03-01-901	INTERNAL SPECIAL DETAILED INSPECTION RUDDER TORQUE TUBE ASSEMBLY				(EDDY CURRENT) RUDDER TORQUE			Service ATA:55
	TUBE FLANGE.							AIRWORTHINESS
	MOS							
	HRS							
	AFL		T:17500		17500		15586	
								PROC. REF: NDT 55-40-00
55-40-03-02-901	INTERNAL SPECIAL DETAILED INSPECTION RUDDER TORQUE TUBE ASSEMBLY				(DYE PENETRANT) RUDDER TORQUE			Service ATA:55
	TUBE.							AIRWORTHINESS
	MOS							
	HRS							
	AFL		T:17500		17500		15586	
								PROC. REF: NDT 55-40-00

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-41-00	RUDDER ASSEMBLY							Component	ATA:55
PN:PN	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
55-42-01-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF RUDDER TAB PIANO HINGE							Service	ATA:55
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
PROC. REF: NDT 55-42-00									
PKG:90									
Z330-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF THE VERTICAL STABILIZER							Service	ATA:55
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
PROC. REF: AMM 05-44-00									
PKG:84									
Z330-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF THE VERTICAL STABILIZER							Service	ATA:55
	MOS	20-Mar-23	120 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
PROC. REF: AMM 05-44-00									
PKG:87									
Z340-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF THE HORIZONTAL STABILIZER							Service	ATA:55
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
PROC. REF: AMM 05-44-00									
PKG:84									
Z340-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF THE HORIZONTAL STABILIZER							Service	ATA:55
	MOS	20-Mar-23	120 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
PROC. REF: AMM 05-44-00									
PKG:87									
ATA 56 - WINDOWS									
56-10-01-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF COCKPIT SIDE-WINDOWS							Service	ATA:56
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
PROC. REF: NDT 56-10-00									
PKG:84									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
56-10-01-002 ^U FUNCTIONALLY CHECK TORQUE OF WINDSHIELD AND SIDE WINDOW ATTACHING BOLTS Service ATA:56								
	MOS	20-Aug-18						
	HRS	1096	1600 (+30/-30)		2696	2726	708:17 (+30)	
	AFL							
56-10-03-001 ^S EXTERNAL DETAILED VISUAL INSPECTION OF WINDSHIELD AND COCKPIT SIDE WINDOW FRAMES AND FASTENERS Service ATA:56								
	MOS	20-Mar-23	24 (+1m/-1m)					
	HRS	1920:40						
	AFL	1845						
				PROC. REF: NDT 56-10-00				PKG:81
56-10-03-01-901 EXTERNAL SPECIAL DETAILED INSPECTION WINDSHIELD FRAME AND FASTENERS (EDDY CURRENT) FRAMES AND FASTENERS. Service ATA:56								
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15586	
				PROC. REF: NDT 56-10-00				
56-11-00 COPILOT RH HEATED GLASS WINDSHIELD ASSY, (LH) Component ATA:56								
PN:NP-195301-4	MOS/MSC	28-Jun-13	O/C	TSN 0				
SN:12215H5633	HRS	0		TSN 0				
	AFL	0		TSN 0				
				PROC. REF: AMM 56-11-00, AMM 56-11-00				
56-11-00 PILOT LH HEATED GLASS WINDSHIELD ASSY, (LH) Component ATA:56								
PN:NP-195301-3	MOS/MSC	28-Jun-13	O/C	TSN 0				
SN:11127H7118	HRS	0		TSN 0				
	AFL	0		TSN 0				
				PROC. REF: AMM 56-11-00, AMM 56-11-00				
56-12-00 COPILOT RH ACRYLIC SIDE WINDOW Component ATA:56								
PN:NP-195302-4	MOS/MSC	28-Jun-13	O/C	TSN 0				
SN:12233H7274	HRS	0		TSN 0				
	AFL	0		TSN 0				
				PROC. REF: AMM 56-12-00, AMM 56-12-00				
56-12-00 PILOT LH ACRYLIC SIDE WINDOW Component ATA:56								
PN:NP-195302-3	MOS/MSC	28-Jun-13	O/C	TSN 0				
SN:12164H0463	HRS	0		TSN 0				
	AFL	0		TSN 0				
				PROC. REF: AMM 56-12-00, AMM 56-12-00				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
56-20-00	LEFT NO.1 WINDOW TRANSPARENCY							Component	ATA:56
PN:14024	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:1824093	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00, AMM 56-20-00									
56-20-00	LEFT NO.2 WINDOW TRANSPARENCY							Component	ATA:56
PN:14024	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:1837722	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00, AMM 56-20-00									
56-20-00	LEFT NO.3 WINDOW TRANSPARENCY							Component	ATA:56
PN:14024	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:1837725	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00, AMM 56-20-00									
56-20-00	LEFT NO.4 WINDOW TRANSPARENCY							Component	ATA:56
PN:14024	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:1838976	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00, AMM 56-20-00									
56-20-00	RIGHT NO. 1 WINDOW TRANSPARENCY							Component	ATA:56
PN:14024	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:1827534	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00, AMM 56-20-00									
56-20-00	RIGHT NO. 2 WINDOW TRANSPARENCY							Component	ATA:56
PN:14024	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:1837724	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00, AMM 56-20-00									
56-20-00	RIGHT NO. 3 WINDOW TRANSPARENCY							Component	ATA:56
PN:14024	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:1838973	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00, AMM 56-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
56-20-00	RIGHT NO. 4 WINDOW TRANSPARENCY							Component	ATA:56
PN:14024	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:1857762	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00, AMM 56-20-00									
56-20-01-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF PASSENGER CABIN WINDOWS							Service	ATA:56
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
PROC. REF: NDT 56-20-00									
PKG:84									
ATA 57 - WINGS									
57-00-00-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF WING POLYURETHANE FILMS							Service	ATA:57
	MOS	20-Mar-23							
	HRS	1920:40	800 (+30/-30)						
	AFL	1845							
PROC. REF: AMM 57-30-20									
PKG:1									
57-10-00-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF WING-TO-FUSELAGE LINKS							Service	ATA:57
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
PROC. REF: NDT 57-10-00									
PKG:90									
57-10-00-002 ^S	INTERNAL DETAILED VISUAL INSPECTION OF WING MAIN BOX							Service	ATA:57
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
PROC. REF: NDT 57-10-00									
PKG:90									
57-10-00-003 ^S	INTERNAL DETAILED VISUAL INSPECTION OF WING MIDDLE AND REAR SPARS							Service	ATA:57
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
PROC. REF: NDT 57-10-00									
PKG:84									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-10-01-01-901			INTERNAL DETAILED INSPECTION WING LATERAL LINKS TO CENTER FUSELAGE SEAL.			FRONT FITTING, BOLT, NUT AND		Service ATA:57	
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 57-10-00						
57-10-01-02-901			INTERNAL DETAILED INSPECTION WING LATERAL LINKS TO CENTER FUSELAGE SEAL.			REAR FITTING, BOLT, NUT AND		Service ATA:57	
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 57-10-00						
57-10-02-01-901			INTERNAL SPECIAL DETAILED INSPECTION WING CENTER LINKS-TO-CENTER FUSELAGE CENTER FITTING AND LUG.			(EDDY CURRENT) WING		Service ATA:57	
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 57-10-00						
57-10-02-01-902			INTERNAL DETAILED INSPECTION WING CENTER LINKS-TO-CENTER FUSELAGE			WING CENTER FITTING.		Service ATA:57	
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 57-10-00						
57-10-02-02-901			INTERNAL SPECIAL DETAILED INSPECTION WING CENTER LINKS-TO-CENTER FUSELAGE CENTER LINK LUGS.			(EDDY CURRENT)		Service ATA:57	
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 57-10-00						
57-10-02-02-902			INTERNAL DETAILED INSPECTION WING CENTER LINKS-TO-CENTER FUSELAGE NUT AND SEAL.			CENTER LINK FITTING, BOLT,		Service ATA:57	
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 57-10-00						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-10-02-03-901			INTERNAL SPECIAL DETAILED INSPECTION WING CENTER LINKS-TO-CENTER FUSELAGE HORIZONTAL LINK BOLTS.			(MAGNETIC PARTICLE)		Service ATA:57	
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 57-10-00						
57-10-03-01-901			INTERNAL DETAILED INSPECTION WING FRONT SPAR ACCESS FRAMES, INCLUDING FASTENERS.			FRONT SPAR LOWER CAP BETWEEN RIB 1 AND 3 AND WINDOW		Service ATA:57	
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 57-10-00						
57-10-03-02-901			INTERNAL DETAILED INSPECTION WING FRONT SPAR ACCESS FRAMES, INCLUDING FASTENERS.			FRONT SPAR LOWER CAP BETWEEN RIB 3 AND 6 AND WINDOW		Service ATA:57	
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 57-10-00						
57-10-03-03-901			EXTERNAL - DETAILED INSPECTION WING FRONT SPAR			LOWER SKIN BETWEEN RIB 6 AND 7, INCLUDING FASTENER.		Service ATA:57	
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 57-10-00						
57-10-03-04-901			INTERNAL DETAILED INSPECTION WING FRONT SPAR ACCESS FRAMES, INCLUDING FASTENERS.			FRONT SPAR LOWER CAP BETWEEN RIB 7 AND 10 AND WINDOW		Service ATA:57	
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 57-10-00						
57-10-03-05-901			EXTERNAL - DETAILED INSPECTION WING FRONT SPAR			LOWER SKIN BETWEEN RIB 10 AND 16, INCLUDING FASTENERS.		Service ATA:57	
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 57-10-00						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-10-04-01-901	INTERNAL DETAILED INSPECTION WING MIDDLE SPAR FASTENERS.				MIDDLE SPAR LOWER CAP BETWEEN RIB 1 AND 3, INCLUDING			Service ATA:57	
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 57-10-00						
57-10-04-02-901	INTERNAL DETAILED INSPECTION WING MIDDLE SPAR FASTENERS .				MIDDLE SPAR LOWER CAP BETWEEN RIB 3 AND 7, INCLUDING			Service ATA:57	
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 57-10-00						
57-10-04-03-901	INTERNAL DETAILED INSPECTION WING MIDDLE SPAR SPAR-STRINGER-SPLICE AND FASTENERS.				MIDDLE SPAR LOWER CAP BETWEEN RIB 7 AND 9, INCLUDING			Service ATA:57	
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 57-10-00						
57-10-04-04-901	INTERNAL SPECIAL DETAILED INSPECTION WING MIDDLE SPAR AND RADIUS).				(EDDY CURRENT) MLG FRONT TRUNNION (LUG, SURFACE			Service ATA:57	
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 57-10-00						
57-10-04-04-902	INTERNAL DETAILED INSPECTION WING MIDDLE SPAR				MLG FRONT TRUNNION AND FASTENERS.			Service ATA:57	
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 57-10-00						
57-10-04-05-901	INTERNAL SPECIAL DETAILED INSPECTION WING MIDDLE SPAR RADIUS).				(EDDY CURRENT) MLG ACTUATOR FITTING (SURFACE AND			Service ATA:57	
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 57-10-00						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-10-04-05-902	INTERNAL DETAILED INSPECTION WING MIDDLE SPAR				MLG ACTUATOR FITTING AND FASTENERS.			Service ATA:57	
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 57-10-00						
57-10-05-01-901	INTERNAL DETAILED INSPECTION WING REAR SPAR				REAR SPAR LOWER CAP BETWEEN RIB 1 AND 3 AND WINDOW ACCESS			Service ATA:57	
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 57-10-00						
57-10-05-02-901	EXTERNAL - DETAILED INSPECTION WING REAR SPAR				REAR SPAR LOWER CAP BETWEEN RIB 3 AND 7, INCLUDING			Service ATA:57	
	FASTENERS.							AIRWORTHINESS	
	MOS								
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 57-10-00						
57-10-05-03-901	INTERNAL DETAILED INSPECTION WING REAR SPAR				REAR SPAR LOWER CAP BETWEEN RIB 7 AND 10, INCLUDING			Service ATA:57	
	FASTENERS.							AIRWORTHINESS	
	MOS								
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 57-10-00						
57-10-05-04-901	EXTERNAL - DETAILED INSPECTION WING REAR SPAR				LOWER SKIN BETWEEN RIB 10 AND 16, INCLUDING FASTENERS.			Service ATA:57	
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 57-10-00						
57-10-05-05-901	EXTERNAL SPECIAL DETAILED INSPECTION WING REAR SPAR				(EDDY CURRENT) MLG REAR TRUNNION (LUG, SURFACE			Service ATA:57	
	AND MACHINED RADIUS).							AIRWORTHINESS	
	MOS								
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 57-10-00						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-10-05-05-902	EXTERNAL - DETAILED INSPECTION WING REAR SPAR			MLG REAR TRUNNION AND FASTENERS.				Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15586	
				PROC. REF: NDT 57-10-00				
57-10-06-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF WING UPPER PANEL							Service ATA:57
	MOS	20-Mar-23	120 (+1m/-1m)					
	HRS	1920:40						
	AFL	1845						
				PROC. REF: NDT 57-10-00				PKG:87
57-10-07-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF WING LOWER PANEL							Service ATA:57
	MOS	20-Mar-23	60 (+1m/-1m)					
	HRS	1920:40						
	AFL	1845						
				PROC. REF: NDT 57-10-00				PKG:84
57-10-07-002 ^S	INTERNAL DETAILED VISUAL INSPECTION OF WING LOWER PANEL							Service ATA:57
	MOS	20-Mar-23	60 (+1m/-1m)					
	HRS	1920:40						
	AFL	1845						
				PROC. REF: NDT 57-10-00				PKG:90
57-10-07-01-901	INTERNAL DETAILED INSPECTION WING LOWER PANEL			STRINGER 2 AND 3 BETWEEN RIB 1 AND 3 AND SHEAR CLIPS OF				Service ATA:57
	STRINGER 5 AND SHEAR CLIPS FASTENERS.							AIRWORTHINESS
	MOS							
	HRS							
	AFL		T:17500		17500		15586	
				PROC. REF: NDT 57-10-00				
57-10-07-02-901	INTERNAL DETAILED INSPECTION WING LOWER PANEL			STRINGER 2 RUN-OUT, STRINGER SHEAR CLIPS AT RIB 8 AND				Service ATA:57
	WINDOW ACCESS PANEL 9 FRAMES.							AIRWORTHINESS
	MOS							
	HRS							
	AFL		T:17500		17500		15586	
				PROC. REF: NDT 57-10-00				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-10-07-03-901	EXTERNAL - DETAILED INSPECTION WING LOWER PANEL INCLUDING DOU-BLER AND ITS FASTENERS.		LOWER PANEL AND FASTENERS BETWEEN RIB 2 AND RIB 10,					Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15586	
	PROC. REF: NDT 57-10-00							
57-10-08-01-901	INTERNAL DETAILED INSPECTION WING LOWER PANEL 8R).		MACHINED RIBS (RIB 1, RIB 3, RIB 3A, RIB 5R, RIB 6R, RIB 7R, RIB					Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15586	
	PROC. REF: NDT 57-10-00							
57-10-08-02-901	INTERNAL DETAILED INSPECTION WING LOWER PANEL 8F, RIB 9, RIB 10, RIB11, RIB 12, RIB 13, RIB 14, RIB 15 AND RIB 16).		WING FORMED RIBS (RIB 2, RIB 4F, RIB 5F, RIB 6F, RIB 7F, RIB					Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15586	
	PROC. REF: NDT 57-10-00							
57-10-08-03-901	INTERNAL DETAILED INSPECTION WING LOWER PANEL		DRY BAY WALLS AND FASTENERS.					Service ATA:57
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:17500		17500		15586	
	PROC. REF: NDT 57-10-00							
57-10-10-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF WING CENTER SPLICE							Service ATA:57
	MOS	20-Mar-23	60 (+1m/-1m)					
	HRS	1920:40						
	AFL	1845						
	PROC. REF: NDT 57-10-00							
	PKG:90							
57-10-10-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF WING CENTER SPLICE							Service ATA:57
	MOS	20-Mar-23	60 (+1m/-1m)					
	HRS	1920:40						
	AFL	1845						
	PROC. REF: NDT 57-10-00							
	PKG:90							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-10-10-003 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE METHOD) OF WING CENTRAL SPLICE							Service	ATA:57
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
				PROC. REF: NDT 57-10-00				PKG:90	
57-10-10-01-901	EXTERNAL - DETAILED INSPECTION WING CENTRAL SPLICES INCLUDING FASTENERS.				FRONT SPAR SPLICE, LOWER SKIN SPLICES, REAR SPAR SPLICES,		Service	ATA:57	
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
				PROC. REF: NDT 57-10-00					
57-10-10-01-902	INTERNAL DETAILED INSPECTION WING CENTRAL SPLICES FRONT , REAR AND MIDDLE SPAR ON SPLICE AREA AND MIDDLE SPAR SPLICE, INCLUDING FASTENERS.				WING LOWER SKIN ON SPLICE AREA, BETWEEN RIB1 AND RIB 2,		Service	ATA:57	
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
				PROC. REF: NDT 57-10-00					
57-10-11-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF AILERON TAB ACTUATOR SUPPORT FITTINGS AND TAB HINGE FITTINGS							Service	ATA:57
	MOS	20-Mar-23	120 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
				PROC. REF: NDT 57-10-00				PKG:87	
57-50-00-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF WING TRAILING-EDGE INBOARD AND OUTBOARD TORQUE BOXES							Service	ATA:57
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
				PROC. REF: NDT 57-50-00				PKG:84	
57-50-01-01-901	INTERNAL SPECIAL DETAILED INSPECTION WING TRAILING EDGE INBOARD TORQUEBOX AND FLAP TRACK # 1 SUPPORTS (EDDY CURRENT) WING ROOT TRACK.						Service	ATA:57	
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
				PROC. REF: NDT 57-50-00					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-50-01-01-902			INTERNAL DETAILED INSPECTION WING TRAILING EDGE INBOARD TORQUEBOX AND FLAP TRACK # 1 SUPPORTS WING ROOT TRACK.						Service ATA:57
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 57-50-00						
57-50-01-02-901			INTERNAL SPECIAL DETAILED INSPECTION WING TRAILING EDGE INBOARD TORQUEBOX AND FLAP TRACK # 1 SUPPORTS (DYE PENETRANT) WING ROOT ROLLER.						Service ATA:57
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:8875		8875		6961		
			PROC. REF: NDT 57-50-00						
57-50-01-03-901			INTERNAL SPECIAL DETAILED INSPECTION WING TRAILING EDGE INBOARD TORQUEBOX AND FLAP TRACK # 1 SUPPORTS (EDDY CURRENT) RIB 1.						Service ATA:57
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 57-50-00						
57-50-01-03-902			INTERNAL DETAILED INSPECTION WING TRAILING EDGE INBOARD TORQUEBOX AND FLAP TRACK # 1 SUPPORTS RIB 1 AND FASTENERS.						Service ATA:57
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 57-50-00						
57-50-02-01-901			INTERNAL SPECIAL DETAILED INSPECTION WING TRAILING EDGE FLAP TRACK # 2SUPPORTS WING CENTER TRACK.			(EDDY CURRENT)			Service ATA:57
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 57-50-00						
57-50-02-01-902			INTERNAL DETAILED INSPECTION WING TRAILING EDGE FLAP TRACK # 2SUPPORTS			WING CENTER TRACK.			Service ATA:57
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 57-50-00						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-50-02-02-901	INTERNAL SPECIAL DETAILED INSPECTION WING TRAILING EDGE FLAP TRACK # 2SUPPORTS (EDDY CURRENT)								Service ATA:57
	WING CENTER TRACK SUPPORT.								AIRWORTHINESS
	MOS								
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 57-50-00						
57-50-02-02-902	INTERNAL DETAILED INSPECTION WING TRAILING EDGE FLAP TRACK # 2SUPPORTS WING CENTER TRACK								Service ATA:57
	SUPPORT.								AIRWORTHINESS
	MOS								
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 57-50-00						
57-50-02-03-901	INTERNAL DETAILED INSPECTION WING TRAILING EDGE FLAP TRACK # 2SUPPORTS FITTINGS (LUG, ATTACHMENTS, PIN AND FASTENERS).								Service ATA:57
									AIRWORTHINESS
	MOS								
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 57-50-00						
57-50-03-01-901	INTERNAL SPECIAL DETAILED INSPECTION WING TRAILING EDGE OUTBOARD TORQUEBOX AND FLAP TRACK # 3 SUPPORTS (EDDY CURRENT) WING TIP TRACK.								Service ATA:57
									AIRWORTHINESS
	MOS								
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 57-50-00						
57-50-03-01-902	INTERNAL DETAILED INSPECTION WING TRAILING EDGE OUTBOARD TORQUEBOX AND FLAP TRACK # 3 SUPPORTS WING TIP TRACK.								Service ATA:57
									AIRWORTHINESS
	MOS								
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 57-50-00						
57-50-03-02-901	INTERNAL SPECIAL DETAILED INSPECTION WING TRAILING EDGE OUTBOARD TORQUEBOX AND FLAP TRACK # 3 SUPPORTS (DYE PENETRANT) WING TIP ROLLER.								Service ATA:57
									AIRWORTHINESS
	MOS								
	HRS								
	AFL		T:8875		8875		6961		
			PROC. REF: NDT 57-50-00						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-50-03-03-901	INTERNAL SPECIAL DETAILED INSPECTION WING TRAILING EDGE OUTBOARD TORQUEBOX AND FLAP TRACK # 3 SUPPORTS (EDDY CURRENT) RIBS 13 AND 13A WEB AND FLANGE.							Service	ATA:57
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
	PROC. REF: NDT 57-50-00								
57-50-03-03-902	INTERNAL DETAILED INSPECTION WING TRAILING EDGE OUTBOARD TORQUEBOX AND FLAP TRACK # 3 SUPPORTS RIBS 13 AND 13A.							Service	ATA:57
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
	PROC. REF: NDT 57-50-00								
57-50-03-04-901	EXTERNAL - DETAILED INSPECTION WING TRAILING EDGE OUTBOARD TORQUEBOX AND FLAP TRACK # 3 SUPPORTS TORQUE BOX SKIN AND FASTENERS.							Service	ATA:57
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
	PROC. REF: NDT 57-50-00								
57-50-04-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF WING TRAILING EDGE AILERON HINGE FITTING							Service	ATA:57
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
	PROC. REF: NDT 57-50-00								
	PKG:84								
57-50-04-01-901	INTERNAL SPECIAL DETAILED INSPECTION WING TRAILING EDGE AILERON SUPPORTFITTINGS (EDDY CURRENT) AILERON HINGE FITTING 01.							Service	ATA:57
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
	PROC. REF: NDT 57-50-00								
57-50-04-02-901	INTERNAL SPECIAL DETAILED INSPECTION WING TRAILING EDGE AILERON SUPPORTFITTINGS (EDDY CURRENT) AILERON HINGE FITTING 02 .							Service	ATA:57
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
	PROC. REF: NDT 57-50-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-50-04-02-902	INTERNAL DETAILED INSPECTION WING TRAILING EDGE AILERON SUPPORTFITTINGS FITTING 02.						AILERON HINGE		Service ATA:57
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
	PROC. REF: NDT 57-50-00								
57-50-04-03-901	INTERNAL SPECIAL DETAILED INSPECTION WING TRAILING EDGE AILERON SUPPORTFITTINGS (EDDY CURRENT) AILERON HINGE FITTING 03.								Service ATA:57
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
	PROC. REF: NDT 57-50-00								
57-50-04-03-902	INTERNAL DETAILED INSPECTION WING TRAILING EDGE AILERON SUPPORTFITTINGS FITTING 03.						AILERON HINGE		Service ATA:57
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
	PROC. REF: NDT 57-50-00								
57-51-00-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF FLAP ASSEMBLY								Service ATA:57
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
	PROC. REF: NDT 57-51-00								
57-51-01-01-901	EXTERNAL - DETAILED INSPECTION FLAP UPPER SKIN PANELS				FLAP UPPER SKIN FROM RIB 7 TO RIB 9.				Service ATA:57
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
	PROC. REF: NDT 57-51-00								
57-51-02-002 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE METHOD) OF THE FLAP MAIN BOX								Service ATA:57
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
	PROC. REF: NDT 57-51-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-51-02-01-901	INTERNAL SPECIAL DETAILED INSPECTION FLAP UPPER SKIN PANELS 5B.				(BORESCOPIC) FLAP FRONT SPAR BETWEEN RIB 5A AND RIB			Service ATA:57	
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:7049		7049		5135		
			PROC. REF: NDT 57-51-00						
57-51-02-03-901	EXTERNAL - DETAILED INSPECTION FLAP UPPER SKIN PANELS RIB 10.				FLAP LOWER SKIN FROM RIB 1 TO RIB 5A AND FROM RIB 5B TO			Service ATA:57	
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 57-51-00						
57-51-02-04-901	EXTERNAL SPECIAL DETAILED INSPECTION FLAP UPPER SKIN PANELS AND FROM RIB 5B TO RIB 6 AT FRONT SPAR AREA.				(EDDY CURRENT) FLAP LOWER SKIN FROM RIB 4 TO RIB 5A			Service ATA:57	
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 57-51-00						
57-51-02-05-901	INTERNAL SPECIAL DETAILED INSPECTION FLAP UPPER SKIN PANELS ROLLERS FITTING TO RIB 5A AND RIB 5B				(BORESCOPIC) AROUND FASTENERS THAT CONNECT CENTER			Service ATA:57	
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 57-51-00						
57-51-02-06-901	INTERNAL SPECIAL DETAILED INSPECTION FLAP UPPER SKIN PANELS				(EDDY CURRENT) FRONT SPAR FROM RIB 5A TO RIB 5B.			Service ATA:57	
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 57-51-00						
57-51-02-07-901	INTERNAL SPECIAL DETAILED INSPECTION FLAP UPPER SKIN PANELS				(EDDY CURRENT) RIB 1 AND RIB 10.			Service ATA:57	
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 57-51-00						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-51-03-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF FLAP TRACK FITTINGS AND ACTUATOR FITTING							Service	ATA:57
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
				PROC. REF: NDT 57-51-00				PKG:84	
57-51-03-01-901	INTERNAL SPECIAL DETAILED INSPECTION FLAP TRACKS SUPPORT FITTINGS (EDDY CURRENT) FLAP ROOT TRACK.							Service	ATA:57
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
				PROC. REF: NDT 57-51-00					
57-51-03-01-902	INTERNAL DETAILED INSPECTION FLAP TRACKS SUPPORT FITTINGS FLAP ROOT TRACK.							Service	ATA:57
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
				PROC. REF: NDT 57-51-00					
57-51-03-02-901	INTERNAL SPECIAL DETAILED INSPECTION FLAP TRACKS SUPPORT FITTINGS (EDDY CURRENT) FLAP TIP TRACK.							Service	ATA:57
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
				PROC. REF: NDT 57-51-00					
57-51-03-02-902	INTERNAL DETAILED INSPECTION FLAP TRACKS SUPPORT FITTINGS FLAP TIP TRACK.							Service	ATA:57
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
				PROC. REF: NDT 57-51-00					
57-51-03-03-901	INTERNAL SPECIAL DETAILED INSPECTION FLAP TRACKS SUPPORT FITTINGS (DYE PENETRANT) FLAP ROOT AND TIP ROLLERS.							Service	ATA:57
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
				PROC. REF: NDT 57-51-00					
57-51-03-04-901	INTERNAL SPECIAL DETAILED INSPECTION FLAP TRACKS SUPPORT FITTINGS (DYE PENETRANT) CENTER ROLLERS EXTERNAL PINS.							Service	ATA:57
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
				PROC. REF: NDT 57-51-00					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-51-03-05-901	INTERNAL SPECIAL DETAILED INSPECTION FLAP TRACKS SUPPORT FITTINGS (EDDY CURRENT) CENTER ROLLERS FITTING AROUND FASTENERS.								Service ATA:57
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 57-51-00						
57-51-04-01-901	INTERNAL DETAILED INSPECTION FLAP ACTUATOR SUPPORT FITTING				FLAP ACTUATOR SUPPORT PIN.			Service ATA:57	
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 57-51-00						
57-51-04-02-901	INTERNAL DETAILED INSPECTION FLAP ACTUATOR SUPPORT FITTING AND FASTENERS.				FLAP ACTUATOR SUPPORT FITTING			Service ATA:57	
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
			PROC. REF: NDT 57-51-00						
57-60-00	LH AILERON ASSEMBLY							Component ATA:57	
PN:PN	MOS/MSC	28-Jun-13	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
			PROC. REF: GENERIC NO REF						
57-60-00	RH AILERON ASSEMBLY							Component ATA:57	
PN:PN	MOS/MSC	28-Jun-13	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
			PROC. REF: GENERIC NO REF						
57-60-00-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF AILERON ASSEMBLY AND AILERON TAB BOX							Service ATA:57	
	MOS	20-Mar-23	120 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
			PROC. REF: NDT 57-60-00						PKG:87

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-60-01-002 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE METHOD) OF AILERON MAIN BOX							Service	ATA:57
	MOS	20-Mar-23	120 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
				PROC. REF: NDT 57-60-00				PKG:87	
57-60-01-01-901	INTERNAL SPECIAL DETAILED INSPECTION AILERON MAIN BOX				(BORESCOPIK) SKIN, SPARS, RIBS AND FASTENERS.		Service	ATA:57	
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
				PROC. REF: NDT 57-60-00					
57-60-01-01-902	EXTERNAL - DETAILED INSPECTION AILERON MAIN BOX			SKIN, SPARS, RIBS AND FASTENERS.		Service	ATA:57		
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
				PROC. REF: NDT 57-60-00					
57-60-02-01-901	INTERNAL SPECIAL DETAILED INSPECTION AILERON HINGE FITTINGS			(DYE PENETRANT) AILERON HINGE FITTINGS PINS.		Service	ATA:57		
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
				PROC. REF: NDT 57-60-00					
57-60-02-02-901	INTERNAL SPECIAL DETAILED INSPECTION AILERON HINGE FITTINGS			(EDDY CURRENT) AILERON HINGE FITTINGS (LUGS, STIFFENERS RADIUS).		Service	ATA:57		
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
				PROC. REF: NDT 57-60-00					
57-60-02-02-902	INTERNAL DETAILED INSPECTION AILERON HINGE FITTINGS			AILERON HINGE FITTINGS.		Service	ATA:57		
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
				PROC. REF: NDT 57-60-00					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-60-03-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF AILERON ACTUATOR FITTING, HINGE FITTINGS AND PINS							Service	ATA:57
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
				PROC. REF: NDT 57-60-00				PKG:84	
57-60-03-01-901	INTERNAL SPECIAL DETAILED INSPECTION AILERON CONTROL HINGE AND PIN AILERON ACTUATOR HINGE FITTINGS PINS.					(DYE PENETRANT)	Service	ATA:57	
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
				PROC. REF: NDT 57-60-00					
57-60-03-02-901	INTERNAL SPECIAL DETAILED INSPECTION AILERON CONTROL HINGE AND PIN ACTUATOR HINGE FITTINGS (LUGS, STIFFEN-ERS RADIUS).					(EDDY CURRENT) AILERON	Service	ATA:57	
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
				PROC. REF: NDT 57-60-00					
57-60-03-02-902	INTERNAL DETAILED INSPECTION AILERON CONTROL HINGE AND PIN AILERON ACTUATOR HINGE FITTINGS.							Service	ATA:57
	MOS							AIRWORTHINESS	
	HRS								
	AFL		T:17500		17500		15586		
				PROC. REF: NDT 57-60-00					
57-63-00-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF AILERON TAB ASSEMBLY							Service	ATA:57
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
				PROC. REF: NDT 57-63-00				PKG:90	
Z500-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF THE WINGS							Service	ATA:57
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
				PROC. REF: AMM 05-45-00				PKG:84	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
Z500-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF THE WINGS							Service	ATA:57
	MOS	20-Mar-23	60 (+1m/-1m)						
	HRS	1920:40							
	AFL	1845							
	PROC. REF: AMM 05-45-00							PKG:84	
ATA 71 - POWER PLANT									
71-00-00-760-813	NO. 1 ENGINE - PERFORM PW617F-E POWER ASSURANCE TEST							Service	ATA:71
	MOS/MSC	24-Mar-14	A/R						
	HRS	75:54							
	ENC	58							
	PROC. REF: MM 71-00-00								
71-00-00-760-813	NO. 2 ENGINE - PERFORM PW617F-E POWER ASSURANCE TEST							Service	ATA:71
	MOS/MSC	24-Mar-14	A/R						
	HRS	75:54							
	ENC	58							
	PROC. REF: MM 71-00-00								
71-11-00-001 ^S	GENERAL VISUAL INSPECTION OF UPPER MID COWL							Service	ATA:71
	MOS	28-Jun-13							
	HRS	0	5600 (+30/-30)						
	AFL	0							
	PROC. REF: AMM 71-11-00							PKG:50	
71-20-00-001	DISCARD LEFT ENGINE AFT MOUNT ISOLATOR							Service	ATA:71
PN:LM-474-SA2	MOS	28-Jun-13	240 (+1m/-1m)		28-Jun-33	28-Jul-33	3322 d (+30)		
SN:LK0768	HRS	0	4800 (+30/-30)		4800	4830	2812:17 (+30)		
	AFL	0							
	PROC. REF: AMM 71-20-00								
71-20-00-001	DISCARD LEFT ENGINE LOWER FORWARD MOUNT ISOLATOR							Service	ATA:71
PN:LM-474-SA28	MOS	28-Jun-13	240 (+1m/-1m)		28-Jun-33	28-Jul-33	3322 d (+30)		
SN:LK0186	HRS	0	4800 (+30/-30)		4800	4830	2812:17 (+30)		
	AFL	0							
	PROC. REF: AMM 71-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
71-20-00-001		DISCARD LEFT ENGINE UPPER FORWARD MOUNT ISOLATOR						Service	ATA:71
PN:LM-474-SA28	MOS	28-Jun-13	240 (+1m/-1m)		28-Jun-33	28-Jul-33	3322 d (+30)		
SN:LK0171	HRS	0	4800 (+30/-30)		4800	4830	2812:17 (+30)		
	AFL	0							
PROC. REF: AMM 71-20-00									
71-20-00-001		DISCARD RIGHT ENGINE AFT MOUNT ISOLATOR						Service	ATA:71
PN:LM-474-SA2	MOS	28-Jun-13	240 (+1m/-1m)		28-Jun-33	28-Jul-33	3322 d (+30)		
SN:LK0771	HRS	0	4800 (+30/-30)		4800	4830	2812:17 (+30)		
	AFL	0							
PROC. REF: AMM 71-20-00									
71-20-00-001		DISCARD RIGHT ENGINE LOWER FORWARD MOUNT ISOLATOR						Service	ATA:71
PN:LM-474-SA28	MOS	28-Jun-13	240 (+1m/-1m)		28-Jun-33	28-Jul-33	3322 d (+30)		
SN:LK0175	HRS	0	4800 (+30/-30)		4800	4830	2812:17 (+30)		
	AFL	0							
PROC. REF: AMM 71-20-00									
71-20-00-001		DISCARD RIGHT ENGINE UPPER FORWARD MOUNT ISOLATOR						Service	ATA:71
PN:LM-474-SA28	MOS	28-Jun-13	240 (+1m/-1m)		28-Jun-33	28-Jul-33	3322 d (+30)		
SN:LK0173	HRS	0	4800 (+30/-30)		4800	4830	2812:17 (+30)		
	AFL	0							
PROC. REF: AMM 71-20-00									
71-21-01		LEFT ENGINE LOWER FORWARD MOUNT ISOLATOR						Component	ATA:71
PN:LM-474-SA28	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:LK0186	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 71-21-00, AMM 71-21-00									
71-21-01		LEFT ENGINE UPPER FORWARD MOUNT ISOLATOR						Component	ATA:71
PN:LM-474-SA28	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:LK0171	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 71-21-00, AMM 71-21-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-21-01 RIGHT ENGINE LOWER FORWARD MOUNT ISOLATOR								Component ATA:71
PN:LM-474-SA28	MOS/MSC	28-Jun-13	O/C	TSN 0				
SN:LK0175	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-21-00, AMM 71-21-00								
71-21-01 RIGHT ENGINE UPPER FORWARD MOUNT ISOLATOR								Component ATA:71
PN:LM-474-SA28	MOS/MSC	28-Jun-13	O/C	TSN 0				
SN:LK0173	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-21-00, AMM 71-21-00								
71-21-01-01-901 INTERNAL SPECIAL DETAILED INSPECTION ENGINE FORWARD MOUNTING ASSEMBLY (DYE PENETRANT) HOUSING.								Service ATA:71
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:5000		5000		3086	
PROC. REF: NDT 71-21-00								
71-21-01-01-902 INTERNAL DETAILED INSPECTION ENGINE FORWARD MOUNTING ASSEMBLY ENGINE BOLT AND SLEEVE BOLT.								Service ATA:71
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:5000		5000		3086	
PROC. REF: NDT 71-21-00								
71-22-01 LEFT ENGINE AFT MOUNT ISOLATOR								Component ATA:71
PN:LM-474-SA2	MOS/MSC	28-Jun-13	O/C	TSN 0				
SN:LK0768	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-22-00, AMM 71-22-00								
71-22-01 RIGHT ENGINE AFT MOUNT ISOLATOR								Component ATA:71
PN:LM-474-SA2	MOS/MSC	28-Jun-13	O/C	TSN 0				
SN:LK0771	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 71-22-00, AMM 71-22-00								
71-22-01-01-901 INTERNAL SPECIAL DETAILED INSPECTION ENGINE AFT MOUNTING ASSEMBLY (DYE PENETRANT) HOUSING.								Service ATA:71
	MOS							AIRWORTHINESS
	HRS							
	AFL		T:5000		5000		3086	
PROC. REF: NDT 71-22-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
71-22-01-01-902	INTERNAL DETAILED INSPECTION ENGINE AFT MOUNTING ASSEMBLY PYLON BOLTS, ENGINE BOLTS AND SLEEVE BOLTS.							Service	ATA:71
	MOS	15-Nov-21						AIRWORTHINESS	
	HRS	1569:58							
	AFL	1496	1500		2996		1082		
PROC. REF: NDT 71-22-00									
71-31-00-001 ^S	DETAILED VISUAL INSPECTION OF PYLON FIREWALL SEAL							Service	ATA:71
	MOS	28-Jun-13							
	HRS	0	2400 (+30/-30)						
	AFL	0							
PROC. REF: AMM 71-31-00									
PKG:20									
71-50-00	LH ENG W403 HARNESS							Component	ATA:71
PN:PN	MOS/MSC	28-Jun-13	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 71-50-00, AMM 71-50-00									
71-50-00	RH ENG W404 HARNESS							Component	ATA:71
PN:PN	MOS/MSC	28-Jun-13	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 71-50-00, AMM 71-50-00									
71-60-01	LH ENG NACELLE AIR INLET ASSEMBLY							Component	ATA:71
PN:500-36000-407	MOS/MSC	28-Jun-13	O/C		TSN 0				
SN:01681	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 71-60-01, AMM 71-60-01									
71-60-01	RH ENG NACELLE AIR INLET ASSEMBLY							Component	ATA:71
PN:500-36000-407	MOS/MSC	28-Jun-13	O/C		TSN 0				
SN:01679	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 71-60-01, AMM 71-60-01									
710010	NO. 1 ENGINE - COMPRESSOR DESALINIZATION WASH							Service	ATA:71
	MOS/MSC	20-Mar-24	A/R						
	HRS	1971:12							
	ENC	1900							
PROC. REF: LMM 71-00-00, LMM 71-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
710010	NO. 2 ENGINE - COMPRESSOR DESALINIZATION WASH							Service	ATA:71
	MOS/MSC	20-Mar-24	A/R						
	HRS	1971:12							
	ENC	1900							
PROC. REF: LMM 71-00-00, LMM 71-00-00									
710011	NO. 1 ENGINE - PERFORMANCE RECOVERY WASH							Service	ATA:71
	MOS	01-Dec-23	12		01-Dec-24		191 d		
	HRS	1960:25	600		(2560:25) 2560:25		572:42		
	ENC	1890							
PROC. REF: LMM 71-00-00									
710011	NO. 2 ENGINE - PERFORMANCE RECOVERY WASH							Service	ATA:71
	MOS	01-Dec-23	12		01-Dec-24		191 d		
	HRS	1960:25	600		(2560:25) 2560:25		572:42		
	ENC	1890							
PROC. REF: LMM 71-00-00									
71EN1	NO. 1 ENGINE							Component	ATA:71
PN:35C3100-01	MOS/MSC		E/C						
SN:PCE-LC0602	HRS								
WC#: 71.EN1	AFL								
PROC. REF: AMM 71-00-00, AMM 71-00-00									
71EN2	NO. 2 ENGINE							Component	ATA:71
PN:35C3100-01	MOS/MSC		E/C						
SN:PCE-LC0603	HRS								
WC#: 71.EN2	AFL								
PROC. REF: AMM 71-00-00, AMM 71-00-00									
ATA 72 - ENGINE									
72-00-00-001 ^S	VISUAL CHECK OF ENGINE MAINTENANCE PAGE FOR ENGINE DISPATCH AND EXCEEDANCE INFORMATION							Service	ATA:72
	MOS	20-Mar-24	12 (+1m/-1m)						
	HRS	1971:12							
	AFL	1900							
PROC. REF: AMM 72-00-00									
PKG:80									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-00-00-212-801 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE LP COMPRESSOR INLET AREA							Service	ATA:72
	MOS	20-Mar-24	12 (+30d)						
	HRS	1971:12	800 (+10%)						
	ENC	1900							
					PROC. REF: LMM 72-00-00			PKG:1	
72-00-00-212-801 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE LP COMPRESSOR INLET AREA							Service	ATA:72
	MOS	20-Mar-24	12 (+30d)						
	HRS	1971:12	800 (+10%)						
	ENC	1900							
					PROC. REF: LMM 72-00-00			PKG:1	
72-00-00-212-802 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE AGB							Service	ATA:72
	MOS	20-Mar-24	12 (+30d)						
	HRS	1971:12	800 (+10%)						
	ENC	1900							
					PROC. REF: LMM 72-00-00			PKG:1	
72-00-00-212-802 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE AGB							Service	ATA:72
	MOS	20-Mar-24	12 (+30d)						
	HRS	1971:12	800 (+10%)						
	ENC	1900							
					PROC. REF: LMM 72-00-00			PKG:1	
72-00-00-212-803 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE BYPASS DUCT							Service	ATA:72
	MOS	20-Mar-24	12 (+30d)						
	HRS	1971:12	800 (+10%)						
	ENC	1900							
					PROC. REF: LMM 72-00-00			PKG:1	
72-00-00-212-803 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE BYPASS DUCT							Service	ATA:72
	MOS	20-Mar-24	12 (+30d)						
	HRS	1971:12	800 (+10%)						
	ENC	1900							
					PROC. REF: LMM 72-00-00			PKG:1	
72-00-00-212-804 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE TURBINE EXHAUST CASE							Service	ATA:72
	MOS	20-Mar-24	12 (+30d)						
	HRS	1971:12	800 (+10%)						
	ENC	1900							
					PROC. REF: LMM 72-00-00			PKG:1	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-00-00-212-804 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE TURBINE EXHAUST CASE							Service	ATA:72
	MOS	20-Mar-24	12 (+30d)						
	HRS	1971:12	800 (+10%)						
	ENC	1900							
					PROC. REF: LMM 72-00-00			PKG:1	
72-00-00-212-805 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE FUEL DISTRIBUTION SYSTEM							Service	ATA:72
	MOS	20-Mar-24	12 (+30d)						
	HRS	1971:12	800 (+10%)						
	ENC	1900							
					PROC. REF: LMM 72-00-00			PKG:1	
72-00-00-212-805 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE FUEL DISTRIBUTION SYSTEM							Service	ATA:72
	MOS	20-Mar-24	12 (+30d)						
	HRS	1971:12	800 (+10%)						
	ENC	1900							
					PROC. REF: LMM 72-00-00			PKG:1	
72-00-00-212-806 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE OIL DISTRIBUTION SYSTEM							Service	ATA:72
	MOS	20-Mar-24	12 (+30d)						
	HRS	1971:12	800 (+10%)						
	ENC	1900							
					PROC. REF: LMM 72-00-00			PKG:1	
72-00-00-212-806 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE OIL DISTRIBUTION SYSTEM							Service	ATA:72
	MOS	20-Mar-24	12 (+30d)						
	HRS	1971:12	800 (+10%)						
	ENC	1900							
					PROC. REF: LMM 72-00-00			PKG:1	
72-00-00-215-801 ^S	NO. 1 ENGINE - DETAILED INSPECTION OF THE LP COMPRESSOR INLET AREA							Service	ATA:72
	MOS	20-Mar-24	12 (+30d)						
	HRS	1971:12	800 (+10%)						
	ENC	1900							
					PROC. REF: LMM 72-00-00			PKG:1	
72-00-00-215-801 ^S	NO. 2 ENGINE - DETAILED INSPECTION OF THE LP COMPRESSOR INLET AREA							Service	ATA:72
	MOS	20-Mar-24	12 (+30d)						
	HRS	1971:12	800 (+10%)						
	ENC	1900							
					PROC. REF: LMM 72-00-00			PKG:1	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-00-00-215-802 ^S	NO. 1 ENGINE - DETAILED INSPECTION OF THE COMPRESSOR CASE ASSEMBLY							Service	ATA:72
	MOS	20-Mar-23							
	HRS	1920:40	800 (+10%)						
	ENC	1845							
					PROC. REF: LMM 72-00-00			PKG:2	
72-00-00-215-802 ^S	NO. 2 ENGINE - DETAILED INSPECTION OF THE COMPRESSOR CASE ASSEMBLY							Service	ATA:72
	MOS	20-Mar-23							
	HRS	1920:40	800 (+10%)						
	ENC	1845							
					PROC. REF: LMM 72-00-00			PKG:2	
72-00-00-215-803 ^S	NO. 1 ENGINE - DETAILED INSPECTION OF THE FAN CASE EXTERNAL AREA							Service	ATA:72
	MOS	20-Mar-23							
	HRS	1920:40	800 (+10%)						
	ENC	1845							
					PROC. REF: LMM 72-00-00			PKG:2	
72-00-00-215-803 ^S	NO. 2 ENGINE - DETAILED INSPECTION OF THE FAN CASE EXTERNAL AREA							Service	ATA:72
	MOS	20-Mar-23							
	HRS	1920:40	800 (+10%)						
	ENC	1845							
					PROC. REF: LMM 72-00-00			PKG:2	
72-00-00-280-802	NO. 1 ENGINE - PERFORM ENGINE OIL SAMPLING AND ANALYSIS							Service	ATA:72
	MOS	20-Mar-24	12 (+30d)		20-Mar-25	19-Apr-25	300 d (+30)		
	HRS	1971:12	200 (+10%)		(2171:12) 2171:12	2191:12	183:29 (+20)		
	ENC	1900							
					PROC. REF: LMM 72-00-00				
72-00-00-280-802	NO. 2 ENGINE - PERFORM ENGINE OIL SAMPLING AND ANALYSIS							Service	ATA:72
	MOS	20-Mar-24	12 (+30d)		20-Mar-25	19-Apr-25	300 d (+30)		
	HRS	1971:12	200 (+10%)		(2171:12) 2171:12	2191:12	183:29 (+20)		
	ENC	1900							
					PROC. REF: LMM 72-00-00				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-00-00-290-804	NO. 1 ENGINE - PERFORM BORESCOPE INSPECTION							Service	ATA:72
	MOS/MSC	24-Mar-14	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	75:54							
	ENC	58							
	PROC. REF: MM 72-00-00								
72-00-00-290-804	NO. 2 ENGINE - PERFORM BORESCOPE INSPECTION							Service	ATA:72
	MOS/MSC	24-Mar-14	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	75:54							
	ENC	58							
	PROC. REF: MM 72-00-00								
72-00-00-290-815	NO. 1 ENGINE - SPECIFIC DETAILED INSPECTION OF THE EMERGENCY FUEL SHUTOFF VALVE LEVER ASSEMBLY							Service	ATA:72
	MOS	20-Mar-23							
	HRS	1920:40	1750 (+50)		(3670:40) 3670:40	3720:40	1682:57 (+50)		
	ENC	1845							
	PROC. REF: LMM 72-00-00								
72-00-00-290-815	NO. 2 ENGINE - SPECIFIC DETAILED INSPECTION OF THE EMERGENCY FUEL SHUTOFF VALVE LEVER ASSEMBLY							Service	ATA:72
	MOS	20-Mar-23							
	HRS	1920:40	1750 (+50)		(3670:40) 3670:40	3720:40	1682:57 (+50)		
	ENC	1845							
	PROC. REF: LMM 72-00-00								
72-00-00-620-801	NO. 1 ENGINE - ENGINE PRESERVATION - ENGINE INACTIVE 0 - 7 DAYS							Service	ATA:72
	MOS/MSC		A/R						
	HRS								
	ENC								
	PROC. REF: LMM 72-00-00								
72-00-00-620-801	NO. 1 ENGINE - ENGINE PRESERVATION - ENGINE INACTIVE 29 - 90 DAYS							Service	ATA:72
	MOS/MSC		A/R						
	HRS								
	ENC								
	PROC. REF: LMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00-00-620-801	NO. 1 ENGINE - ENGINE PRESERVATION - ENGINE INACTIVE			8 - 28 DAYS				Service ATA:72
	MOS/MSC		A/R					
	HRS							
	ENC							
			PROC. REF: LMM 72-00-00					
72-00-00-620-801	NO. 1 ENGINE - ENGINE PRESERVATION - ENGINE INACTIVE			OVER 90 DAYS				Service ATA:72
	MOS/MSC		A/R					
	HRS							
	ENC							
			PROC. REF: LMM 72-00-00					
72-00-00-620-801	NO. 2 ENGINE - ENGINE PRESERVATION - ENGINE INACTIVE			0 - 7 DAYS				Service ATA:72
	MOS/MSC		A/R					
	HRS							
	ENC							
			PROC. REF: LMM 72-00-00					
72-00-00-620-801	NO. 2 ENGINE - ENGINE PRESERVATION - ENGINE INACTIVE			29 - 90 DAYS				Service ATA:72
	MOS/MSC		A/R					
	HRS							
	ENC							
			PROC. REF: LMM 72-00-00					
72-00-00-620-801	NO. 2 ENGINE - ENGINE PRESERVATION - ENGINE INACTIVE			8 - 28 DAYS				Service ATA:72
	MOS/MSC		A/R					
	HRS							
	ENC							
			PROC. REF: LMM 72-00-00					
72-00-00-620-801	NO. 2 ENGINE - ENGINE PRESERVATION - ENGINE INACTIVE			OVER 90 DAYS				Service ATA:72
	MOS/MSC		A/R					
	HRS							
	ENC							
			PROC. REF: LMM 72-00-00					
72-00-00-630-801	NO. 1 ENGINE - ENGINE DEPRESERVATION							Service ATA:72
	MOS/MSC		A/R					
	HRS							
	ENC							
			PROC. REF: LMM 72-00-00					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-00-00-630-801	NO. 2 ENGINE - ENGINE DEPRESERVATION							Service	ATA:72
	MOS/MSC		A/R						
	HRS								
	ENC								
					PROC. REF: LMM 72-00-00				
72-00-00-640-803 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE ENGINE OIL LEVEL							Service	ATA:72
	MOS	20-Mar-24	12 (+30d)						
	HRS	1971:12	800 (+10%)						
	ENC	1900							
					PROC. REF: LMM 72-00-00			PKG:1	
72-00-00-640-803 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE ENGINE OIL LEVEL							Service	ATA:72
	MOS	20-Mar-24	12 (+30d)						
	HRS	1971:12	800 (+10%)						
	ENC	1900							
					PROC. REF: LMM 72-00-00			PKG:1	
72-00-02-810-801	NO. 1 ENGINE - PERFORM EEC FAULT INTERROGATION(TLD/LTD) ENGINE CONTROL SYSTEM							Service	ATA:72
	MOS/MSC	28-Jun-13	A/R						
	HRS	0							
	ENC	0							
					PROC. REF: LMM 72-00-02				
72-00-02-810-801	NO. 2 ENGINE - PERFORM EEC FAULT INTERROGATION(TLD/LTD) ENGINE CONTROL SYSTEM							Service	ATA:72
	MOS/MSC	28-Jun-13	A/R						
	HRS	0							
	ENC	0							
					PROC. REF: LMM 72-00-02				
72-30-04-000-803	NO. 1 ENGINE - REPLACE FRONT NO. 4 BEARING CARBON SEAL							Component	ATA:72
PN:35C6516	MOS	20-Mar-23		TSN 0				LIFE LIMIT	
SN:RXA500G8	HRS	1920:40	1750 (+50)	TSN 0	(3670:40) 3670:40	3720:40	1682:57 (+50)		
	ENC	1845		TSN 0					
					PROC. REF: MM 72-30-04, MM 72-30-04, LMM 72-30-04, LMM 72-30-04				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-30-04-000-803	NO. 2 ENGINE - REPLACE FRONT NO. 4 BEARING CARBON SEAL							Component	ATA:72
PN:35C6516	MOS	20-Mar-23		TSN 0			LIFE LIMIT		
SN:RXA500G3	HRS	1920:40	1750 (+50)	TSN 0	(3670:40) 3670:40	3720:40	1682:57 (+50)		
	ENC	1845		TSN 0					
PROC. REF: MM 72-30-04, MM 72-30-04, LMM 72-30-04, LMM 72-30-04									
72-30-04-000-804	NO. 1 ENGINE - REPLACE REAR NO. 4 BEARING CARBON SEAL							Component	ATA:72
PN:35C6516	MOS	20-Mar-23		TSN 0			LIFE LIMIT		
SN:RXA572G7	HRS	1920:40	1750 (+50)	TSN 0	(3670:40) 3670:40	3720:40	1682:57 (+50)		
	ENC	1845		TSN 0					
PROC. REF: MM 72-30-04, MM 72-30-04, LMM 72-30-04, LMM 72-30-04									
72-30-04-000-804	NO. 2 ENGINE - REPLACE REAR NO. 4 BEARING CARBON SEAL							Component	ATA:72
PN:35C6516	MOS	20-Mar-23		TSN 0			LIFE LIMIT		
SN:RXA499G9	HRS	1920:40	1750 (+50)	TSN 0	(3670:40) 3670:40	3720:40	1682:57 (+50)		
	ENC	1845		TSN 0					
PROC. REF: MM 72-30-04, MM 72-30-04, LMM 72-30-04, LMM 72-30-04									
72-50-02-000-801	NO. 1 ENGINE - DISCARD HP TURBINE VANE RETAINING RING							Service	ATA:72
	MOS	20-Mar-23							
	HRS	1920:40	3500		(5420:40) 5420:40		3432:57		
	ENC	1845							
PROC. REF: MM 72-50-02, MM 72-50-02, MM 72-50-02, LMM 72-50-02, LMM 72-50-02									
72-50-02-000-801	NO. 1 ENGINE - DISCARD HP TURBINE VANE RETAINING RING BOLTS							Service	ATA:72
	MOS	20-Mar-23							
	HRS	1920:40	3500		(5420:40) 5420:40		3432:57		
	ENC	1845							
PROC. REF: MM 72-50-02, MM 72-50-02, MM 72-50-02, LMM 72-50-02, LMM 72-50-02									
72-50-02-000-801	NO. 2 ENGINE - DISCARD HP TURBINE VANE RETAINING RING							Service	ATA:72
	MOS	20-Mar-23							
	HRS	1920:40	3500		(5420:40) 5420:40		3432:57		
	ENC	1845							
PROC. REF: MM 72-50-02, MM 72-50-02, MM 72-50-02, LMM 72-50-02, LMM 72-50-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-50-02-000-801	NO. 2 ENGINE - DISCARD HP TURBINE VANE RETAINING RING BOLTS							Service	ATA:72
	MOS	20-Mar-23							
	HRS	1920:40	3500		(5420:40) 5420:40		3432:57		
	ENC	1845							
PROC. REF: MM 72-50-02, MM 72-50-02, MM 72-50-02, LMM 72-50-02, LMM 72-50-02									
72-60-01-000-805	NO. 1 ENGINE - DISCARD THE STARTER GENERATOR GEAR-SHAFT SPLINE ADAPTER							Component	ATA:72
PN:ST3983-01	MOS	20-Mar-23		TSN 0				DISCARD	
SN:NSN	HRS	1920:40	1750 (+50)	TSN 0	(3670:40) 3670:40	3720:40	1682:57 (+50)		
	ENC	1845		TSN 0					
PROC. REF: LMM 72-60-01, LMM 72-60-01									
72-60-01-000-805	NO. 2 ENGINE - DISCARD THE STARTER GENERATOR GEAR-SHAFT SPLINE ADAPTER							Component	ATA:72
PN:ST3983-01	MOS	20-Mar-23		TSN 0				DISCARD	
SN:NSN	HRS	1920:40	1750 (+50)	TSN 0	(3670:40) 3670:40	3720:40	1682:57 (+50)		
	ENC	1845		TSN 0					
PROC. REF: LMM 72-60-01, LMM 72-60-01									
720000	NO. 1 ENGINE - PERFORM ENGINE OVERHAUL							Service	ATA:72
	MOS	17-Jan-13						OVERHAUL	
	HRS	0	3500 (+100)		(3500) 3500	3600	1512:17 (+100)		
	ENC	0							
PROC. REF: GENERIC NO REF									
720000	NO. 2 ENGINE - PERFORM ENGINE OVERHAUL							Service	ATA:72
	MOS	23-Jan-13						OVERHAUL	
	HRS	0	3500 (+100)		(3500) 3500	3600	1512:17 (+100)		
	ENC	0							
PROC. REF: GENERIC NO REF									
720001	NO. 1 ENGINE - PERFORM ENGINE HOT SECTION INSPECTION							Service	ATA:72
	MOS	20-Mar-23							
	HRS	1920:40	1750 (+50)		(3670:40) 3670:40	3720:40	1682:57 (+50)		
	ENC	1845							
PROC. REF: MM 72-00-00, LMM 72-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
720001	NO. 2 ENGINE - PERFORM ENGINE HOT SECTION INSPECTION							Service	ATA:72
	MOS	20-Mar-23							
	HRS	1920:40	1750 (+50)		(3670:40) 3670:40	3720:40	1682:57 (+50)		
	ENC	1845							
	PROC. REF: MM 72-00-00, LMM 72-00-00								
720003	NO. 1 ENGINE - INSPECT LOW UTILIZATION ENGINE (IF REQUIRED - SEE NOTES)							Service	ATA:72
	MOS	17-Jan-13	T:144 (+1m)		17-Jan-25	17-Feb-25	238 d (+31)		
	HRS	0							
	ENC	0							
	PROC. REF: GENERIC NO REF								
720003	NO. 2 ENGINE - INSPECT LOW UTILIZATION ENGINE (IF REQUIRED - SEE NOTES)							Service	ATA:72
	MOS	23-Jan-13	T:144 (+1m)		23-Jan-25	23-Feb-25	244 d (+31)		
	HRS	0							
	ENC	0							
	PROC. REF: GENERIC NO REF								
720010	NO. 1 ENGINE - FAN ROTOR							Component	ATA:72
PN:35C3881-01	MOS	17-Jan-13		TSN 0				LIFE LIMIT	
SN:AATPWADC013	HRS	0		TSN 0					
	ENC	0		TSN 0	(10500) 10500 (M)		8586		
	ACCCYC	0	10500	TSN 0			8600		
	PROC. REF: GENERIC NO REF								
720010	NO. 2 ENGINE - FAN ROTOR							Component	ATA:72
PN:35C3881-01	MOS	23-Jan-13		TSN 0				LIFE LIMIT	
SN:AATPWADC037	HRS	0		TSN 0					
	ENC	0		TSN 0	(10500) 10500 (M)		8586		
	ACCCYC	0	10500	TSN 0			8600		
	PROC. REF: GENERIC NO REF								
720030 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE EXTERIOR OF THE ENGINE FOR EVIDENCE OF OIL LEAKS							Service	ATA:72
	MOS	20-Mar-24	12 (+30d)						
	HRS	1971:12	800 (+10%)						
	ENC	1900							
	PROC. REF: GENERIC NO REF								

PKG:1

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
720030 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE EXTERIOR OF THE ENGINE FOR EVIDENCE OF OIL LEAKS							Service	ATA:72
	MOS	20-Mar-24	12 (+30d)						
	HRS	1971:12	800 (+10%)						
	ENC	1900							
	PROC. REF: GENERIC NO REF								PKG:1
721010	NO. 1 ENGINE - HP TURBINE DISK							Component	ATA:72
PN:35C3091-01	MOS	17-Jan-13		TSN 0				LIFE LIMIT	
SN:CRAZAEGA026	HRS	0		TSN 0					
	ENC	0		TSN 0	(5250) 5250 (M)		3336		
	ACCCYC	0	5250	TSN 0			3350		
	PROC. REF: GENERIC NO REF								
721010	NO. 2 ENGINE - HP TURBINE DISK							Component	ATA:72
PN:35C3091-01	MOS	23-Jan-13		TSN 0				LIFE LIMIT	
SN:CRAZAEEM001	HRS	0		TSN 0					
	ENC	0		TSN 0	(5250) 5250 (M)		3336		
	ACCCYC	0	5250	TSN 0			3350		
	PROC. REF: GENERIC NO REF								
721015	NO. 1 ENGINE - HP TURBINE DISK BALANCING ASSEMBLY							Component	ATA:72
PN:PN	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
	PROC. REF: GENERIC NO REF								
721015	NO. 2 ENGINE - HP TURBINE DISK BALANCING ASSEMBLY							Component	ATA:72
PN:PN	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
	PROC. REF: GENERIC NO REF								
721020	NO. 1 ENGINE - LP TURBINE DISK							Component	ATA:72
PN:35C5392-01	MOS	17-Jan-13		TSN 0				LIFE LIMIT	
SN:CRAZAEHC023	HRS	0		TSN 0					
	ENC	0		TSN 0	(10500) 10500 (M)		8586		
	ACCCYC	0	10500	TSN 0			8600		
	PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
721020	NO. 2 ENGINE - LP TURBINE DISK							Component	ATA:72
PN:35C5392-01	MOS	23-Jan-13		TSN 0				LIFE LIMIT	
SN:CRAZAEFS022	HRS	0		TSN 0					
	ENC	0		TSN 0	(10500)		8586		
	ACCCYC	0	10500	TSN 0	10500 (M)		8600		
PROC. REF: GENERIC NO REF									
721025	NO. 1 ENGINE - LP TURBINE DISK BALANCING ASSEMBLY							Component	ATA:72
PN:PN	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
721025	NO. 2 ENGINE - LP TURBINE DISK BALANCING ASSEMBLY							Component	ATA:72
PN:PN	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723010	NO. 1 ENGINE - IMPELLER AND SHAFT ASSEMBLY							Component	ATA:72
PN:35C4716-01	MOS	17-Jan-13		TSN 0				LIFE LIMIT	
SN:AAPPICBJ2036	HRS	0		TSN 0					
	ENC	0		TSN 0	(10500)		8586		
	ACCCYC	0	10500	TSN 0	10500 (M)		8600		
PROC. REF: GENERIC NO REF									
723010	NO. 2 ENGINE - IMPELLER AND SHAFT ASSEMBLY							Component	ATA:72
PN:35C4716-01	MOS	23-Jan-13		TSN 0				LIFE LIMIT	
SN:AAPPAPC2029	HRS	0		TSN 0					
	ENC	0		TSN 0	(10500)		8586		
	ACCCYC	0	10500	TSN 0	10500 (M)		8600		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723015	NO. 1 ENGINE - LP COMPRESSOR SHAFT							Component	ATA:72
PN:35C4620-01	MOS	17-Jan-13		TSN 0				LIFE LIMIT	
SN:KWA6217011	HRS	0		TSN 0					
	ENC	0		TSN 0	(10500)		8586		
	ACCCYC	0	10500	TSN 0	10500 (M)		8600		
PROC. REF: GENERIC NO REF									
723015	NO. 2 ENGINE - LP COMPRESSOR SHAFT							Component	ATA:72
PN:35C4620-01	MOS	23-Jan-13		TSN 0				LIFE LIMIT	
SN:KWA6367908	HRS	0		TSN 0					
	ENC	0		TSN 0	(10500)		8586		
	ACCCYC	0	10500	TSN 0	10500 (M)		8600		
PROC. REF: GENERIC NO REF									
723020	NO. 1 ENGINE - TOWERSHAFT ANNULAR BALL BEARING							Component	ATA:72
PN:35C2168-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:FCN357052	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723020	NO. 2 ENGINE - TOWERSHAFT ANNULAR BALL BEARING							Component	ATA:72
PN:35C2168-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:FCN357032	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723025	NO. 1 ENGINE - HIGH COMPRESSOR ROTOR BALANCING ASSEMBLY BALL ANNULAR BEARING							Component	ATA:72
PN:35C4832-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:FCN315857	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723025	NO. 2 ENGINE - HIGH COMPRESSOR ROTOR BALANCING ASSEMBLY BALL ANNULAR BEARING							Component	ATA:72
PN:35C4832-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:FCN300273	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723030	NO. 1 ENGINE - LP SHAFT BALL ANNULAR BEARING							Component	ATA:72
PN:35C5051-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:FCN363969	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723030	NO. 2 ENGINE - LP SHAFT BALL ANNULAR BEARING							Component	ATA:72
PN:35C5051-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:FCN363977	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723035	NO. 1 ENGINE - LP SHAFT BALL FLANGED BEARING							Component	ATA:72
PN:PN	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723035	NO. 2 ENGINE - LP SHAFT BALL FLANGED BEARING							Component	ATA:72
PN:PN	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723040	NO. 1 ENGINE - TOWERSHAFT ROLLER BEARING							Component	ATA:72
PN:3107496-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:FCN358045	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723040	NO. 2 ENGINE - TOWERSHAFT ROLLER BEARING							Component	ATA:72
PN:3107496-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:FCN355094	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723045	NO. 1 ENGINE - HIGH COMPRESSOR ROTOR ROLLER BEARING							Component	ATA:72
PN:35C4534-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:FCN361852	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723045	NO. 2 ENGINE - HIGH COMPRESSOR ROTOR ROLLER BEARING							Component	ATA:72
PN:35C4534-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:FCN361851	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723050	NO. 1 ENGINE - FAN CASE ASSEMBLY							Component	ATA:72
PN:35C5325-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:NYAB00007369	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-30-02, LMM 72-30-02									
723050	NO. 2 ENGINE - FAN CASE ASSEMBLY							Component	ATA:72
PN:35C5325-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:NYAB00007408	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-30-02, LMM 72-30-02									
723055	NO. 1 ENGINE - COMPRESSOR CASE ASSEMBLY							Component	ATA:72
PN:35C5672-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:RWA88D831	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723055	NO. 2 ENGINE - COMPRESSOR CASE ASSEMBLY							Component	ATA:72
PN:35C5672-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:RWA84D102	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723060	NO. 1 ENGINE - HIGH PRESSURE DIFFUSER CASE ASSEMBLY							Component	ATA:72
PN:35C5721-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:RWA85D340	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723060	NO. 2 ENGINE - HIGH PRESSURE DIFFUSER CASE ASSEMBLY							Component	ATA:72
PN:35C5721-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:RWA88D957	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723065	NO. 1 ENGINE - LOWER SPIRAL BEVEL GEARBOX DRIVE GEAR SHAFT							Component	ATA:72
PN:35C5334-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:PKAAA438318	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723065	NO. 2 ENGINE - LOWER SPIRAL BEVEL GEARBOX DRIVE GEAR SHAFT							Component	ATA:72
PN:35C5334-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:PKAAA403280	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723070	NO. 1 ENGINE - UPPER SPIRAL BEVEL GEARBOX DRIVE GEAR SHAFT							Component	ATA:72
PN:35C3627-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:PKAAA416612	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723070	NO. 2 ENGINE - UPPER SPIRAL BEVEL GEARBOX DRIVE GEAR SHAFT							Component	ATA:72
PN:35C3627-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:PKAAA448050	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723075	NO. 1 ENGINE - SPIRAL BEVEL GEARBOX DRIVE GEAR							Component	ATA:72
PN:35C3628-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:PKAAA435352	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723075	NO. 2 ENGINE - SPIRAL BEVEL GEARBOX DRIVE GEAR							Component	ATA:72
PN:35C3628-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:PKAAA416633	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723080	NO. 1 ENGINE - IMPELLER CENTRIFUGAL ASSEMBLY							Component	ATA:72
PN:35C4714-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:AAPPICBJ2036	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723080	NO. 2 ENGINE - IMPELLER CENTRIFUGAL ASSEMBLY							Component	ATA:72
PN:35C4714-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:AAPPIAPC2029	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723085	NO. 1 ENGINE - FRONT NO. 4 SEAL BEARING RUNNER							Component	ATA:72
PN:35C5326-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:MDAA000A698	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723085	NO. 2 ENGINE - FRONT NO. 4 SEAL BEARING RUNNER							Component	ATA:72
PN:35C5326-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:MDAA000A688	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723090	NO. 1 ENGINE - REAR NO. 4 SEAL BEARING RUNNER							Component	ATA:72
PN:35C4623-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:EYA31490	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723090	NO. 2 ENGINE - REAR NO. 4 SEAL BEARING RUNNER							Component	ATA:72
PN:35C4623-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:EYA31475	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723095	NO. 1 ENGINE - COMPRESSOR STATOR ASSEMBLY							Component	ATA:72
PN:35C5330-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:PKAAA463975	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723095	NO. 2 ENGINE - COMPRESSOR STATOR ASSEMBLY							Component	ATA:72
PN:35C5330-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:PKAAA463980	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723110	NO. 1 ENGINE - HOUSING IMPELLER ASSEMBLY							Component	ATA:72
PN:35C5211-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:RWA84D080	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723110	NO. 2 ENGINE - HOUSING IMPELLER ASSEMBLY							Component	ATA:72
PN:35C5211-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:RWA84D083	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
724010	NO. 1 ENGINE - INNER COMBUSTOR CHAMBER LINER ASSEMBLY							Component	ATA:72
PN:35C5050-01	MOS/MSC	20-Mar-23	O/C	TSN 0					
SN:A0055TT6	HRS	1920:40		TSN 0					
	ENC	1845		TSN 0					
PROC. REF: GENERIC NO REF									
724010	NO. 2 ENGINE - INNER COMBUSTOR CHAMBER LINER ASSEMBLY							Component	ATA:72
PN:35C5050-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:A0039808	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
724015	NO. 1 ENGINE - OUTER COMBUSTOR CHAMBER LINER ASSEMBLY							Component	ATA:72
PN:35C5053-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:A0039804	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
724015	NO. 2 ENGINE - OUTER COMBUSTOR CHAMBER LINER ASSEMBLY							Component	ATA:72
PN:35C5053-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:A0039803	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725010	NO. 1 ENGINE - HP COMPRESSOR ROTOR							Component	ATA:72
PN:35C4781-01	MOS	17-Jan-13		TSN 0				LIFE LIMIT	
SN:AATPWADA005	HRS	0		TSN 0					
	ENC	0		TSN 0	(10500)		8586		
	ACCCYC	0	10500	TSN 0	10500 (M)		8600		
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - HP COMPRESSOR ROTOR							Component	ATA:72
PN:35C4781-01	MOS	23-Jan-13		TSN 0				LIFE LIMIT	
SN:AATPWACY080	HRS	0		TSN 0					
	ENC	0		TSN 0	(10500)		8586		
	ACCCYC	0	10500	TSN 0	10500 (M)		8600		
PROC. REF: GENERIC NO REF									
725015	NO. 1 ENGINE - BALL ROLLER ANNULAR BEARING							Component	ATA:72
PN:35C0590-02	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:FCN359301	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725015	NO. 2 ENGINE - BALL ROLLER ANNULAR BEARING							Component	ATA:72
PN:35C0590-02	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:FCN355393	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725020	NO. 1 ENGINE - HIGH PRESSURE TURBINE CASE ASSEMBLY							Component	ATA:72
PN:35C4726-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:RWA86D845	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725020	NO. 2 ENGINE - HIGH PRESSURE TURBINE CASE ASSEMBLY							Component	ATA:72
PN:35C4726-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:RWA86D843	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725025	NO. 1 ENGINE - TURBINE EXHAUST CASE ASSEMBLY							Component	ATA:72
PN:35C5563-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:DYA403232	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725025	NO. 2 ENGINE - TURBINE EXHAUST CASE ASSEMBLY							Component	ATA:72
PN:35C5563-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:DYA404620	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725030	NO. 1 ENGINE - NO. 5 SEAL BEARING RUNNER							Component	ATA:72
PN:35C4886-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:EYA30872	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725030	NO. 2 ENGINE - NO. 5 SEAL BEARING RUNNER							Component	ATA:72
PN:35C4886-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:EYA31552	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725035	NO. 1 ENGINE - HIGH PRESSURE TURBINE TIE SHAFT							Component	ATA:72
PN:35C5798-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:UNA022115	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725035	NO. 2 ENGINE - HIGH PRESSURE TURBINE TIE SHAFT							Component	ATA:72
PN:35C5798-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:UNA022116	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725040	NO. 1 ENGINE - HIGH PRESSURE TURBINE VANE-RING							Component	ATA:72
PN:35C4971CL01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:PDAH6XUA01	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725040	NO. 2 ENGINE - HIGH PRESSURE TURBINE VANE-RING							Component	ATA:72
PN:35C4971CL01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:PDAH2H7X01	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725045	NO. 1 ENGINE - LOW PRESSURE TURBINE VANE-RING							Component	ATA:72
PN:35C4622CL01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:HLA062AB073	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725045	NO. 2 ENGINE - LOW PRESSURE TURBINE VANE-RING							Component	ATA:72
PN:35C4622CL01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:HLA062AB090	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.1 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:HWEY2579	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.10 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:HWHX5201	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.11 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:HWHX5204	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.12 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:HWHY2268	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725050	NO. 1 ENGINE - NO.13 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:HWHY2269	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.14 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:HWHY2273	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.15 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:HWHY2274	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.16 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:HWHY2294	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.17 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:HWHY2295	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.18 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:HWHY2300	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.19 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:HWHY2301	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725050	NO. 1 ENGINE - NO.2 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:HWFR7387	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.20 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:HWHY2311	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.21 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:HWHY2313	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.22 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:HWHY2329	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.23 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:HWHY2337	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.24 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:HWHY2338	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.25 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:HWHY2341	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725050	NO. 1 ENGINE - NO.26 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:HWHY2346	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.27 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:HWHY2353	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.28 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:HWHY2356	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.29 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:HWHY2357	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.3 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:HWHX5162	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.30 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:HWHY2455	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.31 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:HWHY2460	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725050	NO. 1 ENGINE - NO.32 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:HWHY2474	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.33 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:HWKB0021	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.34 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:HWKB0023	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.35 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:HWKB0026	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.36 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:HWKB0045	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.37 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:HWKB0050	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.38 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:HWKB0056	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725050	NO. 1 ENGINE - NO.39 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:HWKB0065	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.4 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:HWHX5163	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.40 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:HWKB0080	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.41 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:HWKB0086	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.42 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:HWKB0098	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.43 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:HWKB0099	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.44 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:HWKB0105	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725050	NO. 1 ENGINE - NO.45 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:HWKB0187	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.46 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:HWKB0201	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.47 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:HWKB0208	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.48 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:HWKB0210	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.49 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:HWKB0211	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.5 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:HWHX5165	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.50 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:HWKB0221	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725050	NO. 1 ENGINE - NO.6 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:HWHX5174	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.7 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:HWHX5181	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.8 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:HWHX5198	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.9 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:HWHX5200	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.1 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:HWHF7027	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.10 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:HWHR0776	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.11 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:HWHR0777	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725050	NO. 2 ENGINE - NO.12 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:HWHR0779	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.13 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:HWHR0780	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.14 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:HWHR0786	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.15 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:HWHR0792	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.16 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:HWHR0794	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.17 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:HWHR0795	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.18 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:HWHR0831	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725050	NO. 2 ENGINE - NO.19 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:HWHR0834	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.2 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:HWHR0723	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.20 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:HWHR0843	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.21 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:HWHR0849	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.22 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:HWHR0850	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.23 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:HWHR0860	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.24 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:HWHR3226	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725050	NO. 2 ENGINE - NO.25 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:HWHR3227	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.26 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:HWHR3231	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.27 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:HWHR3235	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.28 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:HWHR3238	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.29 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:HWHR3240	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.3 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:HWHR0727	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.30 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:HWHR3248	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725050	NO. 2 ENGINE - NO.31 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:HWHR3254	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.32 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:HWHR3262	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.33 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:HWHR3270	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.34 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:HWHR3275	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.35 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:HWHR3277	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.36 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:HWHR3284	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.37 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:HWHR3288	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725050	NO. 2 ENGINE - NO.38 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:HWHR3291	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.39 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:HWHR3303	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.4 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:HWHR0728	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.40 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:HWHR3304	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.41 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:HWHR3309	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.42 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:HWHR3316	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.43 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:HWHR3317	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725050	NO. 2 ENGINE - NO.44 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:HWHR3318	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.45 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:HWHR3324	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.46 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:HWHR3333	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.47 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:HWHR3336	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.48 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:HWHR3340	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.49 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:HWHR3344	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.5 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:HWHR0746	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725050	NO. 2 ENGINE - NO.50 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:HWHR3350	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.6 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:HWHR0747	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.7 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:HWHR0750	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.8 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:HWHR0753	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.9 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:HWHR0756	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
726010	NO. 1 ENGINE - FLANGED ROLLER BEARING							Component	ATA:72
PN:3107449-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:FCN353991	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
726010	NO. 2 ENGINE - FLANGED ROLLER BEARING							Component	ATA:72
PN:3107449-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:FCN357749	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
726015	NO. 1 ENGINE - STARTER GEARSHAFT BALL FLANGED BEARING							Component	ATA:72
PN:35C3615-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:FCN323801	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
726015	NO. 2 ENGINE - STARTER GEARSHAFT BALL FLANGED BEARING							Component	ATA:72
PN:35C3615-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:FCN331137	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
726020	NO. 1 ENGINE - ACCESSORY DRIVE GEAR SHAFT							Component	ATA:72
PN:35C5333-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:PKAAA416591	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
726020	NO. 2 ENGINE - ACCESSORY DRIVE GEAR SHAFT							Component	ATA:72
PN:35C5333-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:PKAAA441850	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
726025	NO. 1 ENGINE - ACCESSORY GEARBOX HOUSING ASSEMBLY							Component	ATA:72
PN:35C5141-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:RWA84D645	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
726025	NO. 2 ENGINE - ACCESSORY GEARBOX HOUSING ASSEMBLY							Component	ATA:72
PN:35C5141-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:RWA84D649	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
727010	NO. 1 ENGINE - BYPASS DUCT ASSEMBLY							Component	ATA:72
PN:35C5332-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:FDA9429744	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
727010	NO. 2 ENGINE - BYPASS DUCT ASSEMBLY							Component	ATA:72
PN:35C5332-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:FDA9281433	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
ATA 73 - ENGINE FUEL AND CONTROL									
73-10-04-000-801	NO. 1 ENGINE - FUEL MANIFOLD							Component	ATA:73
PN:35C6429-01	MOS	20-Mar-23		TSN 0					
SN:DEAAB81598	HRS	1920:40	1750 (+50)	TSN 0	(3670:40) 3670:40	3720:40	1682:57 (+50)		
	ENC	1845		TSN 0					
PROC. REF: GENERIC NO REF									
73-10-04-000-801	NO. 2 ENGINE - FUEL MANIFOLD							Component	ATA:73
PN:35C6429-01	MOS	20-Mar-23		TSN 0					
SN:DEAAB83180	HRS	1920:40	1750 (+50)	TSN 0	(3670:40) 3670:40	3720:40	1682:57 (+50)		
	ENC	1845		TSN 0					
PROC. REF: GENERIC NO REF									
73-10-05-000-801 ^S	NO. 1 ENGINE - DISCARD THE FUEL FILTER							Service	ATA:73
	MOS	20-Mar-24							
	HRS	1971:12	800 (+10%)						
	ENC	1900							
PROC. REF: LMM 73-10-05, LMM 73-10-05									
73-10-05-000-801 ^S	NO. 2 ENGINE - DISCARD THE FUEL FILTER							Service	ATA:73
	MOS	20-Mar-23							
	HRS	1920:40	800 (+10%)						
	ENC	1845							
PROC. REF: LMM 73-10-05, LMM 73-10-05									
73-10-05-220-801	NO. 1 ENGINE - DETAILED INSPECT THE FUEL FILTER							Service	ATA:73
	MOS	20-Mar-24	12 (+30d)		20-Mar-25	19-Apr-25	300 d (+30)		
	HRS	1971:12							
	ENC	1900							
PROC. REF: LMM 73-10-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
73-10-05-220-801	NO. 2 ENGINE - DETAILED INSPECT THE FUEL FILTER							Service	ATA:73
	MOS	20-Mar-24	12 (+30d)		20-Mar-25	19-Apr-25	300 d (+30)		
	HRS	1971:12							
	ENC	1900							
PROC. REF: LMM 73-10-05									
73-10-07-212-801 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE FSOV CABLE							Service	ATA:73
	MOS	20-Mar-24	12 (+30d)						
	HRS	1971:12	800 (+10%)						
	ENC	1900							
PROC. REF: LMM 73-10-07									
73-10-07-212-801 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE FSOV CABLE							Service	ATA:73
	MOS	20-Mar-24	12 (+30d)						
	HRS	1971:12	800 (+10%)						
	ENC	1900							
PROC. REF: LMM 73-10-07									
73-20-02-212-801 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE ENGINE WIRING HARNESS							Service	ATA:73
	MOS	20-Mar-24	12 (+30d)						
	HRS	1971:12	800 (+10%)						
	ENC	1900							
PROC. REF: LMM 73-20-02									
73-20-02-212-801 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE ENGINE WIRING HARNESS							Service	ATA:73
	MOS	20-Mar-24	12 (+30d)						
	HRS	1971:12	800 (+10%)						
	ENC	1900							
PROC. REF: LMM 73-20-02									
73-21-01	LH ENG FULL AUTHORITY DIGITAL FADEC							Component	ATA:73
PN:1009211-3-005	MOS/MSC	24-Mar-14	O/C						
SN:2009110015	HRS	75:54		TSN 962:48					
	AFL	58		TSN 719					
PROC. REF: AMM 73-21-01, AMM 73-21-01									
73-21-01	RH ENG FULL AUTHORITY DIGITAL FADEC							Component	ATA:73
PN:1009211-3-005	MOS/MSC	24-Mar-14	O/C						
SN:2009070023	HRS	75:54		TSN 477:18					
	AFL	58		TSN 361					
PROC. REF: AMM 73-21-01, AMM 73-21-01									
WO#: ENG SB 66082									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
73-21-02 NO.1 W205 FADEC CH B FUS CTRL HARNESS Component ATA:73								
PN:PN	MOS/MSC	28-Jun-13	O/C		TSN 0			
SN:UNKNOWN	HRS	0			TSN 0			
	AFL	0			TSN 0			
PROC. REF: GENERIC NO REF								
73-21-02 NO.2 W205 FADEC CH B FUS CTRL HARNESS Component ATA:73								
PN:PN	MOS/MSC	28-Jun-13	O/C		TSN 0			
SN:UNKNOWN	HRS	0			TSN 0			
	AFL	0			TSN 0			
PROC. REF: GENERIC NO REF								
73-21-03 NO.1 W203 FADEC CH A FUS CTRL HARNESS Component ATA:73								
PN:PN	MOS/MSC	28-Jun-13	O/C		TSN 0			
SN:UNKNOWN	HRS	0			TSN 0			
	AFL	0			TSN 0			
PROC. REF: GENERIC NO REF								
73-21-03 NO.2 W203 FADEC CH A FUS CTRL HARNESS Component ATA:73								
PN:PN	MOS/MSC	28-Jun-13	O/C		TSN 0			
SN:UNKNOWN	HRS	0			TSN 0			
	AFL	0			TSN 0			
PROC. REF: GENERIC NO REF								
73-21-09 NO.1 W307 FADEC CH B HARNESS Component ATA:73								
PN:PN	MOS/MSC	28-Jun-13	O/C		TSN 0			
SN:UNKNOWN	HRS	0			TSN 0			
	AFL	0			TSN 0			
PROC. REF: GENERIC NO REF								
73-21-09 NO.2 W307 FADEC CH B HARNESS Component ATA:73								
PN:PN	MOS/MSC	28-Jun-13	O/C		TSN 0			
SN:UNKNOWN	HRS	0			TSN 0			
	AFL	0			TSN 0			
PROC. REF: GENERIC NO REF								
73-21-10 NO.1 W305 FADEC CH A HARNESS Component ATA:73								
PN:PN	MOS/MSC	28-Jun-13	O/C		TSN 0			
SN:UNKNOWN	HRS	0			TSN 0			
	AFL	0			TSN 0			
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
73-21-10	NO.2 W305 FADEC CH A HARNESS							Component	ATA:73
PN:PN	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
73-30-02-212-801 ^S	NO. 1 ENGINE - VISUAL CHECK OF THE FUEL FILTER BYPASS INDICATOR POPUP BUTTON							Service	ATA:73
	MOS	20-Mar-24	12 (+30d)						
	HRS	1971:12	800 (+10%)						
	ENC	1900							
PROC. REF: LMM 73-30-02									
73-30-02-212-801 ^S	NO. 2 ENGINE - VISUAL CHECK OF THE FUEL FILTER BYPASS INDICATOR POPUP BUTTON							Service	ATA:73
	MOS	20-Mar-24	12 (+30d)						
	HRS	1971:12	800 (+10%)						
	ENC	1900							
PROC. REF: LMM 73-30-02									
73-30-02-215-801 ^S	NO. 1 ENGINE - DETAILED INSPECTION OF THE FUEL FILTER BYPASS INDICATOR							Service	ATA:73
	MOS	20-Mar-24	12 (+30d)						
	HRS	1971:12	800 (+10%)						
	ENC	1900							
PROC. REF: LMM 73-30-02									
73-30-02-215-801 ^S	NO. 2 ENGINE - DETAILED INSPECTION OF THE FUEL FILTER BYPASS INDICATOR							Service	ATA:73
	MOS	20-Mar-24	12 (+30d)						
	HRS	1971:12	800 (+10%)						
	ENC	1900							
PROC. REF: LMM 73-30-02									
73-33-01	LH ENG FUEL FLOW METER							Component	ATA:73
PN:8TJ300AAF2	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:29812	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 73-33-01, AMM 73-33-01									
73-33-01	RH ENG FUEL FLOW METER							Component	ATA:73
PN:8TJ300AAF2	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:29809	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 73-33-01, AMM 73-33-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731002 NO. 1 ENGINE - FUEL TO OIL HEAT EXCHANGER Component ATA:73								
PN:35C4540-04	MOS	17-Jan-13		TSN 0				OVERHAUL
SN:WA44933	HRS	0	3500 (+100)	TSN 0	(3500) 3500	3600	1512:17 (+100)	
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-02, LMM 73-10-02								
731002 NO. 2 ENGINE - FUEL TO OIL HEAT EXCHANGER Component ATA:73								
PN:35C4540-04	MOS	23-Jan-13		TSN 0				OVERHAUL
SN:WA44966	HRS	0	3500 (+100)	TSN 0	(3500) 3500	3600	1512:17 (+100)	
	ENC	0		TSN 0				
PROC. REF: LMM 73-10-02, LMM 73-10-02								
732101 NO. 1 ENGINE - FUEL METERING UNIT Component ATA:73								
PN:35C3692-03	MOS	17-Jan-13		TSN 0				OVERHAUL
SN:F79423	HRS	0	3500 (+100)	TSN 0	(3500) 3500	3600	1512:17 (+100)	
	ENC	0		TSN 0				
PROC. REF: LMM 73-20-01, LMM 73-20-01								
732101 NO. 2 ENGINE - FUEL METERING UNIT Component ATA:73								
PN:35C3692-03	MOS	23-Jan-13		TSN 0				OVERHAUL
SN:F79849	HRS	0	3500 (+100)	TSN 0	(3500) 3500	3600	1512:17 (+100)	
	ENC	0		TSN 0				
PROC. REF: LMM 73-20-01, LMM 73-20-01								
732108 NO. 1 ENGINE - ELECTRICAL WIRING HARNESS Component ATA:73								
PN:PN	MOS/MSC	17-Jan-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
732108 NO. 2 ENGINE - ELECTRICAL WIRING HARNESS Component ATA:73								
PN:PN	MOS/MSC	23-Jan-13	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
732110	NO. 1 ENGINE - ENGINE ELECTRICAL WIRING HARNESS - DO A SPECIAL DETAILED INSPECTION							Service	ATA:73
	MOS								
	HRS	EFF	3500 (+100)		(3500) 3500 *	3600	1512:17 (+100)		
	ENC								
PROC. REF: GENERIC NO REF									
732110	NO. 2 ENGINE - ENGINE ELECTRICAL WIRING HARNESS - DO A SPECIAL DETAILED INSPECTION							Service	ATA:73
	MOS								
	HRS	EFF	3500 (+100)		(3500) 3500 *	3600	1512:17 (+100)		
	ENC								
PROC. REF: GENERIC NO REF									
732244	NO. 1 ENGINE - ENGINE ELECTRONIC CONTROL							Component	ATA:73
PN:35C4812-04	MOS/MSC	08-Mar-13	O/C	TSN 0					
SN:2012120033	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-20-03, LMM 73-20-03									
732244	NO. 2 ENGINE - ENGINE ELECTRONIC CONTROL							Component	ATA:73
PN:35C4812-04	MOS/MSC	08-Mar-13	O/C	TSN 0					
SN:2012120014	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-20-03, LMM 73-20-03									
733002	NO. 1 ENGINE - FUEL FILTER BYPASS INDICATOR							Component	ATA:73
PN:PN	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-30-02, LMM 73-30-02									
733002	NO. 2 ENGINE - FUEL FILTER BYPASS INDICATOR							Component	ATA:73
PN:PN	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 73-30-02, LMM 73-30-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
733010	NO. 1 ENGINE - FUEL FILTER IMPENDING BYPASS INDICATOR							Component	ATA:73
PN:PN	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
733010	NO. 2 ENGINE - FUEL FILTER IMPENDING BYPASS INDICATOR							Component	ATA:73
PN:PN	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
733020	NO. 1 ENGINE - FUEL FILTER IMPENDING BYPASS INDICATOR - DO A VISUAL INSPECTION AND FUNCTIONAL TEST							Service	ATA:73
	MOS								
	HRS	EFF	3500 (+100)		(3500) 3500 *	3600	1512:17 (+100)		
	ENC								
PROC. REF: LMM 73-30-01, LMM 73-30-01									
733020	NO. 2 ENGINE - FUEL FILTER IMPENDING BYPASS INDICATOR - DO A VISUAL INSPECTION AND FUNCTIONAL TEST							Service	ATA:73
	MOS								
	HRS	EFF	3500 (+100)		(3500) 3500 *	3600	1512:17 (+100)		
	ENC								
PROC. REF: LMM 73-30-01, LMM 73-30-01									
733030	NO. 1 ENGINE - FUEL FILTER BYPASS INDICATOR (POP-UP) - DO A VISUAL INSPECTION AND FUNCTIONAL TEST							Service	ATA:73
	MOS								
	HRS	EFF	3500 (+100)		(3500) 3500 *	3600	1512:17 (+100)		
	ENC								
PROC. REF: LMM 73-30-02, LMM 73-30-02									
733030	NO. 2 ENGINE - FUEL FILTER BYPASS INDICATOR (POP-UP) - DO A VISUAL INSPECTION AND FUNCTIONAL TEST							Service	ATA:73
	MOS								
	HRS	EFF	3500 (+100)		(3500) 3500 *	3600	1512:17 (+100)		
	ENC								
PROC. REF: LMM 73-30-02, LMM 73-30-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 74 - IGNITION									
74-00-01-720-801 ^S	NO. 1 ENGINE - DO A FUNCTIONAL TEST OF THE IGNITION SYSTEM							Service	ATA:74
	MOS	20-Mar-24	12 (+30d)						
	HRS	1971:12	800 (+10%)						
	ENC	1900							
				PROC. REF: LMM 74-00-01				PKG:1	
74-00-01-720-801 ^S	NO. 2 ENGINE - DO A FUNCTIONAL TEST OF THE IGNITION SYSTEM							Service	ATA:74
	MOS	20-Mar-24	12 (+30d)						
	HRS	1971:12	800 (+10%)						
	ENC	1900							
				PROC. REF: LMM 74-00-01				PKG:1	
74-10-01-212-801 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE IGNITION EXCITER							Service	ATA:74
	MOS	20-Mar-24	12 (+30d)						
	HRS	1971:12	800 (+10%)						
	ENC	1900							
				PROC. REF: LMM 74-10-01				PKG:1	
74-10-01-212-801 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE IGNITION EXCITER							Service	ATA:74
	MOS	20-Mar-24	12 (+30d)						
	HRS	1971:12	800 (+10%)						
	ENC	1900							
				PROC. REF: LMM 74-10-01				PKG:1	
74-20-01-212-801 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE IGNITION CABLES							Service	ATA:74
	MOS	20-Mar-24	12 (+30d)						
	HRS	1971:12	800 (+10%)						
	ENC	1900							
				PROC. REF: LMM 74-20-01				PKG:1	
74-20-01-212-801 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE IGNITION CABLES							Service	ATA:74
	MOS	20-Mar-24	12 (+30d)						
	HRS	1971:12	800 (+10%)						
	ENC	1900							
				PROC. REF: LMM 74-20-01				PKG:1	
74-20-02-220-801 ^S	NO. 1 ENGINE - INSPECT THE IGNITION IGNITERS							Service	ATA:74
	MOS	20-Mar-24	12 (+30d)						
	HRS	1971:12	800 (+10%)						
	ENC	1900							
				PROC. REF: LMM 74-20-02, LMM 74-20-02				PKG:1	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 74 - IGNITION									
74-20-02-220-801 ^S	NO. 2 ENGINE - INSPECT THE IGNITION IGNITERS							Service	ATA:74
	MOS	20-Mar-24	12 (+30d)						
	HRS	1971:12	800 (+10%)						
	ENC	1900							
PROC. REF: LMM 74-20-02, LMM 74-20-02								PKG:1	
741001	NO. 1 ENGINE - IGNITION EXCITER							Component	ATA:74
PN:35C5472-02	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:WDA119670	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 74-10-01, LMM 74-10-01									
741001	NO. 2 ENGINE - IGNITION EXCITER							Component	ATA:74
PN:35C5472-02	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:WDA119677	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 74-10-01, LMM 74-10-01									
741002	NO. 1 ENGINE - LEFT IGNITER CABLE							Component	ATA:74
PN:PN	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 74-20-01, LMM 74-20-01									
741002	NO. 2 ENGINE - LEFT IGNITER CABLE							Component	ATA:74
PN:PN	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 74-20-01, LMM 74-20-01									
741003	NO. 1 ENGINE - RIGHT IGNITER CABLE							Component	ATA:74
PN:PN	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 74-20-01, LMM 74-20-01									
741003	NO. 2 ENGINE - RIGHT IGNITER CABLE							Component	ATA:74
PN:PN	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 74-20-01, LMM 74-20-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 74 - IGNITION									
741004	NO. 1 ENGINE - INBOARD SPARK IGNITER							Component	ATA:74
PN:35C2353-02	MOS/MSC	28-Mar-16	O/C						
SN:UNKNOWN	HRS	621		TSN 0					
	ENC	552		TSN 0					
PROC. REF: LMM 74-20-02									
741004	NO. 2 ENGINE - INBOARD SPARK IGNITER							Component	ATA:74
PN:35C2353-02	MOS/MSC	28-Mar-16	O/C						
SN:UNKNOWN	HRS	621		TSN 0					
	ENC	552		TSN 0					
PROC. REF: LMM 74-20-02									
741005	NO. 1 ENGINE - OUTBOARD SPARK IGNITER							Component	ATA:74
PN:35C2353-02	MOS/MSC	28-Mar-16	O/C						
SN:UNKNOWN	HRS	621		TSN 0					
	ENC	552		TSN 0					
PROC. REF: LMM 74-20-02									
741005	NO. 2 ENGINE - OUTBOARD SPARK IGNITER							Component	ATA:74
PN:35C2353-02	MOS/MSC	28-Mar-16	O/C						
SN:UNKNOWN	HRS	621		TSN 0					
	ENC	552		TSN 0					
PROC. REF: LMM 74-20-02									
741010	NO. 1 ENGINE - IGNITION EXCITER - DO A GENERAL VISUAL INSPECTION							Service	ATA:74
	MOS								
	HRS	EFF	3500 (+100)		(3500) 3500 *	3600	1512:17 (+100)		
	ENC								
PROC. REF: LMM 74-10-01									
741010	NO. 2 ENGINE - IGNITION EXCITER - DO A GENERAL VISUAL INSPECTION							Service	ATA:74
	MOS								
	HRS	EFF	3500 (+100)		(3500) 3500 *	3600	1512:17 (+100)		
	ENC								
PROC. REF: LMM 74-10-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 74 - IGNITION								
741020	NO. 1 ENGINE - LEFT IGNITER CABLE - DO A VISUAL INSPECTION AND FUNCTIONAL TEST							Service ATA:74
	MOS							
	HRS	EFF	3500 (+100)		(3500) 3500 *	3600	1512:17 (+100)	
	ENC							
	PROC. REF: LMM 74-20-01, LMM 74-20-01							
741020	NO. 2 ENGINE - LEFT IGNITER CABLE - DO A VISUAL INSPECTION AND FUNCTIONAL TEST							Service ATA:74
	MOS							
	HRS	EFF	3500 (+100)		(3500) 3500 *	3600	1512:17 (+100)	
	ENC							
	PROC. REF: LMM 74-20-01, LMM 74-20-01							
741030	NO. 1 ENGINE - RIGHT IGNITER CABLE - DO A VISUAL INSPECTION AND FUNCTIONAL TEST							Service ATA:74
	MOS							
	HRS	EFF	3500 (+100)		(3500) 3500 *	3600	1512:17 (+100)	
	ENC							
	PROC. REF: LMM 74-20-01, LMM 74-20-01							
741030	NO. 2 ENGINE - RIGHT IGNITER CABLE - DO A VISUAL INSPECTION AND FUNCTIONAL TEST							Service ATA:74
	MOS							
	HRS	EFF	3500 (+100)		(3500) 3500 *	3600	1512:17 (+100)	
	ENC							
	PROC. REF: LMM 74-20-01, LMM 74-20-01							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 75 - AIR									
75-30-01-212-801 ^S		NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE BVA						Service	ATA:75
	MOS	20-Mar-24	12 (+30d)						
	HRS	1971:12	800 (+10%)						
	ENC	1900							
PROC. REF: LMM 75-30-01								PKG:1	
75-30-01-212-801 ^S		NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE BVA						Service	ATA:75
	MOS	20-Mar-24	12 (+30d)						
	HRS	1971:12	800 (+10%)						
	ENC	1900							
PROC. REF: LMM 75-30-01								PKG:1	
751003		NO. 1 ENGINE - BLEED VALVE ACTUATOR						Component	ATA:75
PN:35C2851-02	MOS	17-Jan-13		TSN 0				OVERHAUL	
SN:18371372	HRS	0	3500 (+100)	TSN 0	(3500) 3500	3600	1512:17 (+100)		
	ENC	0		TSN 0					
PROC. REF: LMM 75-30-01, LMM 75-30-01									
751003		NO. 2 ENGINE - BLEED VALVE ACTUATOR						Component	ATA:75
PN:35C2851-02	MOS	23-Jan-13		TSN 0				OVERHAUL	
SN:18363871	HRS	0	3500 (+100)	TSN 0	(3500) 3500	3600	1512:17 (+100)		
	ENC	0		TSN 0					
PROC. REF: LMM 75-30-01, LMM 75-30-01									
ATA 76 - ENGINE CONTROLS									
76-11-03		THROTTLE CONTROL QUADRANT ASSEMBLY						Component	ATA:76
PN:6990010-11	MOS/MSC	28-Jun-13	O/C	TSN 0					
SN:1455	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
ATA 77 - ENGINE INDICATING									
77-20-02-212-801 ^S		NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE T6 TEMPERATURE INDICATING SYSTEM						Service	ATA:77
	MOS	20-Mar-24	12 (+30d)						
	HRS	1971:12	800 (+10%)						
	ENC	1900							
PROC. REF: LMM 77-20-02								PKG:1	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 77 - ENGINE INDICATING									
77-20-02-212-801 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE T6 TEMPERATURE INDICATING SYSTEM							Service	ATA:77
	MOS	20-Mar-24	12 (+30d)						
	HRS	1971:12	800 (+10%)						
	ENC	1900							
	PROC. REF: LMM 77-20-02							PKG:1	
77-20-02-710-801	NO. 1 ENGINE - OPERATIONAL CHECK OF THE T6 TEMPERATURE INDICATING SYSTEM							Service	ATA:77
	MOS	20-Mar-23	36 (+30d)		20-Mar-26	19-Apr-26	665 d (+30)		
	HRS	1920:40	1750 (+50)		(3670:40) 3670:40	3720:40	1682:57 (+50)		
	ENC	1845							
	PROC. REF: LMM 77-20-02								
77-20-02-710-801	NO. 2 ENGINE - OPERATIONAL CHECK OF THE T6 TEMPERATURE INDICATING SYSTEM							Service	ATA:77
	MOS	20-Mar-23	36 (+30d)		20-Mar-26	19-Apr-26	665 d (+30)		
	HRS	1920:40	1750 (+50)		(3670:40) 3670:40	3720:40	1682:57 (+50)		
	ENC	1845							
	PROC. REF: LMM 77-20-02								
772002	NO. 1 ENGINE - T6 THERMOCOUPLE HARNESS ASSEMBLY							Component	ATA:77
PN:PN	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
	PROC. REF: LMM 77-20-02, LMM 77-20-02								
772002	NO. 2 ENGINE - T6 THERMOCOUPLE HARNESS ASSEMBLY							Component	ATA:77
PN:PN	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
	PROC. REF: LMM 77-20-02, LMM 77-20-02								
772010	NO. 1 ENGINE - T6 THERMOCOUPLE HARNESS ASSEMBLY - DO A VISUAL INSPECTION AND FUNCTIONAL TEST							Service	ATA:77
	MOS								
	HRS	EFF	3500 (+100)		(3500) 3500 *	3600	1512:17 (+100)		
	ENC								
	PROC. REF: LMM 77-20-02, LMM 77-20-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 77 - ENGINE INDICATING									
772010	NO. 2 ENGINE - T6 THERMOCOUPLE HARNESS ASSEMBLY - DO A VISUAL INSPECTION AND FUNCTIONAL TEST							Service	ATA:77
	MOS								
	HRS	EFF	3500 (+100)		(3500) 3500 *	3600	1512:17 (+100)		
	ENC								
PROC. REF: LMM 77-20-02, LMM 77-20-02									
772103	NO. 1 ENGINE - DATA COLLECTION UNIT							Component	ATA:77
PN:35C5709-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:12-459	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
772103	NO. 2 ENGINE - DATA COLLECTION UNIT							Component	ATA:77
PN:35C5709-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:12-601	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
772110	NO. 1 ENGINE - DO A DCU INTEGRITY VERIFACTION							Service	ATA:77
	MOS								
	HRS	EFF	3500 (+100)		(3500) 3500 *	3600	1512:17 (+100)		
	ENC								
PROC. REF: LMM 77-40-01, LMM 77-40-01									
772110	NO. 2 ENGINE - DO A DCU INTEGRITY VERIFACTION							Service	ATA:77
	MOS								
	HRS	EFF	3500 (+100)		(3500) 3500 *	3600	1512:17 (+100)		
	ENC								
PROC. REF: LMM 77-40-01, LMM 77-40-01									
ATA 79 - OIL									
79-00-00-640-803	NO. 1 ENGINE - OIL CHANGE INTERVAL							Service	ATA:79
	MOS/MSC	17-Jan-13	A/R						
	HRS	0							
	ENC	0							
PROC. REF: LMM 72-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
79-00-00-640-803	NO. 2 ENGINE - OIL CHANGE INTERVAL							Service	ATA:79
	MOS/MSC	23-Jan-13	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 72-00-00								
79-20-01-000-801 ^S	NO. 1 ENGINE - DISCARD OIL FILTER							Service	ATA:79
	MOS	20-Mar-23							
	HRS	1920:40	800 (+10%)						
	ENC	1845							
	PROC. REF: LMM 79-20-01, LMM 79-20-01								
	PKG:2								
79-20-01-000-801 ^S	NO. 2 ENGINE - DISCARD OIL FILTER							Service	ATA:79
	MOS	20-Mar-23							
	HRS	1920:40	800 (+10%)						
	ENC	1845							
	PROC. REF: LMM 79-20-01, LMM 79-20-01								
	PKG:2								
79-20-03-000-805-A	NO. 1 ENGINE - DISCARD THE NO. 4 BEARING OIL-PRESSURE TUBE							Component	ATA:79
PN:35C6509	MOS	20-Mar-23		TSN 0				LIFE LIMIT	
SN:NSN	HRS	1920:40	1750 (+50)	TSN 0	(3670:40) 3670:40	3720:40	1682:57 (+50)		
	ENC	1845		TSN 0					
	PROC. REF: LMM 79-20-03, LMM 79-20-03, LMM 79-20-03, LMM 79-20-03								
79-20-03-000-805-A	NO. 2 ENGINE - DISCARD THE NO. 4 BEARING OIL-PRESSURE TUBE							Component	ATA:79
PN:35C6509	MOS	20-Mar-23		TSN 0				LIFE LIMIT	
SN:NSN	HRS	1920:40	1750 (+50)	TSN 0	(3670:40) 3670:40	3720:40	1682:57 (+50)		
	ENC	1845		TSN 0					
	PROC. REF: LMM 79-20-03, LMM 79-20-03, LMM 79-20-03, LMM 79-20-03								
79-30-01-720-801 ^S	NO. 1 ENGINE - OPERATIONAL CHECK OF THE CHIP DETECTOR							Service	ATA:79
	MOS	20-Mar-24	12 (+30d)						
	HRS	1971:12	800 (+10%)						
	ENC	1900							
	PROC. REF: GENERIC NO REF								
	PKG:1								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
79-30-01-720-801 ^S	NO. 2 ENGINE - OPERATIONAL CHECK OF THE CHIP DETECTOR							Service	ATA:79
	MOS	20-Mar-24	12 (+30d)						
	HRS	1971:12	800 (+10%)						
	ENC	1900							
	PROC. REF: GENERIC NO REF							PKG:1	
79-30-02-210-802 ^S	NO. 1 ENGINE - VISUAL CHECK OF THE OIL FILTER IMPENDING BYPASS INDICATOR POPUP BUTTON							Service	ATA:79
	MOS	20-Mar-24	12 (+30d)						
	HRS	1971:12	800 (+10%)						
	ENC	1900							
	PROC. REF: LMM 79-30-02							PKG:1	
79-30-02-210-802 ^S	NO. 2 ENGINE - VISUAL CHECK OF THE OIL FILTER IMPENDING BYPASS INDICATOR POPUP BUTTON							Service	ATA:79
	MOS	20-Mar-24	12 (+30d)						
	HRS	1971:12	800 (+10%)						
	ENC	1900							
	PROC. REF: LMM 79-30-02							PKG:1	
79-30-02-215-801 ^S	NO. 1 ENGINE - DETAILED INSPECTION OF THE OIL FILTER IMPENDING BYPASS INDICATOR							Service	ATA:79
	MOS	20-Mar-24	12 (+30d)						
	HRS	1971:12	800 (+10%)						
	ENC	1900							
	PROC. REF: LMM 79-30-02							PKG:1	
79-30-02-215-801 ^S	NO. 2 ENGINE - DETAILED INSPECTION OF THE OIL FILTER IMPENDING BYPASS INDICATOR							Service	ATA:79
	MOS	20-Mar-24	12 (+30d)						
	HRS	1971:12	800 (+10%)						
	ENC	1900							
	PROC. REF: LMM 79-30-02							PKG:1	
79-31-01	LH ENG OIL TEMPERATURE PRESSURE SENSOR							Component	ATA:79
PN:PT9903-275-40012	MOS/MSC	28-Jun-13	O/C		TSN 0				
SN:0912-2867	HRS	0			TSN 0				
	AFL	0			TSN 0				
	PROC. REF: AMM 79-31-01, AMM 79-31-01								
79-31-01	RH ENG OIL TEMPERATURE PRESSURE SENSOR							Component	ATA:79
PN:PT9903-275-40012	MOS/MSC	28-Jun-13	O/C		TSN 0				
SN:0912-2863	HRS	0			TSN 0				
	AFL	0			TSN 0				
	PROC. REF: AMM 79-31-01, AMM 79-31-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
792007		NO. 1 ENGINE - AIR COOLED OIL COOLER						Component	ATA:79
PN:35C2495-05	MOS	17-Jan-13		TSN 0				OVERHAUL	
SN:WA44969	HRS	0	3500 (+100)	TSN 0	(3500) 3500	3600	1512:17 (+100)		
	ENC	0		TSN 0					
PROC. REF: LMM 79-20-03, LMM 79-20-03, LMM 79-20-07, LMM 79-20-07									
792007		NO. 2 ENGINE - AIR COOLED OIL COOLER						Component	ATA:79
PN:35C2495-05	MOS	23-Jan-13		TSN 0				OVERHAUL	
SN:WA45203	HRS	0	3500 (+100)	TSN 0	(3500) 3500	3600	1512:17 (+100)		
	ENC	0		TSN 0					
PROC. REF: LMM 79-20-03, LMM 79-20-03, LMM 79-20-07, LMM 79-20-07									
792010		NO. 1 ENGINE - P3 AIR COOLER ASSEMBLY						Component	ATA:79
PN:35C5545-01	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:TYAB2439	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
792010		NO. 2 ENGINE - P3 AIR COOLER ASSEMBLY						Component	ATA:79
PN:35C5545-01	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:TYAB2437	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
793001		NO. 1 ENGINE - CHIP DETECTOR						Component	ATA:79
PN:PN	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 79-30-01, LMM 79-30-01									
793001		NO. 2 ENGINE - CHIP DETECTOR						Component	ATA:79
PN:PN	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 79-30-01, LMM 79-30-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: PHENOM 100 Serial: 50000317 RegNo: F-HPBM HRS: 1987:43 AFL: 1914 As Of: 19-May-2024

24-May-2024 08:36 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
793002	NO. 1 ENGINE - OIL FILTER IMPENDING BYPASS INDICATOR							Component	ATA:79
PN:PN	MOS/MSC	17-Jan-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 79-30-02, LMM 79-30-02									
793002	NO. 2 ENGINE - OIL FILTER IMPENDING BYPASS INDICATOR							Component	ATA:79
PN:PN	MOS/MSC	23-Jan-13	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 79-30-02, LMM 79-30-02									
793010	NO. 1 ENGINE - CHIP DETECTOR - DO A VISUAL INSPECTION AND FUNCTIONAL TEST							Service	ATA:79
	MOS	25-Feb-22							
	HRS	1605:35	3500 (+100)		(5105:35) 5105:35	5205:35	3117:52 (+100)		
	ENC	1535							
PROC. REF: LMM 79-30-01, LMM 79-30-01									
793010	NO. 2 ENGINE - CHIP DETECTOR - DO A VISUAL INSPECTION AND FUNCTIONAL TEST							Service	ATA:79
	MOS	25-Feb-22							
	HRS	1605:35	3500 (+100)		(5105:35) 5105:35	5205:35	3117:52 (+100)		
	ENC	1535							
PROC. REF: LMM 79-30-01, LMM 79-30-01									
793020	NO. 1 ENGINE - OIL FILTER IMPENDING BYPASS INDICATOR (POP-UP) - DO A DETAIL INSPECTION AND FUNCTIONAL TEST							Service	ATA:79
	MOS								
	HRS	EFF	3500 (+100)		(3500) 3500 *	3600	1512:17 (+100)		
	ENC								
PROC. REF: LMM 79-30-02, LMM 79-30-02									
793020	NO. 2 ENGINE - OIL FILTER IMPENDING BYPASS INDICATOR (POP-UP) - DO A DETAIL INSPECTION AND FUNCTIONAL TEST							Service	ATA:79
	MOS								
	HRS	EFF	3500 (+100)		(3500) 3500 *	3600	1512:17 (+100)		
	ENC								
PROC. REF: LMM 79-30-02, LMM 79-30-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task